

Supplementary material 2 Home environmental, behavioural and domestic activities factors associated with the incidence of HI, relative to the time at risk at home, in adults aged 50 or more in the MAVIE cohort

	Adjusted Models*			Fully adjusted model†			
	<i>n</i> (%)	RR (95% CI)	<i>P_c</i>	<i>n</i> (%)	RR (95 % CI)	<i>P</i>	AF (%)
Block 1: Adjustment variables	(model including only the adjustment variables)						
Gender							
Female (vs. male)	(54)	0.88 (0.68 - 1.15)	0.546	(53)	1.05 (0.77 - 1.43)	0.764	2.0
Age (years)							
75+ (vs. 50-74)	(6)	0.90 (0.53 - 1.54)	0.703	(6)	1.06 (0.62 - 1.81)	0.832	0.4
History of previous injury (12 last months)							
Yes (vs. no)	(8)	1.86 (1.26 - 2.76)	0.006	(8)	1.73 (1.16 - 2.58)	0.007	5.6
Self-perceived physical health							
Poor (1 to 4) vs. Excellent (8 to 10)	(8)	1.31 (0.80 - 2.15)	0.551	(8)	1.33 (0.80 - 2.22)	0.496	2.6
Good (5 to 7)	(39)	0.95 (0.71 - 1.27)	-	(39)	1.00 (0.74 - 1.34)	-	-0.2
Self-perceived mental health							
Poor (1 to 4) vs. Excellent (8 to 10)	(5)	1.31 (0.80 - 2.15)	0.057	(5)	2.11 (1.21 - 3.67)	0.026	4.5
Good (5 to 7)	(29)	0.95 (0.71 - 1.27)	-	(30)	1.01 (0.74 - 1.38)	-	0.4
Level of educational attainment by age							
High (vs. low)	(93)	1.22 (0.69 - 2.14)	0.551	(93)	1.16 (0.65 - 2.08)	0.619	13.2
Household income level							
High (vs. middle)	(53)	1.62 (1.20 - 2.18)	0.001	(53)	1.53 (1.13 - 2.08)	0.003	21.5
Low	(9)	0.60 (0.34 - 1.04)	-	(9)	0.66 (0.38 - 1.16)	-	-3.1
Living alone							
Yes (vs. no)	(23)	1.98 (1.42 - 2.76)	<0.001	(23)	2.04 (1.44 - 2.89)	<0.001	13.7
Frequency of alcohol consumption							
2 or more times a week (vs. <2 times a week)	(50)	1.34 (1.03 - 1.75)	0.057	(50)	1.32 (1.00 - 1.73)	0.050	13.9
Bloc 2: Exposure variables							
	(individual models adjusted for variables of the block 1)						
DIY							
	290						
	6						
Occasional (vs. Never)	(34)	1.42 (1.03 - 1.95)	0.089	(35)	1.40 (1.01 - 1.94)	0.043	11.1
Frequent	(16)	1.73 (1.16 - 2.56)	-	(16)	1.63 (1.08 - 2.44)	-	8.3
Domestic activities							
	288						
	1						
Occasional (vs. Never)	(51)	1.20 (0.89 - 1.62)	0.488	-	-	-	-

Frequent	(21)	1.28 (0.83 - 1.96)	-	-	-	-	-
Storing cleaning products out of their original packaging	298 8						
Yes (vs. No)	(16)	1.43 (1.03 - 1.99)	0.089	(16)	1.32 (0.94 - 1.86)	0.112	5.1
Using a stool to reach high places	297 8						
Yes (vs. no)	(22)	1.52 (1.13 - 2.04)	0.052	(23)	1.42 (1.04 - 1.94)	0.028	8.6
Using a chair to reach high places	298 2						
Yes (vs. no)	(28)	1.32 (0.99 - 1.75)	0.096	(29)	1.16 (0.86 - 1.57)	0.329	4.4
Parquet on the kitchen floor	298 1						
Yes (vs. no)	(69)	1.20 (0.89 - 1.62)	0.249	-	-	-	-
Balcony	213 2						
Yes (vs. no)	(30)	0.78 (0.58 - 1.05)	0.138	-	-	-	-
Cellar	295 2						
Yes (vs. no)	(47)	1.32 (1.01 - 1.71)	0.089	(48)	1.30 (1.00 - 1.71)	0.052	12.8
Stairs	299 5						
Yes (vs. no)	(63)	1.34 (1.01 - 1.79)	0.089	(64)	1.31 (0.97 - 1.78)	0.081	16.6
No lighting stairs	261 5						
None of them (vs. All of them)	(30)	3.19 (0.91 - 11.17)	0.191	-	-	-	-
Some of them	(41)	1.59 (0.47 - 5.41)	-	-	-	-	-

Poisson mixed models per variable including offset term time spent at home during the follow-up and random effect in the variable household.

* Results variable selection step 1

† Results variable selection step 2

Block 1: Crude models adjustment variables and model including all adjustment variables.

Block 2: Crude models of each health conditions and models adjusted for the variables of the Block 1.

Bold, P values <0.05

Abbreviations: n = number of responders, HI = number of Home Injuries, RR = Relative Risk, CI = Confidence Interval, P_c = P-values ANOVA type II corrected using Benjamini & Hochberg (1995) method.