

Appendix A




Fig. S1A. Visualization of the mediation panel modeling approach. Expressed proteins= Kynureninase, Leukocyte-associated immunoglobulin-like receptor 2, macrophage scavenger receptor type-I, plexin-B3, and Lysosome membrane protein 2. Brain health indicators= brain-derived neurotrophic factor, mental health indicators, cognitive performance indicators, hippocampal volume and function.

Table S1A. List of proteins included in the Olink Target Neurology panel.

ADP-ribosyl cyclase/cyclic ADP-ribose hydrolase 1 (CD38)
Alpha-2-macroglobulin receptor-associated protein (Alpha-2-MRAP)
BDNF/NT-3 growth factors receptor (NTRK2)
Beta-nerve growth factor (Beta-NGF)
Bone morphogenetic protein 4 (BMP-4)
Brevican core protein (BCAN)
Brorin (VWC2)
C-type lectin domain family 1 member B (CLEC1B)
C-type lectin domain family 10 member A (CLEC10A)
Cadherin-3 (CDH3)
Cadherin-6 (CDH6)
Carboxypeptidase A2 (CPA2)
Carboxypeptidase M (CPM)
Cathepsin S (CTSS)
Cell adhesion molecule 3 (CADM3)
Cell surface glycoprotein CD200 receptor 1 (CD200R1)
CMRF35-like molecule 1 (CLM-1)
CMRF35-like molecule 6 (CLM-6)
Contactin-5 (CNTN5)
Cytotoxic and regulatory T-cell molecule (CRTAM)
Dickkopf-related protein 4 (Dkk-4)
Dipeptidyl peptidase 1 (CTSC)
Disintegrin and metalloproteinase domain-containing protein 22 (ADAM 22)
Disintegrin and metalloproteinase domain-containing protein 23 (ADAM 23)
Draxin (DRAXIN)
Ephrin type-B receptor 6 (EPHB6)
Ephrin-A4 (EFNA4)
Epithelial discoidin domain-containing receptor 1 (DDR1)
Ezrin (EZR)
Fc receptor-like protein 2 (FcRL2)
Galectin-8 (gal-8)
GDNF family receptor alpha-1 (GFR-alpha-1)
GDNF family receptor alpha-3 (GDNFR-alpha-3)
Glial cell line-derived neurotrophic factor (GDNF)
Glypican-5 (GPC5)
Granulocyte Colony-Stimulating Factor (G-CSF)
Granulocyte-macrophage colony-stimulating factor receptor subunit alpha (GM-CSF-R-alpha)
Granzyme A (GZMA)
Growth/differentiation factor 8 (GDF-8)
Hydroxyacylglutathione hydrolase, mitochondrial (HAGH)
Interleukin-12 subunit beta, Interleukin-12 subunit alpha (IL-12B, IL-12A)
Interleukin-5 receptor subunit alpha (IL-5R-alpha)
Junctional adhesion molecule B (JAM-B)
Kynureninase (KYNU)
Latexin (LXN)
Layilin (LAYN)
Leucine-rich repeat transmembrane protein FLRT2 (FLRT2)
Leukocyte-associated immunoglobulin-like receptor 2 (LAIR-2)
Linker for activation of T-cells family member 1 (LAT)
Lysosome membrane protein 2 (SCARB2)
Macrophage scavenger receptor types I and II (MSR1)
MAM domain-containing glycosylphosphatidylinositol anchor protein 1 (MDGA1)
Matrilin-3 (MATN3)
Mesencephalic astrocyte-derived neurotrophic factor (MANF)
Microtubule-associated protein tau (MAPT)
N-acyl ethanolamine-hydrolyzing acid amidase (NAAA)
Neprilysin (NEP)
Netrin receptor UNC5C (UNC5C)

Exercise and neurology biomarkers in childhood

Neuroblastoma suppressor of tumorigenicity 1 (NBL1)
Neurocan core protein (NCAN)
Neuronal cell adhesion molecule (Nr-CAM)
Neuropilin-2 (NRP2)
Neutral ceramidase (N-CDase)
Nicotinamide/nicotinic acid mononucleotide adenylyltransferase 1 (NMNAT1)
NKG2D ligand 2 (N2DL-2)
NT-3 growth factor receptor (NTRK3)
OX-2 membrane glycoprotein (CD200)
Platelet-derived growth factor receptor alpha (PDGF-R-alpha)
Plexin-B1 (PLXNB1)
Plexin-B3 (PLXNB3)
Poliovirus receptor (PVR)
Protogenin (PRTG)
R-spondin-1 (RSPO1)
Repulsive guidance molecule A (RGMA)
RGM domain family member B (RGMB)
Roundabout homolog 2 (ROBO2)
Scavenger receptor class A member 5 (SCARA5)
Scavenger receptor class F member 2 (SCARF2)
Secreted frizzled-related protein 3 (sFRP-3)
Serine/threonine-protein kinase receptor R3 (SKR3)
Sialic acid-binding Ig-like lectin 9 (Siglec-9)
Sialoadhesin (SIGLEC1)
SPARC-related modular calcium-binding protein 2 (SMOC2)
Sphingomyelin phosphodiesterase (SMPD1)
Tenascin-R (TN-R)
Testican-1 (SPOCK1)
Thy-1 membrane glycoprotein (THY 1)
Transmembrane protease serine 5 (TMPRSS5)
Tumor necrosis factor receptor superfamily member 12A (TNFRSF12A)
Tumor necrosis factor receptor superfamily member 21 (TNFRSF21)
Tumor necrosis factor receptor superfamily member 27 (EDA2R)
WAP, Kazal, immunoglobulin, Kunitz and NTR domain-containing protein 1 (WFIKKN1)

Table S2A. Baseline partial correlations adjusted for sex and peak height velocity between BDNF and the 6 differential expressed proteins between exercise and control group in children with overweight/obesity.

		SCARB2	MSR1	KYNU	LAIR	CPA2	PLXNB3
BDNF	<i>r</i>	-0.043	0.001	0.563	0.018	0.146	0.757
	<i>p</i>	0.705	0.990	<0.001	0.877	0.202	<0.001

Abbreviations: BDNF= brain-derived neurotrophic factor, CPA2=Carboxypeptidase A2, KYNU=Kynureninase, LAIR2= Leukocyte-associated immunoglobulin-like receptor 2, MSR1= macrophage scavenger receptor type-I, PLXNB3=plexin-B3, SCARB2= Lysosome membrane protein 2.

Exercise and neurology biomarkers in childhood

Table S3A. Per protocol effects of the ActiveBrains intervention on raw and z Score post-intervention neurology-related proteins (n=81)

	Intervention group	Control group	Differences between groups	<i>p</i>	<i>p_{FDR}</i>
ADAM22					
Raw score	4.99 (4.91 to 5.07)	4.98 (4.9 to 5.06)	0.01 (-0.1 to 0.12)	0.887	0.972
z-score	0.09 (-0.19 to 0.36)	0.06 (-0.23 to 0.34)	0.03 (-0.37 to 0.42)		
ADAM23					
Raw score	4.95 (4.88 to 5.02)	4.91 (4.84 to 4.99)	0.04 (-0.07 to 0.14)	0.475	0.891
z-score	-0.07 (-0.3 to 0.15)	-0.19 (-0.43 to 0.04)	0.12 (-0.21 to 0.45)		
Alpha2MRAP					
Raw score	8.02 (7.84 to 8.19)	8.04 (7.86 to 8.22)	-0.03 (-0.28 to 0.23)	0.834	0.967
z-score	-0.2 (-0.38 to -0.02)	-0.17 (-0.36 to 0.02)	-0.03 (-0.29 to 0.24)		
BCAN					
Raw score	5.04 (4.98 to 5.1)	5.08 (5.02 to 5.15)	-0.04 (-0.13 to 0.05)	0.359	0.884
z-score	-0.32 (-0.52 to -0.12)	-0.18 (-0.39 to 0.03)	-0.14 (-0.43 to 0.16)		
BetaNGF					
Raw score	1.28 (1.24 to 1.32)	1.29 (1.25 to 1.33)	-0.01 (-0.06 to 0.05)	0.776	0.962
z-score	-0.21 (-0.4 to -0.02)	-0.17 (-0.37 to 0.02)	-0.04 (-0.31 to 0.23)		
BMP4					
Raw score	4.45 (4.37 to 4.53)	4.45 (4.37 to 4.53)	0 (-0.11 to 0.11)	0.972	0.995
z-score	0.02 (-0.24 to 0.29)	0.03 (-0.24 to 0.3)	-0.01 (-0.39 to 0.38)		
CADM3					
Raw score	4.82 (4.74 to 4.9)	4.83 (4.74 to 4.91)	-0.01 (-0.13 to 0.11)	0.885	0.972
z-score	-0.15 (-0.34 to 0.04)	-0.13 (-0.33 to 0.06)	-0.02 (-0.29 to 0.25)		
CD200					
Raw score	7.06 (7 to 7.12)	7.06 (6.99 to 7.12)	0 (-0.09 to 0.09)	0.995	0.995
z-score	-0.12 (-0.36 to 0.13)	-0.12 (-0.37 to 0.13)	0 (-0.35 to 0.35)		
CD200R1					
Raw score	5.13 (5.08 to 5.18)	5.17 (5.12 to 5.22)	-0.04 (-0.1 to 0.03)	0.291	0.884
z-score	-0.18 (-0.33 to -0.02)	-0.06 (-0.22 to 0.1)	-0.12 (-0.34 to 0.1)		
CD38					
Raw score	5.95 (5.88 to 6.01)	6 (5.93 to 6.07)	-0.05 (-0.15 to 0.05)	0.301	0.884
z-score	-0.32 (-0.62 to -0.02)	-0.09 (-0.4 to 0.21)	-0.22 (-0.65 to 0.2)		
CDH3					
Raw score	8.05 (7.98 to 8.12)	8.12 (8.04 to 8.19)	-0.07 (-0.17 to 0.03)	0.190	0.884
z-score	-0.12 (-0.33 to 0.09)	0.09 (-0.14 to 0.31)	-0.2 (-0.51 to 0.1)		
CDH6					
Raw score	5.4 (5.36 to 5.45)	5.38 (5.34 to 5.43)	0.02 (-0.05 to 0.08)	0.605	0.891
z-score	-0.09 (-0.36 to 0.19)	-0.19 (-0.47 to 0.1)	0.1 (-0.29 to 0.5)		
CLEC10A					
Raw score	5.61 (5.53 to 5.7)	5.69 (5.6 to 5.78)	-0.08 (-0.2 to 0.05)	0.212	0.884
z-score	-0.13 (-0.36 to 0.09)	0.07 (-0.16 to 0.3)	-0.2 (-0.53 to 0.12)		
CLEC1B					
Raw score	9.8 (9.54 to 10.07)	9.9 (9.63 to 10.18)	-0.1 (-0.48 to 0.28)	0.600	0.891
z-score	-0.32 (-0.55 to -0.09)	-0.23 (-0.47 to 0.01)	-0.09 (-0.42 to 0.24)		
CLM1					
Raw score	6.3 (6.21 to 6.38)	6.33 (6.24 to 6.42)	-0.03 (-0.15 to 0.1)	0.642	0.891
z-score	-0.08 (-0.22 to 0.07)	-0.03 (-0.18 to 0.12)	-0.05 (-0.26 to 0.16)		
CLM6					
Raw score	5.79 (5.75 to 5.83)	5.83 (5.79 to 5.87)	-0.04 (-0.1 to 0.01)	0.134	0.884
z-score	-0.2 (-0.36 to -0.04)	-0.03 (-0.2 to 0.14)	-0.17 (-0.41 to 0.06)		
CNTN5					
Raw score	6.2 (6.11 to 6.28)	6.16 (6.07 to 6.25)	0.03 (-0.09 to 0.16)	0.583	0.891
z-score	-0.24 (-0.46 to -0.02)	-0.33 (-0.56 to -0.1)	0.09 (-0.23 to 0.41)		
CPA2					
Raw score	9.91 (9.79 to 10.04)	10.11 (9.98 to 10.25)	-0.2 (-0.39 to -0.01)	0.040	0.601
z-score	-0.12 (-0.33 to 0.08)	0.19 (-0.02 to 0.41)	-0.32 (-0.62 to -0.01)		
CPM					
Raw score	7.06 (7.01 to 7.1)	7.05 (7 to 7.09)	0.01 (-0.05 to 0.07)	0.807	0.966
z-score	-0.01 (-0.19 to 0.17)	-0.04 (-0.23 to 0.14)	0.03 (-0.23 to 0.29)		
CRTAM					
Raw score	5.92 (5.85 to 5.99)	5.95 (5.88 to 6.02)	-0.03 (-0.13 to 0.07)	0.584	0.891
z-score	-0.21 (-0.35 to -0.07)	-0.15 (-0.3 to -0.01)	-0.06 (-0.26 to 0.14)		
CTSC					
Raw score	2.95 (2.85 to 3.04)	2.86 (2.76 to 2.96)	0.09 (-0.05 to 0.22)	0.214	0.884
z-score	0 (-0.19 to 0.19)	-0.17 (-0.36 to 0.02)	0.17 (-0.1 to 0.44)		

Exercise and neurology biomarkers in childhood

Table S3A. (Continued)

CTSS					
Raw score	5.67 (5.62 to 5.72)	5.61 (5.56 to 5.66)	0.06 (-0.01 to 0.13)	0.097	0.884
z-score	0.2 (-0.05 to 0.44)	-0.1 (-0.36 to 0.15)	0.3 (-0.06 to 0.65)		
DDR1					
Raw score	7.74 (7.69 to 7.78)	7.75 (7.71 to 7.8)	-0.02 (-0.08 to 0.05)	0.612	0.891
z-score	-0.25 (-0.49 to -0.01)	-0.16 (-0.41 to 0.08)	-0.09 (-0.43 to 0.26)		
Dkk4					
Raw score	2.36 (2.24 to 2.49)	2.5 (2.37 to 2.63)	-0.14 (-0.32 to 0.04)	0.133	0.884
z-score	-0.1 (-0.44 to 0.25)	0.29 (-0.07 to 0.64)	-0.38 (-0.89 to 0.12)		
DRAXIN					
Raw score	4.24 (4.15 to 4.34)	4.25 (4.15 to 4.34)	0 (-0.13 to 0.13)	0.982	0.995
z-score	-0.09 (-0.28 to 0.11)	-0.09 (-0.29 to 0.12)	0 (-0.29 to 0.28)		
EDA2R					
Raw score	3.74 (3.67 to 3.82)	3.77 (3.69 to 3.84)	-0.03 (-0.13 to 0.08)	0.643	0.891
z-score	0.18 (-0.04 to 0.4)	0.26 (0.03 to 0.49)	-0.07 (-0.39 to 0.24)		
EFNA4					
Raw score	3.52 (3.47 to 3.56)	3.57 (3.52 to 3.62)	-0.05 (-0.12 to 0.02)	0.150	0.884
z-score	-0.16 (-0.4 to 0.08)	0.09 (-0.15 to 0.34)	-0.25 (-0.6 to 0.09)		
EPHB6					
Raw score	4.92 (4.86 to 4.97)	4.93 (4.87 to 4.98)	-0.01 (-0.09 to 0.07)	0.817	0.966
z-score	-0.26 (-0.46 to -0.06)	-0.22 (-0.43 to -0.02)	-0.03 (-0.32 to 0.26)		
EZR					
Raw score	5.11 (5.04 to 5.18)	5.16 (5.09 to 5.24)	-0.06 (-0.16 to 0.05)	0.279	0.884
z-score	0.05 (-0.2 to 0.3)	0.25 (-0.01 to 0.51)	-0.2 (-0.57 to 0.17)		
FcRL2					
Raw score	5.35 (5.28 to 5.41)	5.42 (5.36 to 5.49)	-0.08 (-0.17 to 0.02)	0.104	0.884
z-score	-0.2 (-0.36 to -0.05)	-0.02 (-0.18 to 0.14)	-0.19 (-0.41 to 0.04)		
FLRT2					
Raw score	3.23 (3.16 to 3.3)	3.25 (3.18 to 3.32)	-0.02 (-0.12 to 0.07)	0.655	0.891
z-score	-0.09 (-0.45 to 0.26)	0.02 (-0.35 to 0.4)	-0.12 (-0.64 to 0.4)		
gal8					
Raw score	5.7 (5.58 to 5.82)	5.74 (5.61 to 5.86)	-0.04 (-0.21 to 0.14)	0.682	0.900
z-score	-0.27 (-0.4 to -0.14)	-0.23 (-0.37 to -0.1)	-0.04 (-0.22 to 0.15)		
GCP5					
Raw score	5.32 (5.17 to 5.47)	5.24 (5.09 to 5.4)	0.08 (-0.14 to 0.29)	0.475	0.891
z-score	-0.18 (-0.41 to 0.04)	-0.3 (-0.54 to -0.07)	0.12 (-0.21 to 0.44)		
GCSF					
Raw score	3.62 (3.46 to 3.78)	3.73 (3.56 to 3.89)	-0.11 (-0.34 to 0.12)	0.347	0.884
z-score	-0.27 (-0.53 to -0.01)	-0.09 (-0.36 to 0.18)	-0.18 (-0.55 to 0.2)		
GDF8					
Raw score	4.26 (4.15 to 4.36)	4.22 (4.11 to 4.32)	0.04 (-0.11 to 0.19)	0.591	0.891
z-score	0.12 (-0.16 to 0.39)	0.01 (-0.28 to 0.29)	0.11 (-0.29 to 0.5)		
GDNF					
Raw score	1.36 (1.27 to 1.45)	1.36 (1.27 to 1.46)	0 (-0.13 to 0.13)	0.995	0.995
z-score	0.02 (-0.35 to 0.39)	0.02 (-0.37 to 0.4)	0 (-0.53 to 0.53)		
GDNFRalpha3					
Raw score	5.54 (5.48 to 5.61)	5.54 (5.47 to 5.6)	0.01 (-0.08 to 0.1)	0.840	0.967
z-score	-0.06 (-0.29 to 0.17)	-0.09 (-0.33 to 0.15)	0.03 (-0.3 to 0.37)		
GFRalpha1					
Raw score	7.56 (7.5 to 7.62)	7.56 (7.5 to 7.62)	0 (-0.09 to 0.08)	0.951	0.995
z-score	-0.12 (-0.35 to 0.12)	-0.11 (-0.35 to 0.14)	-0.01 (-0.35 to 0.33)		
GMCSFRalpha					
Raw score	6.1 (6.04 to 6.16)	6.12 (6.06 to 6.18)	-0.02 (-0.1 to 0.06)	0.632	0.891
z-score	-0.08 (-0.17 to 0)	-0.05 (-0.14 to 0.04)	-0.03 (-0.15 to 0.09)		
GZMA					
Raw score	6.35 (6.23 to 6.47)	6.45 (6.33 to 6.57)	-0.1 (-0.27 to 0.07)	0.251	0.884
z-score	-0.1 (-0.32 to 0.11)	0.07 (-0.15 to 0.3)	-0.18 (-0.49 to 0.13)		
HAGH					
Raw score	6.29 (5.96 to 6.61)	6.14 (5.8 to 6.48)	0.15 (-0.32 to 0.62)	0.536	0.891
z-score	1.1 (0.62 to 1.58)	0.88 (0.39 to 1.38)	0.22 (-0.48 to 0.91)		
IL12					
Raw score	9.05 (8.95 to 9.15)	9.12 (9.02 to 9.22)	-0.07 (-0.22 to 0.07)	0.291	0.884
z-score	-0.05 (-0.24 to 0.14)	0.1 (-0.1 to 0.29)	-0.14 (-0.41 to 0.13)		
IL5Ralpha					
Raw score	3.27 (3.18 to 3.36)	3.35 (3.26 to 3.44)	-0.08 (-0.21 to 0.05)	0.235	0.884
z-score	-0.07 (-0.21 to 0.07)	0.05 (-0.09 to 0.2)	-0.12 (-0.33 to 0.08)		

Exercise and neurology biomarkers in childhood

Table S3A. (Continued)

JAMB					
Raw score	8.32 (8.25 to 8.38)	8.33 (8.26 to 8.4)	-0.01 (-0.11 to 0.09)	0.810	0.966
z-score	-0.06 (-0.3 to 0.18)	-0.02 (-0.27 to 0.23)	-0.04 (-0.39 to 0.31)		
KYNU					
Raw score	8.85 (8.71 to 8.98)	9.12 (8.98 to 9.26)	-0.28 (-0.47 to -0.08)	0.005	0.166
z-score	-0.41 (-0.61 to -0.21)	0.01 (-0.2 to 0.22)	-0.42 (-0.71 to -0.13)		
LAIR2					
Raw score	4.72 (4.6 to 4.85)	4.92 (4.8 to 5.05)	-0.2 (-0.38 to -0.02)	0.028	0.517
z-score	-0.13 (-0.24 to -0.01)	0.06 (-0.06 to 0.18)	-0.19 (-0.35 to -0.02)		
LAT					
Raw score	5.73 (5.4 to 6.06)	5.94 (5.6 to 6.28)	-0.21 (-0.69 to 0.26)	0.372	0.891
z-score	-0.24 (-0.48 to 0)	-0.09 (-0.33 to 0.16)	-0.15 (-0.49 to 0.19)		
LAYN					
Raw score	5.77 (5.7 to 5.84)	5.8 (5.72 to 5.87)	-0.03 (-0.13 to 0.07)	0.607	0.891
z-score	0.04 (-0.19 to 0.28)	0.13 (-0.11 to 0.38)	-0.09 (-0.43 to 0.25)		
LXN					
Raw score	2.41 (2.27 to 2.56)	2.33 (2.18 to 2.47)	0.09 (-0.12 to 0.29)	0.394	0.891
z-score	0.65 (0.09 to 1.22)	0.3 (-0.29 to 0.89)	0.35 (-0.47 to 1.17)		
MANF					
Raw score	6.36 (6 to 6.73)	6.75 (6.37 to 7.13)	-0.39 (-0.92 to 0.14)	0.152	0.884
z-score	-0.26 (-0.58 to 0.06)	0.08 (-0.26 to 0.41)	-0.34 (-0.8 to 0.13)		
MATN3					
Raw score	12.97 (12.92 to 13.03)	12.96 (12.91 to 13.02)	0.01 (-0.07 to 0.09)	0.861	0.967
z-score	0 (-0.29 to 0.3)	-0.03 (-0.34 to 0.28)	0.04 (-0.39 to 0.47)		
MDGA1					
Raw score	5.05 (4.96 to 5.14)	5.05 (4.95 to 5.14)	0.01 (-0.12 to 0.13)	0.932	0.995
z-score	-0.04 (-0.18 to 0.09)	-0.05 (-0.19 to 0.08)	0.01 (-0.18 to 0.2)		
MSR1					
Raw score	6.78 (6.72 to 6.84)	6.93 (6.87 to 6.99)	-0.15 (-0.23 to -0.06)	0.001	0.077
z-score	-0.28 (-0.4 to -0.15)	0.04 (-0.09 to 0.17)	-0.32 (-0.5 to -0.14)		
N2DL2					
Raw score	3.87 (3.8 to 3.94)	3.9 (3.83 to 3.97)	-0.03 (-0.13 to 0.07)	0.521	0.891
z-score	0.03 (-0.2 to 0.26)	0.14 (-0.1 to 0.37)	-0.11 (-0.43 to 0.22)		
NAAA					
Raw score	3.74 (3.6 to 3.88)	3.66 (3.51 to 3.8)	0.09 (-0.11 to 0.28)	0.400	0.891
z-score	0.02 (-0.21 to 0.25)	-0.12 (-0.36 to 0.12)	0.14 (-0.19 to 0.47)		
NBL1					
Raw score	5.59 (5.57 to 5.62)	5.61 (5.58 to 5.64)	-0.01 (-0.05 to 0.03)	0.459	0.891
z-score	-0.18 (-0.44 to 0.08)	-0.04 (-0.3 to 0.23)	-0.14 (-0.52 to 0.24)		
NCAN					
Raw score	9.8 (9.76 to 9.84)	9.77 (9.74 to 9.81)	0.03 (-0.03 to 0.08)	0.359	0.884
z-score	-0.21 (-0.38 to -0.04)	-0.33 (-0.5 to -0.15)	0.11 (-0.13 to 0.36)		
NCDase					
Raw score	4.17 (4.1 to 4.24)	4.14 (4.07 to 4.21)	0.03 (-0.06 to 0.13)	0.502	0.891
z-score	-0.03 (-0.17 to 0.11)	-0.1 (-0.25 to 0.05)	0.07 (-0.14 to 0.28)		
NEP					
Raw score	3.07 (3.01 to 3.13)	3.05 (2.99 to 3.11)	0.02 (-0.06 to 0.1)	0.648	0.891
z-score	-0.04 (-0.14 to 0.05)	-0.07 (-0.17 to 0.03)	0.03 (-0.11 to 0.17)		
NMNAT1					
Raw score	4.82 (4.51 to 5.14)	4.6 (4.27 to 4.93)	0.22 (-0.23 to 0.68)	0.334	0.884
z-score	0.47 (0.19 to 0.75)	0.27 (-0.02 to 0.56)	0.2 (-0.21 to 0.6)		
NrCAM					
Raw score	10.12 (10.09 to 10.15)	10.1 (10.07 to 10.13)	0.02 (-0.02 to 0.06)	0.354	0.884
z-score	-0.25 (-0.53 to 0.02)	-0.44 (-0.72 to -0.16)	0.18 (-0.21 to 0.58)		
NRP2					
Raw score	8.95 (8.93 to 8.97)	8.94 (8.92 to 8.97)	0.01 (-0.03 to 0.04)	0.663	0.891
z-score	-0.25 (-0.49 to -0.01)	-0.33 (-0.58 to -0.08)	0.08 (-0.27 to 0.42)		
NTRK2					
Raw score	7.11 (7.06 to 7.15)	7.12 (7.07 to 7.16)	-0.01 (-0.07 to 0.05)	0.759	0.962
z-score	-0.37 (-0.66 to -0.09)	-0.31 (-0.6 to -0.01)	-0.06 (-0.48 to 0.35)		
NTRK3					
Raw score	7.45 (7.4 to 7.51)	7.47 (7.42 to 7.53)	-0.02 (-0.09 to 0.06)	0.666	0.891
z-score	-0.3 (-0.54 to -0.05)	-0.22 (-0.48 to 0.04)	-0.08 (-0.44 to 0.28)		
PDGFRalpha					
Raw score	5.84 (5.78 to 5.9)	5.85 (5.79 to 5.92)	-0.01 (-0.1 to 0.08)	0.853	0.967
z-score	-0.01 (-0.25 to 0.23)	0.03 (-0.22 to 0.27)	-0.03 (-0.38 to 0.31)		

Exercise and neurology biomarkers in childhood

Table S3A. (Continued)

PLXNB1					
Raw score	1.91 (1.85 to 1.96)	1.89 (1.83 to 1.94)	0.02 (-0.05 to 0.1)		
z-score	-0.19 (-0.4 to 0.02)	-0.28 (-0.49 to -0.06)	0.09 (-0.22 to 0.38)	0.577	0.891
PLXNB3					
Raw score	4.18 (4.09 to 4.27)	4.33 (4.24 to 4.43)	-0.15 (-0.28 to -0.02)	0.028	0.517
z-score	-0.36 (-0.48 to -0.23)	-0.16 (-0.28 to -0.03)	-0.2 (-0.37 to -0.02)		
PRTG					
Raw score	7.19 (7.12 to 7.27)	7.14 (7.06 to 7.22)	0.05 (-0.06 to 0.16)	0.349	0.884
z-score	-0.03 (-0.26 to 0.2)	-0.19 (-0.43 to 0.05)	0.16 (-0.18 to 0.49)		
PVR					
Raw score	8.83 (8.78 to 8.88)	8.85 (8.8 to 8.89)	-0.02 (-0.09 to 0.05)	0.599	0.891
z-score	-0.15 (-0.32 to 0.02)	-0.08 (-0.26 to 0.1)	-0.06 (-0.31 to 0.18)		
RGMA					
Raw score	11.04 (10.99 to 11.1)	11.05 (11 to 11.11)	-0.01 (-0.09 to 0.07)	0.782	0.968
z-score	-0.17 (-0.41 to 0.08)	-0.12 (-0.37 to 0.14)	-0.05 (-0.41 to 0.31)		
RGMB					
Raw score	6.27 (6.2 to 6.34)	6.3 (6.23 to 6.38)	-0.03 (-0.13 to 0.07)	0.525	0.891
z-score	-0.07 (-0.35 to 0.2)	0.05 (-0.23 to 0.34)	-0.13 (-0.53 to 0.27)		
ROBO2					
Raw score	6.97 (6.91 to 7.04)	7.02 (6.96 to 7.09)	-0.05 (-0.14 to 0.04)	0.290	0.884
z-score	-0.3 (-0.53 to -0.07)	-0.12 (-0.36 to 0.11)	-0.18 (-0.5 to 0.15)		
RSPO1					
Raw score	1.91 (1.85 to 1.98)	1.97 (1.9 to 2.04)	-0.05 (-0.15 to 0.04)	0.277	0.884
z-score	-0.24 (-0.46 to -0.02)	-0.06 (-0.3 to 0.17)	-0.18 (-0.5 to 0.14)		
SCARA5					
Raw score	9.26 (9.21 to 9.32)	9.3 (9.24 to 9.35)	-0.03 (-0.11 to 0.05)	0.441	0.891
z-score	-0.09 (-0.36 to 0.19)	0.07 (-0.22 to 0.36)	-0.16 (-0.56 to 0.24)		
SCARB2					
Raw score	4.12 (4.06 to 4.18)	4.24 (4.18 to 4.3)	-0.13 (-0.21 to -0.04)	0.004	0.163
z-score	-0.08 (-0.29 to 0.13)	0.38 (0.16 to 0.6)	-0.46 (-0.77 to -0.16)		
SCARF2					
Raw score	7.13 (7.07 to 7.2)	7.1 (7.04 to 7.17)	0.03 (-0.07 to 0.12)	0.545	0.891
z-score	-0.1 (-0.36 to 0.16)	-0.22 (-0.49 to 0.06)	0.12 (-0.26 to 0.5)		
sFRP3					
Raw score	3.2 (3.04 to 3.35)	3.32 (3.15 to 3.48)	-0.12 (-0.34 to 0.1)	0.295	0.884
z-score	-0.28 (-0.47 to -0.09)	-0.13 (-0.33 to 0.06)	-0.14 (-0.42 to 0.13)		
SIGLEC1					
Raw score	6.55 (6.46 to 6.64)	6.64 (6.54 to 6.73)	-0.08 (-0.22 to 0.05)	0.216	0.884
z-score	0 (-0.19 to 0.19)	0.17 (-0.03 to 0.37)	-0.17 (-0.45 to 0.1)		
Siglec9					
Raw score	5.07 (5.03 to 5.11)	5.08 (5.03 to 5.12)	-0.01 (-0.07 to 0.05)	0.768	0.962
z-score	-0.12 (-0.26 to 0.03)	-0.09 (-0.23 to 0.06)	-0.03 (-0.23 to 0.17)		
SKR3					
Raw score	6.47 (6.42 to 6.52)	6.5 (6.46 to 6.55)	-0.04 (-0.1 to 0.03)	0.286	0.884
z-score	-0.12 (-0.3 to 0.05)	0.01 (-0.17 to 0.2)	-0.14 (-0.4 to 0.12)		
SMOC2					
Raw score	8.89 (8.82 to 8.96)	8.92 (8.85 to 9)	-0.03 (-0.14 to 0.07)	0.544	0.891
z-score	-0.01 (-0.23 to 0.21)	0.09 (-0.14 to 0.32)	-0.1 (-0.42 to 0.22)		
SMPD1					
Raw score	4.64 (4.57 to 4.72)	4.61 (4.53 to 4.68)	0.04 (-0.07 to 0.15)	0.481	0.891
z-score	0.15 (-0.08 to 0.37)	0.03 (-0.2 to 0.27)	0.12 (-0.21 to 0.44)		
SPOCK1					
Raw score	2.82 (2.77 to 2.86)	2.87 (2.82 to 2.91)	-0.05 (-0.12 to 0.01)	0.099	0.884
z-score	-0.17 (-0.36 to 0.03)	0.07 (-0.13 to 0.27)	-0.24 (-0.52 to 0.05)		
THY1					
Raw score	10.59 (10.55 to 10.64)	10.58 (10.54 to 10.63)	0.01 (-0.05 to 0.07)	0.751	0.962
z-score	0.19 (-0.1 to 0.47)	0.12 (-0.17 to 0.42)	0.06 (-0.34 to 0.47)		
TMPRSS5					
Raw score	3.3 (3.24 to 3.35)	3.24 (3.19 to 3.3)	0.05 (-0.03 to 0.13)	0.191	0.884
z-score	-0.07 (-0.27 to 0.12)	-0.26 (-0.47 to -0.06)	0.19 (-0.1 to 0.48)		
TNFRSF12A					
Raw score	5.27 (5.19 to 5.36)	5.27 (5.18 to 5.36)	0 (-0.12 to 0.13)	0.974	0.995
z-score	-0.14 (-0.42 to 0.14)	-0.15 (-0.44 to 0.14)	0.01 (-0.41 to 0.42)		
TNFRSF21					
Raw score	8.57 (8.53 to 8.61)	8.57 (8.54 to 8.61)	0 (-0.06 to 0.05)	0.914	0.990
z-score	-0.21 (-0.42 to 0)	-0.19 (-0.41 to 0.03)	-0.02 (-0.32 to 0.29)		

Exercise and neurology biomarkers in childhood

Table S3A. (Continued)

TNR					
Raw score	4.95 (4.87 to 5.02)	4.99 (4.91 to 5.06)	-0.04 (-0.15 to 0.07)	0.457	0.891
z-score	-0.06 (-0.25 to 0.14)	0.05 (-0.16 to 0.25)	-0.11 (-0.39 to 0.18)		
UNC5C					
Raw score	5.04 (4.98 to 5.09)	5.07 (5.01 to 5.13)	-0.04 (-0.12 to 0.04)	0.357	0.884
z-score	-0.18 (-0.35 to -0.02)	-0.07 (-0.24 to 0.1)	-0.11 (-0.35 to 0.13)		
VWC2					
Raw score	6.24 (6.16 to 6.33)	6.32 (6.23 to 6.4)	-0.07 (-0.19 to 0.05)	0.229	0.884
z-score	-0.09 (-0.31 to 0.13)	0.1 (-0.13 to 0.33)	-0.19 (-0.51 to 0.12)		
WFIKKN1					
Raw score	3.71 (3.65 to 3.76)	3.78 (3.72 to 3.83)	-0.07 (-0.15 to 0.01)	0.099	0.884
z-score	-0.09 (-0.25 to 0.08)	0.11 (-0.06 to 0.28)	-0.2 (-0.43 to 0.04)		

z Score values indicate how many standard deviations have the post-intervention values changed with respect to the baseline mean and standard deviation. E.g., a 0.50 z Score means that the mean value at post-intervention is 0.50 standard deviations higher than the mean value at baseline, indicating a positive change, with negative values indicating the opposite. Values are expressed as mean (95% CI). Analyses were adjusted for baseline values. N=81 participants. Raw scores values are expressed in Normalized Protein eXpression (NPX) units. This means that a high NPX value equals a high protein concentration. Because NPX is in a log₂ scale, a 1 NPX difference means a doubling of protein concentration. If needed NPX values can be converted into linear scale: 2NPX= linear NPX. Abbreviations: p_{FDR} = adjusted for multiple comparisons using false discovery rate.

Exercise and neurology biomarkers in childhood

Table S4A. ELISA assay technique validation

	N _{all}	N _I	Intervention group	N _c	Control group	Differences between groups	<i>p</i>
Intention-to-treat							
MSR1 (pg/ml)							
Raw score	83	45	249.36 (223.72, 275.00)	38	293.88 (265.98, 321.78)	-44.52 (-82.42, -6.63)	0.022
z-score			-0.14 (-0.30, 0.03)		0.15 (-0.03, 0.33)	-0.29 (-0.53, -0.04)	
PLXNB3 (pg/ml)							
Raw score	81	45	2073.95 (1715.68, 2432.22)	36	2152.41 (1751.42, 2553.39)	-78.46 (-618.71, 461.79)	0.773
z-score			-0.01 (-0.07, 0.06)		0.01 (-0.06, 0.08)	-0.01 (-0.11, 0.08)	
KYNU (ng/ml)							
Raw score	87	48	74.98 (32.52, 117.45)	39	94.27 (47.13, 141.41)	-19.29 (-82.90, 44.33)	0.548
z-score			0.06 (-0.22, 0.34)		0.18 (-0.13, 0.50)	-0.13 (-0.55, 0.29)	

z Score values indicate how many standard deviations have the post-intervention values changed with respect to the baseline mean and standard deviation. E.g., a 0.50 z Score means that the mean value at post-intervention is 0.50 standard deviations higher than the mean value at baseline, indicating a positive change, with negative values indicating the opposite. Values are expressed as mean (95% CI). Analyses were adjusted for baseline values.

Exercise and neurology biomarkers in childhood

Table S5A. Intention-to-treat effects of the ActiveBrains intervention on raw and z Score post-intervention novel blood-circulating biomarkers identified based on previous literature.

	N _{all}	N _I	Intervention group	N _c	Mean (95% CI)		<i>p</i>
					Control group	Differences between groups	
BDNF (ng/ml)							
Raw score	85	47	3.84 (2.97, 4.71)	38	2.91 (1.95, 3.88)	0.92 (-0.38, 2.23)	0.162
z-score			-0.16 (-0.36, 0.03)		-0.37 (-0.59, -0.15)	0.21 (-0.09, 0.50)	
BHB (ng/μl)							
Raw score	86	47	31.61 (28.23, 34.99)	39	32.33 (28.62, 36.05)	-0.72 (-5.76, 4.32)	0.777
z-score			-0.30 (-0.68, 0.08)		-0.22 (-0.64, 0.20)	-0.08 (-0.65, 0.48)	
CTSB (μg/l)							
Raw score	86	47	56.01 (51.16, 60.86)	39	59.15 (53.82, 64.48)	-3.14 (-10.41, 4.14)	0.393
z-score			-0.08 (-0.31, 0.15)		0.07 (-0.18, 0.33)	-0.15 (-0.50, 0.20)	
Kynurenine (ng/ml)							
Raw score	87	48	1134.93 (1055.48, 1214.37)	39	1079.54 (991.40, 1167.67)	-55.39 (-174.05, 63.28)	0.356
z-score			0.32 (0.13, 0.51)		0.19 (-0.02, 0.40)	0.13 (-0.15, 0.41)	
FGF21 (pg/ml)							
Raw score	84	45	79.62 (60.37, 98.87)	39	103.92 (83.24, 124.61)	-24.30 (-52.59, 3.98)	0.091
z-score			-0.10 (-0.27, 0.08)		0.12 (-0.06, 0.31)	-0.22 (-0.47, 0.03)	
sVCAM-1 (μg/l)							
Raw score	86	47	1268.18 (1200.73, 1335.63)	39	1307.57 (1233.52, 1381.62)	-39.39 (-139.58, 60.80)	0.436
z-score			0.06 (-0.18, 0.31)		0.21 (-0.06, 0.48)	-0.14 (-0.51, 0.22)	

z Score values indicate how many standard deviations have the post-intervention values changed with respect to the baseline mean and standard deviation. E.g., a 0.50 z Score means that the mean value at post-intervention is 0.50 standard deviations higher than the mean value at baseline, indicating a positive change, with negative values indicating the opposite. Values are expressed as mean (95% CI). Analyses were adjusted for baseline values. Abbreviations: BHB= B-hydroxybutyrate, CTSB= Cathepsin B, FGF21= Fibroblast growth factor 21, sVCAM-1= vascular cell adhesion molecule-1.

Exercise and neurology biomarkers in childhood

Table S6A. Intention-to-treat effects of the ActiveBrains intervention on raw and z Score post-intervention neurology-related proteins (n=87).

	Intervention group	Control group	Differences between groups	<i>p</i>	<i>p</i> _{FDR}
ADAM22					
Raw score	5.00 (4.92 to 5.07)	4.97 (4.89 to 5.06)	0.02 (-0.09 to 0.13)	0.685	
z-score	0.14 (-0.10 to 0.38)	0.06 (-0.20 to 0.33)	0.07 (-0.28 to 0.43)		0.998
ADAM23					
Raw score	4.97 (4.90 to 5.04)	4.91 (4.83 to 4.99)	0.06 (-0.05 to 0.16)	0.276	
z-score	-0.01 (-0.22 to 0.20)	-0.19 (-0.42 to 0.05)	0.17 (-0.14 to 0.49)		0.935
Alpha2MRAP					
Raw score	8.02 (7.86 to 8.18)	8.03 (7.85 to 8.21)	0.00 (-0.24 to 0.23)	0.970	
z-score	-0.17 (-0.34 to 0.00)	-0.16 (-0.35 to 0.03)	0.00 (-0.26 to 0.25)		0.998
BCAN					
Raw score	5.05 (4.99 to 5.11)	5.09 (5.02 to 5.15)	-0.04 (-0.13 to 0.05)	0.396	
z-score	-0.3 (-0.5 to -0.11)	-0.18 (-0.39 to 0.03)	-0.12 (-0.41 to 0.16)		0.935
BetaNGF					
Raw score	1.28 (1.24 to 1.32)	1.29 (1.25 to 1.33)	-0.01 (-0.06 to 0.05)	0.799	
z-score	-0.19 (-0.37 to -0.02)	-0.16 (-0.35 to 0.03)	-0.03 (-0.29 to 0.22)		0.998
BMP4					
Raw score	4.46 (4.39 to 4.53)	4.45 (4.37 to 4.53)	0.01 (-0.10 to 0.12)	0.880	
z-score	0.05 (-0.20 to 0.30)	0.02 (-0.25 to 0.29)	0.03 (-0.34 to 0.40)		0.998
CADM3					
Raw score	4.83 (4.75 to 4.91)	4.82 (4.74 to 4.91)	0.01 (-0.11 to 0.12)	0.920	
z-score	-0.12 (-0.29 to 0.06)	-0.13 (-0.32 to 0.06)	0.01 (-0.25 to 0.27)		0.998
CD200					
Raw score	7.05 (6.99 to 7.11)	7.05 (6.98 to 7.11)	0.00 (-0.08 to 0.09)	0.903	
z-score	-0.07 (-0.29 to 0.16)	-0.09 (-0.34 to 0.16)	0.02 (-0.31 to 0.36)		0.998
CD200R1					
Raw score	5.15 (5.10 to 5.20)	5.16 (5.11 to 5.22)	-0.01 (-0.09 to 0.06)	0.674	
z-score	-0.11 (-0.27 to 0.05)	-0.06 (-0.23 to 0.12)	-0.05 (-0.29 to 0.19)		0.998
CD38					
Raw score	5.96 (5.89 to 6.02)	5.99 (5.92 to 6.06)	-0.04 (-0.13 to 0.06)	0.425	
z-score	-0.24 (-0.52 to 0.03)	-0.08 (-0.38 to 0.23)	-0.17 (-0.58 to 0.24)		0.935
CDH3					
Raw score	8.07 (8.00 to 8.14)	8.12 (8.04 to 8.19)	-0.05 (-0.15 to 0.05)	0.342	
z-score	-0.06 (-0.28 to 0.15)	0.09 (-0.15 to 0.33)	-0.16 (-0.48 to 0.17)		0.935
CDH6					
Raw score	5.39 (5.35 to 5.44)	5.38 (5.33 to 5.43)	0.01 (-0.06 to 0.08)	0.781	
z-score	-0.1 (-0.35 to 0.15)	-0.15 (-0.43 to 0.12)	0.05 (-0.32 to 0.43)		0.998
CLEC10A					
Raw score	5.62 (5.54 to 5.7)	5.69 (5.6 to 5.78)	-0.07 (-0.2 to 0.05)	0.231	
z-score	-0.12 (-0.33 to 0.09)	0.07 (-0.16 to 0.30)	-0.19 (-0.5 to 0.12)		0.935
CLEC1B					
Raw score	9.93 (9.67 to 10.19)	9.9 (9.62 to 10.19)	0.03 (-0.36 to 0.42)	0.892	
z-score	-0.2 (-0.43 to 0.02)	-0.23 (-0.48 to 0.02)	0.02 (-0.32 to 0.36)		0.998
CLM1					
Raw score	6.31 (6.23 to 6.39)	6.31 (6.22 to 6.4)	0.00 (-0.12 to 0.12)	0.998	
z-score	-0.03 (-0.16 to 0.11)	-0.03 (-0.18 to 0.13)	0.00 (-0.21 to 0.21)		0.998
CLM6					
Raw score	5.8 (5.76 to 5.84)	5.83 (5.78 to 5.87)	-0.03 (-0.08 to 0.03)	0.380	
z-score	-0.13 (-0.28 to 0.03)	-0.03 (-0.20 to 0.14)	-0.10 (-0.33 to 0.13)		0.935
CNTN5					
Raw score	6.19 (6.12 to 6.27)	6.16 (6.07 to 6.24)	0.04 (-0.08 to 0.15)	0.552	
z-score	-0.23 (-0.44 to -0.03)	-0.32 (-0.55 to -0.10)	0.09 (-0.21 to 0.4)		0.992
CPA2					
Raw score	9.93 (9.81 to 10.05)	10.10 (9.97 to 10.23)	-0.17 (-0.35 to 0.01)	0.067	
z-score	-0.06 (-0.25 to 0.12)	0.20 (0.00 to 0.41)	-0.26 (-0.55 to 0.02)		0.914
CPM					
Raw score	7.08 (7.04 to 7.12)	7.05 (7.00 to 7.10)	0.03 (-0.04 to 0.09)	0.379	
z-score	0.07 (-0.11 to 0.25)	-0.05 (-0.25 to 0.15)	0.12 (-0.15 to 0.39)		0.935
CRTAM					
Raw score	5.95 (5.88 to 6.02)	5.95 (5.88 to 6.03)	0.00 (-0.11 to 0.10)	0.928	
z-score	-0.16 (-0.29 to -0.03)	-0.15 (-0.29 to -0.01)	-0.01 (-0.20 to 0.18)		0.998
CTSC					
Raw score	2.98 (2.89 to 3.07)	2.86 (2.76 to 2.96)	0.12 (-0.02 to 0.25)	0.098	
z-score	0.04 (-0.15 to 0.22)	-0.20 (-0.40 to 0.01)	0.23 (-0.04 to 0.51)		0.935

Exercise and neurology biomarkers in childhood

Table S6A. (Continued)

CTSS					
Raw score	5.67 (5.63 to 5.72)	5.61 (5.56 to 5.66)	0.06 (0.00 to 0.13)	0.070	0.914
z-score	0.23 (0.00 to 0.46)	-0.09 (-0.35 to 0.16)	0.32 (-0.03 to 0.66)		
DDR1					
Raw score	7.74 (7.7 to 7.78)	7.75 (7.70 to 7.79)	0.00 (-0.07 to 0.06)	0.876	0.998
z-score	-0.16 (-0.39 to 0.07)	-0.13 (-0.38 to 0.12)	-0.03 (-0.37 to 0.31)		
Dkk4					
Raw score	2.38 (2.27 to 2.49)	2.50 (2.38 to 2.63)	-0.13 (-0.3 to 0.04)	0.147	0.935
z-score	-0.08 (-0.4 to 0.24)	0.28 (-0.08 to 0.64)	-0.36 (-0.84 to 0.13)		
DRAXIN					
Raw score	4.24 (4.15 to 4.33)	4.24 (4.14 to 4.34)	0 (-0.13 to 0.13)	0.993	0.998
z-score	-0.08 (-0.26 to 0.10)	-0.08 (-0.28 to 0.12)	0 (-0.28 to 0.27)		
EDA2R					
Raw score	3.75 (3.68 to 3.82)	3.77 (3.69 to 3.85)	-0.01 (-0.12 to 0.09)	0.774	0.998
z-score	0.22 (0.01 to 0.43)	0.26 (0.03 to 0.50)	-0.04 (-0.36 to 0.27)		
EFNA4					
Raw score	3.53 (3.48 to 3.58)	3.57 (3.51 to 3.62)	-0.03 (-0.11 to 0.04)	0.368	0.935
z-score	-0.06 (-0.31 to 0.19)	0.11 (-0.16 to 0.38)	-0.17 (-0.54 to 0.20)		
EPHB6					
Raw score	4.93 (4.88 to 4.98)	4.92 (4.87 to 4.98)	0.00 (-0.08 to 0.08)	0.937	0.998
z-score	-0.21 (-0.40 to -0.01)	-0.22 (-0.43 to 0.00)	0.01 (-0.28 to 0.30)		
EZR					
Raw score	5.14 (5.08 to 5.21)	5.16 (5.09 to 5.23)	-0.01 (-0.11 to 0.09)	0.773	0.998
z-score	0.14 (-0.10 to 0.38)	0.2 (-0.07 to 0.46)	-0.05 (-0.42 to 0.31)		
FcRL2					
Raw score	5.37 (5.31 to 5.43)	5.43 (5.37 to 5.5)	-0.07 (-0.16 to 0.02)	0.132	0.935
z-score	-0.19 (-0.33 to -0.04)	-0.02 (-0.18 to 0.14)	-0.17 (-0.39 to 0.05)		
FLRT2					
Raw score	3.24 (3.17 to 3.3)	3.25 (3.18 to 3.32)	-0.01 (-0.11 to 0.08)	0.763	0.998
z-score	-0.05 (-0.39 to 0.3)	0.03 (-0.35 to 0.41)	-0.08 (-0.59 to 0.44)		
gal8					
Raw score	5.75 (5.64 to 5.87)	5.74 (5.61 to 5.86)	0.01 (-0.16 to 0.19)	0.859	0.998
z-score	-0.22 (-0.35 to -0.10)	-0.24 (-0.38 to -0.10)	0.02 (-0.17 to 0.20)		
GCP5					
Raw score	5.35 (5.22 to 5.49)	5.25 (5.10 to 5.40)	0.11 (-0.10 to 0.31)	0.302	0.935
z-score	-0.15 (-0.36 to 0.06)	-0.31 (-0.55 to -0.08)	0.16 (-0.15 to 0.48)		
GCSF					
Raw score	3.62 (3.48 to 3.76)	3.72 (3.56 to 3.88)	-0.10 (-0.31 to 0.11)	0.359	0.935
z-score	-0.23 (-0.47 to 0.01)	-0.06 (-0.33 to 0.20)	-0.16 (-0.52 to 0.19)		
GDF8					
Raw score	4.27 (4.18 to 4.37)	4.22 (4.11 to 4.32)	0.05 (-0.09 to 0.20)	0.455	0.935
z-score	0.14 (-0.11 to 0.40)	0 (-0.28 to 0.28)	0.14 (-0.23 to 0.52)		
GDNF					
Raw score	1.38 (1.30 to 1.46)	1.36 (1.27 to 1.45)	0.02 (-0.11 to 0.14)	0.776	0.998
z-score	0.10 (-0.24 to 0.45)	0.03 (-0.35 to 0.41)	0.07 (-0.44 to 0.58)		
GDNFRalpha 3					
Raw score	5.55 (5.49 to 5.60)	5.54 (5.47 to 5.60)	0.01 (-0.07 to 0.10)	0.757	0.998
z-score	-0.03 (-0.24 to 0.18)	-0.08 (-0.32 to 0.15)	0.05 (-0.27 to 0.37)		
GFRalpha 1					
Raw score	7.56 (7.51 to 7.62)	7.56 (7.49 to 7.62)	0.01 (-0.07 to 0.09)	0.843	0.998
z-score	-0.06 (-0.29 to 0.16)	-0.10 (-0.35 to 0.15)	0.03 (-0.30 to 0.37)		
GMCSFRalpha					
Raw score	6.10 (6.04 to 6.16)	6.14 (6.07 to 6.20)	-0.03 (-0.12 to 0.06)	0.462	0.935
z-score	-0.10 (-0.18 to -0.01)	-0.05 (-0.14 to 0.04)	-0.05 (-0.17 to 0.08)		
GZMA					
Raw score	6.38 (6.27 to 6.49)	6.45 (6.33 to 6.58)	-0.07 (-0.24 to 0.09)	0.384	0.935
z-score	-0.07 (-0.28 to 0.13)	0.06 (-0.17 to 0.28)	-0.13 (-0.44 to 0.17)		
HAGH					
Raw score	6.28 (5.98 to 6.58)	6.14 (5.81 to 6.48)	0.14 (-0.32 to 0.59)	0.556	0.992
z-score	1.1 (0.64 to 1.55)	0.89 (0.38 to 1.40)	0.2 (-0.48 to 0.89)		
IL12					
Raw score	9.08 (8.99 to 9.17)	9.14 (9.03 to 9.24)	-0.06 (-0.19 to 0.08)	0.422	0.935
z-score	-0.02 (-0.20 to 0.16)	0.09 (-0.11 to 0.28)	-0.11 (-0.37 to 0.16)		

Exercise and neurology biomarkers in childhood

Table S6A. (Continued)

IL5Ralpha					
Raw score	3.31 (3.22 to 3.39)	3.35 (3.26 to 3.44)	-0.05 (-0.17 to 0.08)	0.452	0.935
z-score	-0.02 (-0.15 to 0.11)	0.05 (-0.09 to 0.2)	-0.07 (-0.27 to 0.12)		
JAMB					
Raw score	8.33 (8.26 to 8.39)	8.32 (8.25 to 8.4)	0.00 (-0.10 to 0.10)	0.966	0.998
z-score	0.01 (-0.23 to 0.24)	0 (-0.26 to 0.26)	0.01 (-0.34 to 0.36)		
KYNU					
Raw score	8.89 (8.77 to 9.01)	9.12 (8.98 to 9.26)	-0.23 (-0.42 to -0.05)	0.015	0.532
z-score	-0.36 (-0.55 to -0.16)	0.01 (-0.21 to 0.22)	-0.37 (-0.66 to -0.07)		
LAIR2					
Raw score	4.81 (4.70 to 4.93)	4.97 (4.84 to 5.10)	-0.16 (-0.33 to 0.01)	0.070	0.914
z-score	-0.09 (-0.20 to 0.01)	0.05 (-0.06 to 0.17)	-0.14 (-0.30 to 0.01)		
LAT					
Raw score	5.83 (5.52 to 6.14)	5.94 (5.60 to 6.29)	-0.12 (-0.58 to 0.35)	0.627	0.998
z-score	-0.17 (-0.40 to 0.06)	-0.08 (-0.34 to 0.17)	-0.08 (-0.42 to 0.26)		
LAYN					
Raw score	5.77 (5.70 to 5.83)	5.8 (5.72 to 5.87)	-0.03 (-0.13 to 0.07)	0.569	0.995
z-score	0.05 (-0.17 to 0.27)	0.14 (-0.10 to 0.39)	-0.10 (-0.44 to 0.24)		
LXN					
Raw score	2.41 (2.28 to 2.54)	2.33 (2.18 to 2.47)	0.08 (-0.11 to 0.27)	0.405	0.935
z-score	0.64 (0.11 to 1.18)	0.31 (-0.28 to 0.9)	0.33 (-0.46 to 1.13)		
MANF					
Raw score	6.47 (6.13 to 6.82)	6.75 (6.37 to 7.14)	-0.28 (-0.8 to 0.24)	0.289	0.935
z-score	-0.16 (-0.46 to 0.14)	0.08 (-0.25 to 0.42)	-0.24 (-0.69 to 0.21)		
MATN3					
Raw score	12.98 (12.93 to 13.03)	12.96 (12.9 to 13.02)	0.02 (-0.06 to 0.1)	0.636	0.998
z-score	0.09 (-0.2 to 0.38)	-0.02 (-0.34 to 0.3)	0.10 (-0.34 to 0.55)		
MDGA1					
Raw score	5.04 (4.95 to 5.12)	5.03 (4.93 to 5.12)	0.01 (-0.12 to 0.13)	0.895	0.998
z-score	-0.04 (-0.16 to 0.09)	-0.05 (-0.19 to 0.09)	0.01 (-0.17 to 0.20)		
MSR1					
Raw score	6.83 (6.77 to 6.89)	6.95 (6.88 to 7.01)	-0.11 (-0.2 to -0.03)	0.012	0.532
z-score	-0.21 (-0.34 to -0.08)	0.04 (-0.10 to 0.18)	-0.25 (-0.44 to -0.06)		
N2DL2					
Raw score	3.88 (3.81 to 3.94)	3.9 (3.82 to 3.97)	-0.02 (-0.12 to 0.08)	0.714	0.998
z-score	0.08 (-0.14 to 0.30)	0.14 (-0.10 to 0.38)	-0.06 (-0.39 to 0.27)		
NAAA					
Raw score	3.77 (3.63 to 3.9)	3.66 (3.51 to 3.8)	0.11 (-0.09 to 0.3)	0.274	0.935
z-score	0.06 (-0.16 to 0.29)	-0.12 (-0.37 to 0.13)	0.19 (-0.15 to 0.52)		
NBL1					
Raw score	5.60 (5.57 to 5.62)	5.61 (5.58 to 5.64)	-0.01 (-0.05 to 0.03)	0.478	0.942
z-score	-0.16 (-0.41 to 0.09)	-0.03 (-0.30 to 0.25)	-0.14 (-0.52 to 0.24)		
NCAN					
Raw score	9.81 (9.78 to 9.84)	9.78 (9.74 to 9.82)	0.03 (-0.02 to 0.08)	0.219	0.935
z-score	-0.18 (-0.34 to -0.02)	-0.33 (-0.51 to -0.15)	0.15 (-0.09 to 0.39)		
NCDase					
Raw score	4.18 (4.12 to 4.25)	4.12 (4.05 to 4.19)	0.06 (-0.03 to 0.16)	0.184	0.935
z-score	0.04 (-0.10 to 0.19)	-0.1 (-0.25 to 0.06)	0.14 (-0.07 to 0.35)		
NEP					
Raw score	3.08 (3.02 to 3.14)	3.05 (2.99 to 3.11)	0.03 (-0.05 to 0.12)	0.435	0.935
z-score	-0.02 (-0.11 to 0.07)	-0.07 (-0.18 to 0.03)	0.06 (-0.09 to 0.20)		
NMNAT1					
Raw score	4.80 (4.51 to 5.10)	4.6 (4.27 to 4.92)	0.21 (-0.23 to 0.64)	0.344	0.935
z-score	0.48 (0.22 to 0.75)	0.29 (0.00 to 0.59)	0.19 (-0.21 to 0.59)		
NrCAM					
Raw score	10.13 (10.11 to 10.16)	10.1 (10.07 to 10.13)	0.03 (-0.01 to 0.08)	0.149	0.935
z-score	-0.14 (-0.41 to 0.13)	-0.44 (-0.74 to -0.14)	0.3 (-0.11 to 0.70)		
NRP2					
Raw score	8.96 (8.93 to 8.98)	8.94 (8.92 to 8.97)	0.01 (-0.02 to 0.05)	0.448	0.935
z-score	-0.18 (-0.42 to 0.06)	-0.32 (-0.59 to -0.05)	0.14 (-0.22 to 0.50)		
NTRK2					
Raw score	7.12 (7.08 to 7.16)	7.12 (7.07 to 7.16)	0.00 (-0.06 to 0.07)	0.906	0.998
z-score	-0.27 (-0.54 to 0.01)	-0.29 (-0.6 to 0.01)	0.02 (-0.39 to 0.44)		

Exercise and neurology biomarkers in childhood

Table S6A. (Continued)

NTRK3					
Raw score	7.47 (7.42 to 7.52)	7.47 (7.41 to 7.52)	0.00 (-0.07 to 0.08)	0.908	0.998
z-score	-0.18 (-0.43 to 0.06)	-0.21 (-0.47 to 0.06)	0.02 (-0.34 to 0.38)		
PDGFRalpha					
Raw score	5.86 (5.8 to 5.91)	5.85 (5.79 to 5.92)	0.00 (-0.08 to 0.09)	0.945	0.998
z-score	0.04 (-0.19 to 0.28)	0.03 (-0.23 to 0.29)	0.01 (-0.34 to 0.37)		
PLXNB1					
Raw score	1.93 (1.88 to 1.99)	1.89 (1.83 to 1.95)	0.05 (-0.03 to 0.13)	0.251	0.935
z-score	-0.09 (-0.31 to 0.13)	-0.28 (-0.53 to -0.04)	0.19 (-0.14 to 0.52)		
PLXNB3					
Raw score	4.21 (4.12 to 4.3)	4.33 (4.23 to 4.43)	-0.12 (-0.25 to 0.01)	0.068	0.914
z-score	-0.31 (-0.43 to -0.19)	-0.14 (-0.28 to -0.01)	-0.17 (-0.35 to 0.01)		
PRTG					
Raw score	7.19 (7.12 to 7.26)	7.13 (7.06 to 7.21)	0.06 (-0.05 to 0.16)	0.288	0.935
z-score	-0.01 (-0.23 to 0.21)	-0.19 (-0.43 to 0.06)	0.18 (-0.15 to 0.50)		
PVR					
Raw score	8.84 (8.80 to 8.89)	8.84 (8.79 to 8.90)	0 (-0.07 to 0.07)	0.997	0.998
z-score	-0.08 (-0.25 to 0.09)	-0.08 (-0.27 to 0.11)	0 (-0.26 to 0.26)		
RGMA					
Raw score	11.05 (11.00 to 11.11)	11.05 (10.99 to 11.11)	0.00 (-0.07 to 0.08)	0.934	0.998
z-score	-0.07 (-0.29 to 0.15)	-0.09 (-0.33 to 0.16)	0.01 (-0.32 to 0.35)		
RGMB					
Raw score	6.27 (6.21 to 6.34)	6.3 (6.23 to 6.38)	-0.03 (-0.13 to 0.07)	0.536	0.992
z-score	-0.06 (-0.32 to 0.20)	0.06 (-0.22 to 0.35)	-0.12 (-0.51 to 0.26)		
ROBO2					
Raw score	6.98 (6.92 to 7.04)	7.02 (6.95 to 7.09)	-0.04 (-0.13 to 0.06)	0.425	0.935
z-score	-0.23 (-0.45 to 0.00)	-0.09 (-0.34 to 0.16)	-0.14 (-0.47 to 0.20)		
RSPO1					
Raw score	1.93 (1.86 to 2.00)	1.97 (1.89 to 2.04)	-0.04 (-0.14 to 0.06)	0.445	0.935
z-score	-0.18 (-0.40 to 0.04)	-0.06 (-0.30 to 0.18)	-0.13 (-0.45 to 0.20)		
SCARA5					
Raw score	9.27 (9.21 to 9.32)	9.29 (9.23 to 9.35)	-0.03 (-0.11 to 0.05)	0.499	0.945
z-score	-0.04 (-0.3 to 0.23)	0.1 (-0.20 to 0.40)	-0.14 (-0.54 to 0.27)		
SCARB2					
Raw score	4.14 (4.09 to 4.2)	4.24 (4.18 to 4.31)	-0.1 (-0.19 to -0.02)	0.018	0.532
z-score	0 (-0.21 to 0.21)	0.38 (0.15 to 0.61)	-0.38 (-0.69 to -0.07)		
SCARF2					
Raw score	7.13 (7.07 to 7.20)	7.1 (7.03 to 7.17)	0.03 (-0.06 to 0.13)	0.486	0.942
z-score	-0.07 (-0.32 to 0.18)	-0.2 (-0.48 to 0.08)	0.13 (-0.24 to 0.51)		
sFRP3					
Raw score	3.22 (3.08 to 3.37)	3.31 (3.14 to 3.47)	-0.08 (-0.31 to 0.14)	0.455	0.935
z-score	-0.23 (-0.42 to -0.04)	-0.12 (-0.33 to 0.09)	-0.11 (-0.39 to 0.17)		
SIGLEC1					
Raw score	6.57 (6.49 to 6.66)	6.65 (6.56 to 6.74)	-0.07 (-0.20 to 0.05)	0.238	0.935
z-score	0.01 (-0.17 to 0.19)	0.17 (-0.03 to 0.37)	-0.16 (-0.43 to 0.11)		
Siglec9					
Raw score	5.09 (5.05 to 5.13)	5.09 (5.04 to 5.13)	0.01 (-0.06 to 0.07)	0.856	0.998
z-score	-0.07 (-0.2 to 0.07)	-0.09 (-0.24 to 0.06)	0.02 (-0.19 to 0.22)		
SKR3					
Raw score	6.50 (6.45 to 6.55)	6.50 (6.45 to 6.56)	-0.01 (-0.08 to 0.07)	0.865	0.998
z-score	0.00 (-0.20 to 0.19)	0.02 (-0.19 to 0.24)	-0.03 (-0.31 to 0.26)		
SMOC2					
Raw score	8.92 (8.85 to 8.98)	8.93 (8.85 to 9.00)	-0.01 (-0.12 to 0.10)	0.847	0.998
z-score	0.06 (-0.16 to 0.28)	0.09 (-0.15 to 0.33)	-0.03 (-0.36 to 0.30)		
SMPD1					
Raw score	4.68 (4.61 to 4.74)	4.61 (4.54 to 4.69)	0.06 (-0.04 to 0.17)	0.231	0.935
z-score	0.22 (0.00 to 0.43)	0.02 (-0.22 to 0.26)	0.19 (-0.13 to 0.52)		
SPOCK1					
Raw score	2.82 (2.78 to 2.86)	2.87 (2.82 to 2.92)	-0.05 (-0.11 to 0.02)	0.139	0.935
z-score	-0.14 (-0.33 to 0.06)	0.09 (-0.13 to 0.30)	-0.22 (-0.52 to 0.07)		
THY1					
Raw score	10.60 (10.56 to 10.64)	10.58 (10.54 to 10.63)	0.02 (-0.04 to 0.08)	0.580	0.995
z-score	0.25 (-0.02 to 0.52)	0.14 (-0.16 to 0.44)	0.11 (-0.29 to 0.52)		

Exercise and neurology biomarkers in childhood

Table S6A. (Continued)

TMPRSS5					
Raw score	3.31 (3.26 to 3.36)	3.25 (3.19 to 3.3)	0.06 (-0.01 to 0.14)	0.115	0.935
z-score	-0.04 (-0.22 to 0.14)	-0.26 (-0.47 to -0.06)	0.22 (-0.06 to 0.5)		
TNFRSF12A					
Raw score	5.27 (5.2 to 5.35)	5.27 (5.18 to 5.36)	0 (-0.12 to 0.12)	0.976	0.998
z-score	-0.15 (-0.42 to 0.12)	-0.16 (-0.45 to 0.14)	0.01 (-0.4 to 0.41)		
TNFRSF21					
Raw score	8.58 (8.54 to 8.62)	8.57 (8.53 to 8.61)	0.01 (-0.05 to 0.06)	0.781	0.998
z-score	-0.14 (-0.35 to 0.07)	-0.18 (-0.42 to 0.05)	0.04 (-0.27 to 0.36)		
TNR					
Raw score	4.97 (4.9 to 5.04)	4.99 (4.91 to 5.07)	-0.02 (-0.12 to 0.09)	0.748	0.998
z-score	0 (-0.19 to 0.19)	0.05 (-0.17 to 0.26)	-0.05 (-0.33 to 0.24)		
UNC5C					
Raw score	5.05 (5 to 5.11)	5.07 (5.01 to 5.14)	-0.02 (-0.1 to 0.06)	0.651	0.998
z-score	-0.12 (-0.28 to 0.03)	-0.07 (-0.24 to 0.1)	-0.05 (-0.29 to 0.18)		
VWC2					
Raw score	6.26 (6.18 to 6.33)	6.31 (6.23 to 6.4)	-0.06 (-0.17 to 0.06)	0.306	0.935
z-score	-0.05 (-0.26 to 0.16)	0.11 (-0.12 to 0.34)	-0.16 (-0.48 to 0.15)		
WFIKKN1					
Raw score	3.73 (3.68 to 3.79)	3.79 (3.73 to 3.85)	-0.06 (-0.14 to 0.02)	0.153	0.935
z-score	-0.06 (-0.22 to 0.09)	0.11 (-0.07 to 0.28)	-0.17 (-0.41 to 0.06)		

z Score values indicate how many standard deviations have the post-intervention values changed with respect to the baseline mean and standard deviation. E.g., a 0.50 z Score means that the mean value at post-intervention is 0.50 standard deviations higher than the mean value at baseline, indicating a positive change, with negative values indicating the opposite. Values are expressed as mean (95% CI). Analyses were adjusted for baseline values. N=87 participants. Raw scores values are expressed in Normalized Protein eXpression (NPX) units. This means that a high NPX value equals a high protein concentration. Because NPX is in a log₂ scale, a 1 NPX difference means a doubling of protein concentration. If needed NPX values can be converted into linear scale: 2^{NPX}= linear NPX. Abbreviations: *p*_{FDR}= adjusted for multiple comparisons using false discovery rate.