



Immune cell counts






Immune cell counts

First & second doses	Third dose	
BNT162b2	BNT162b2	ChAdOx1-S
	+ BNT162b2	+ BNT162b2
ChAdOx1-S	🔶 + mRNA-1273	🔻 + mRNA-1273




Immune cell (% of parent)

First & second doses	Third dose	
BNT162b2	BNT162b2	ChAdOx1-S
	+ BNT162b2	+ BNT162b2
ChAdOx1-S	🔶 + mRNA-1273	🔻 + mRNA-1273




Immune cell (% of parent)

Third dose	
BNT162b2	ChAdOx1-S
+ BNT162b2	+ BNT162b2
🔶 + mRNA-1273	🔻 + mRNA-1273
	BNT162b2 + BNT162b2




Myeloid Activation – CD86

Third dose	
BNT162b2	ChAdOx1-S
+ BNT162b2	+ BNT162b2
🔶 + mRNA-1273	🔻 + mRNA-1273
	BNT162b2 + BNT162b2



Myeloid Activation – HLA-DR

First & second doses	Third dose	
BNT162b2	BNT162b2	ChAdOx1-S
	+ BNT162b2	+ BNT162b2
ChAdOx1-S	🔶 + mRNA-1273	🔻 + mRNA-1273



Immune cell frequency

First & second doses	Third dose	
BNT162b2	BNT162b2	ChAdOx1-S
T	+ BNT162b2	+ BNT162b2
ChAdOx1-S	🔶 + mRNA-1273	🔻 + mRNA-1273

