

## Supplemental Table 1


Num	Feature	Definition
1	Stand	Standing (chest, thigh and shank angles < 20 deg)
2	Walk	At least 3 consecutive steps
3	Sit	Sitting (thigh angles > 45 deg while chest angle < 20 deg)
4	Stand to sit	Transition from standing/walking to sitting
5	Sit to stand	Transition from sitting to standing/walking
6	Turn	Turning in chest at least 45 deg/s
7	Lie down	Chest tilt angle > 45 deg and Thigh tilt angles > 45 deg
8	Bend	Bend at least 45 deg while Thigh Angles < 20 deg
9	Near-Fall	High forward/backward/lateral acceleration (>10 m/s <sup>2</sup> ) followed by consecutive balancing steps (>1 step)
10	Fall	Free fall, i.e. when the only force acting on body is gravity and the chest acceleration is about $g=9.8 \text{ m/s}^2$

## Supplemental Table 2



Num	Feature	Definition
1	age	Age of the patient [years]
2	height	Height of the patient [centimeters]
3	weight	Weight of the patient [kilograms]
4	peak_acc	Chest peak acceleration measured in clinical pull tests [meter/second <sup>2</sup> ]
5	mean_acc	Chest average acceleration measured in clinical pull tests [meter/second <sup>2</sup> ]
6	updrs	MDS-Unified Parkinson's Disease Rating Scale measured in clinic
7	tot_failure	Total number of failures in clinical pull tests (had to be caught by examiner)
8	stp_len	Average step length of the patient in clinical pull tests [meters]
9	rxn_time	Average reaction time of the patient in clinical pull tests [seconds]
10	rxn_pkAcc_slope	Slope of reaction time vs. peak chest acceleration in clinical pull tests [second <sup>3</sup> /meter]
11	rxn_mAcc_slope	Slope of reaction time vs. mean chest acceleration in clinical pull tests [second <sup>3</sup> /meter]
12	stpl_pkAcc_slope	Slope of step length vs. peak chest acceleration in clinical pull tests [second <sup>2</sup> ]
13	stpl_mAcc_slope	Slope of step length vs. mean chest acceleration in clinical pull tests [second <sup>2</sup> ]
14	peak_acc_h	Peak chest acceleration measured at home [meter/second <sup>2</sup> ]
15	mean_acc_h	Average chest acceleration measured at home [meter/second <sup>2</sup> ]
16	stp_len_h	Average step length of the patient measured at home [meters]
17	Rxn_time_h	Average reaction time of the patient measured at home [seconds]

18	rxt_pkAcc_slope_h	Slope of reaction time vs. peak chest acceleration measured at home [second <sup>3</sup> /meter]
19	rxn_mAcc_slope_h	Slope of reaction time vs. mean chest acceleration measured at home [second <sup>3</sup> /meter]
20	stpl_pkAcc_slope_h	Slope of step length vs. peak chest acceleration measured at home [second <sup>2</sup> ]
21	stpl_mAcc_slope_h	Slope of step length vs. mean chest acceleration measured at home [second <sup>2</sup> ]
22	walk_freq_h	Walking frequency at home (total walking duration / total measurement duration)
23	turn_freq_h	Turning frequency at home (total turning duration / total measurement duration)
24	bend_freq_h	Bending frequency at home (total bending duration / total measurement duration)
25	sit_freq_h	Sitting frequency at home (total sitting duration / total measurement duration)
26	lie_freq_h	Lie down frequency at home (total lying down duration / total measurement duration)
27	nfall_freq_h	Near-fall frequency at home (total near-falls duration / total measurement duration)
28	nfalls_h	Total number of near-falls at home
29	totWalk_Min_day	Total duration of walking at home in each day [minutes/day]
30	percWalk_day	Percentage of walking at home in each day [%/day]
31	totNumABs	Total number of ambulatory bouts *see [18] for details
32	meanABdur	Average ambulatory bouts duration [seconds]
33	variability	Variability of ambulatory bouts duration [seconds <sup>2</sup> ] *see [17] for details
34	alpha	Alpha for ambulatory bouts *see [17] for details
35	totWalk_Min_day_3	Total duration of walking (counted only walks of more than 3 seconds) at home in each day [minutes/day] *see [18] for details
36	percWalk_day_3	Percentage of walking (counted only walks of more than 3 seconds) at home in each day [%/day]
37	totNumABs_3	Total number of ambulatory bouts (counted only ABs of more than 3 seconds) *see [18] for details
38	meanABdur_3	Average ambulatory bouts duration (counted only ABs of more than 3 seconds) [seconds] *see [18] for details
39	variability_3	Variability of ambulatory bouts duration (counted only ABs of more than 3 seconds) [seconds <sup>2</sup> ] *see [17] for details
40	alpha_3	Alpha for ambulatory bouts (counted only ABs of more than 3 seconds) *see [17] for details
41	totWalk_Min_day_8	Total duration of walking (counted only walks of more than 8 seconds) at home in each day [minutes/day] *see [18] for details
42	percWalk_day_8	Percentage of walking (counted only walks of more than 8 seconds) at home in each day [%/day]
43	totNumABs_8	Total number of ambulatory bouts (counted only ABs of more than 8 seconds) *see [18] for details
44	meanABdur_8	Average ambulatory bouts duration (counted only ABs of more than 8 seconds) [seconds] *see [18] for details
45	variability_8	Variability of ambulatory bouts duration (counted only ABs of more than 8 seconds) [seconds <sup>2</sup> ] *see [17] for details
46	alpha_8	Alpha for ambulatory bouts (counted only ABs of more than 8 seconds) *see [17] for details
47	fall_freq_per_week	Fall frequency of the patients at home reported in patient diaries in a week [# falls / week]

# Supplemental Figures



Supplemental Fig 1. Comparison of median of number of near-falls per week for PD vs NPH vs Control subjects.



Supplemental Fig 2. Comparison of ROC curves for PD vs NPH vs Control subjects.