



Supplementary Figure 1



Workflow diagram summarizing cohort information, preprocessing and statistical analysis performed.

Supplementary Figure 2



Disease-specific cluster memberships. **(A)** Alzheimer's disease (AD). **(B)** Parkinson's disease (PD). **(C)** Amyotrophic lateral sclerosis (ALS). **(D)** Lewy body dementia (LBD). **(E)** Frontotemporal dementia (FTD).

Supplementary Table 1 Information on cohorts used for analysis

Cohort	Disease	Full	Downsampled	% female
ADNI	AD	45 cases	13 cases	38.46
		254 controls		
ADSP	AD	4697 cases	955 cases	60.31
		4317 controls		
Joint Genotyping ^a	AD	806 cases	32 cases	40.63
		908 controls		
AMP-PD	PD	2470 cases	1000 cases	36.9
		2023 controls		
Dementia Seq	ALS	1464 cases	1000 cases	45.1
	LBD	2603 cases	1000 cases	34.1
	ALS	1105 cases	1000 cases	46.3
		3193 controls ^b		

^aJoint genotyping is made up of MayoRNaseq, MSBB, and ROSMAP.

^bControls were shared across diseases (FTD, LBD, and ALS) in the Dementia Seq cohort.

Supplementary Table 2 Average number of samples in cluster 0 across the different 70:30 (training:testing) splits in the multi-disease iterative clustering analysis

Training:Testing split	Average # of samples in Cluster 0
1	4571.46
2	4329.87
3	4344.95
4	4382.14
5	4430.58
6	4360.83
7	4322.33
8	4509.59
9	4307.75
10	4090.93
11	4419.70
12	4645.17
13	4305.07
14	4603.89
15	4412.52

Supplementary Table 3 SNP association summary statistic per multi-disease cluster for variants associated with loci with previously establish pleiotropic associations (*GBA*, *GRN*, *LRRK2*, *MAPT*, *APOE*)

Cluster	SNP	BETA	SE	OR	P
Cluster 0	rs537741299_LBD_APOE	-5.346	1.216	0.005	1.10e-05
	rs28903073_PD_LRRK2	-0.397	0.111	0.672	3.60e-04
	rs769446_AD_APOE	0.193	0.079	1.213	0.015
	rs713522_PD_MAPT	0.075	0.034	1.078	0.029
	rs76763715_PD_GBA	-1.618	0.777	0.198	0.037
Cluster 1	rs28903073_PD_LRRK2	0.272	0.061	1.312	7.88e-06
	rs537741299_LBD_APOE	4.671	1.22	106.751	1.29e-04
	rs76763715_PD_GBA	2.082	0.782	8.02	0.008
	rs713522_PD_MAPT	-0.089	0.035	0.914	0.010
	rs769446_AD_APOE	-0.191	0.076	0.826	0.012
Cluster 2	rs537741299_LBD_APOE	11.713	4.907	122210.470	0.017
	rs76763715_PD_GBA	-7.091	3.110	8.33e-04	0.023
	rs28903073_PD_LRRK2	0.138	0.072	1.148	0.054

Supplementary Table 4 PRS mean and standard deviation summary statistics per disease-specific cluster and counts for disease-specific cluster membership

Disease	Cluster	AD PRS	PD PRS	ALS PRS	LBD PRS	FTD PRS	# samples in cluster
AD	Cluster 0	-0.008 (0.951)	-0.019 (0.957)	-0.084 (0.895)*	-0.058 (0.979)	-0.035 (1.021)	622
	Cluster 1	0.145 (1.037)*	-0.048 (1.058)	0.231 (1.165)*	0.213 (1.010)*	0.061 (0.971)	364
	Cluster 2	-0.397 (0.771)	0.165 (0.761)	0.107 (1.345)	-0.418 (0.757)	-0.292 (0.904)	14
PD	Cluster 0	0.095 (0.986)*	-0.036 (1.008)	-0.034 (0.925)	-0.031 (1.076)	0.017 (1.004)	643
	Cluster 1	-0.059 (1.094)	0.096 (1.115)	0.024 (1.090)	0.137 (0.975)*	0.005 (1.010)	357
ALS	Cluster 0	0.055 (0.999)	-0.057 (0.948)	-0.123 (0.901)*	-0.033 (0.990)	-0.006 (1.021)	818
	Cluster 1	-0.150 (0.981)*	0.172 (1.087)*	0.422 (1.246)*	0.134 (1.001)	0.073 (0.969)	182
LBD	Cluster 0	-0.159 (0.867)*	-0.041 (0.931)	-0.034 (0.945)	-0.226 (0.927)*	-0.081 (1.032)	534
	Cluster 1	0.113 (1.099)*	0.044 (1.045)	0.079 (1.116)	0.250 (1.021)*	0.070 (0.958)	466
FTD	Cluster 0	-0.039 (0.868)	-0.113 (0.915)*	-0.114 (0.826)*	-0.129 (0.971)*	0.013 (0.974)	611
	Cluster 1	0.130 (1.151)*	0.159 (1.114)*	0.182 (1.149)*	0.174 (1.086)*	0.013 (0.986)	364
	Cluster 2	-1.105 (0.789)*	0.028 (0.904)	0.009 (1.235)	-0.234 (0.949)	-0.082 (1.266)	25

Format: mean (standard deviation).

* denotes a p-value < 0.05 for the deviation of PRS from the normal distribution (mean=0, standard deviation=1) within a cluster.