

Supplementary table 1. Subject characteristics for patients with available follow-up data for the respective cardiac or aortic measures. RA = right atrial, RV = right ventricular, RVOT = right ventricular outflow tract, LA = left atrial, LV = left ventricular, IVS = interventricular septum.

	RA area				RV diameter				RVOT diameter			
	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All
Subjects, n (%)	1413 (2)	38280 (64)	19823 (33)	59516 (100)	93 (3)	2210 (67)	975 (30)	3278 (100)	38 (3)	995 (71)	373 (27)	1406 (100)
Events, n (%)	186 (13.2)	3137 (8.2)	1290 (6.5)	4613 (7.8)	15 (16.1)	211 (9.5)	82 (8.4)	308 (9.4)	6 (15.8)	111 (11.2)	34 (9.1)	151 (10.7)
Female sex, n (%)	1012 (72)	17964 (47)	9767 (49)	28743 (48)	46 (50)	751 (34)	374 (38)	1171 (36)	26 (68)	470 (47)	189 (51)	685 (49)
Age, years	68 [39-81]	66 [51-77]	64 [52-73]	65 [52-76]	60 [39-79]	63 [46-75]	60 [48-69]	62 [47-74]	50 [26-70]	56 [36-75]	61 [45-72]	57 [38-74]
Follow-up, years	5.6 [2.0-8.2]	7.2 [5.1-11.2]	7.2 [5.3-10.6]	7.1 [5.2-11]	6.6 [3.2-9.4]	7 [4.7-9.6]	7.2 [5.5-9.7]	7 [5.1-9.6]	5.8 [2.5-7]	6.1 [3.7-7.5]	6 [5.0-7.6]	6 [4.1-7.5]
	LA area				LA diameter				LA volume			
	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All
Subjects, n (%)	2259 (2)	58597 (65)	29740 (33)	90596 (100)	2315 (3)	59425 (66)	27713 (31)	89453 (100)	3314 (2)	101920 (68)	45306 (30)	150540 (100)
Events, n (%)	302 (13.4)	4901 (8.4)	1996 (6.7)	7199 (7.9)	227 (9.8)	4137 (7.0)	1542 (5.6)	5906 (6.6)	455 (13.7)	6924 (6.8)	2214 (4.9)	9593 (6.4)
Female sex, n (%)	1573 (70)	26390 (45)	14269 (48)	42232 (47)	1572 (68)	28680 (48)	14384 (52)	44636 (50)	2410 (73)	47765 (47)	22504 (50)	72679 (48)
Age, years	67 [39-81]	66 [51-77]	63 [52-72]	65 [51-76]	63 [35-78]	63 [47-75]	62 [51-71]	63 [49-74]	71 [45-83]	65 [51-77]	62 [52-72]	64 [51-76]
Follow-up, years	5.4 [1.7-9]	7.4 [5.10.8]	7.6 [5.3-10.5]	7.4 [5.1-10.6]	6.6 [2.6-11]	8.4 [5.4-12.7]	8.2 [5.6-11.8]	8.3 [5.5-12.4]	5.7 [2-8.8]	7.6 [5.4-10.3]	7.9 [5.7-10.4]	7.7 [5.5-10.3]
	LV end-diastolic diameter				LV end-diastolic volume				IVS thickness			
	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All
Subjects, n (%)	6375 (3)	155211 (67)	68523 (30)	230109 (100)	1385 (2)	46330 (72)	16305 (25)	64020 (100)	6468 (3)	157507 (68)	69270 (30)	233245 (100)
Events, n (%)	673 (10.6)	10938 (7.0)	3684 (5.4)	15295 (6.6)	177 (12.8)	2889 (6.2)	668 (4.1)	3734 (5.8)	677 (10.5)	11160 (7.1)	3722 (5.4)	15559 (6.7)
Female sex, n (%)	4287 (67)	72233 (47)	34031 (50)	110551 (48)	1037 (75)	21691 (47)	8268 (51)	30996 (48)	4361 (67)	73126 (46)	34398 (50)	111885 (48)
Age, years	66 [42-80]	64 [49-76]	62 [51-71]	63 [50-75]	73 [47-84]	65 [50-77]	62 [51-72]	64 [50-76]	66 [42-80]	64 [49-76]	62 [51-71]	63 [50-75]
Follow-up, years	6.1 [2.1-9.8]	7.3 [5.2-10.6]	7.4 [5.5-10.4]	7.3 [5.3-10.5]	5.6 [2.1-8.2]	7 [5.4-9.3]	7.2 [5.6-9.3]	7 [5.4-9.3]	6.1 [2.1-9.8]	7.3 [5.2-10.5]	7.4 [5.5-10.3]	7.3 [5.3-10.4]

RA = right atrial, RV = right ventricular, RVOT = right ventricular outflow tract, LA = left atrial, LV = left ventricular, IVS = interventricular septum.

Supplementary table 1. Subject characteristics for patients with available follow-up data for the respective cardiac or aortic measures. RA = right atrial, RV = right ventricular, RVOT = right ventricular outflow tract, LA = left atrial, LV = left ventricular, IVS = interventricular septum.

	LV mass				Aortic sinus diameter				Aorta at sinotubular diameter			
	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All
Subjects, n (%)	6229 (3)	151563 (68)	66452 (30)	224244 (100)	2157 (2)	62533 (69)	26115 (29)	90805 (100)	1334 (2)	39876 (66)	19403 (32)	60613 (100)
Events, n (%)	650 (10.4)	10583 (7.0)	3521 (5.3)	14754 (6.6)	284 (13.2)	4237 (6.8)	1244 (4.8)	5765 (6.3)	199 (14.9)	3189 (8.0)	1128 (5.8)	4516 (7.5)
Female sex, n (%)	4205 (68)	70812 (47)	33210 (50)	108227 (48)	1551 (72)	28663 (46)	12599 (48)	42813 (47)	922 (69)	16624 (42)	8673 (45)	26219 (43)
Age, years	66 [42-80]	64 [49-76]	62 [51-71]	63 [50-75]	72 [45-83]	65 [51-78]	62 [52-72]	64 [51-76]	72 [45-83]	68 [54-78]	64 [54-73]	67 [54-77]
Follow-up, years	6.1 [2.1-9.9]	7.3 [5.2-10.6]	7.4 [5.5-10.3]	7.3 [5.3-10.5]	5.7 [1.8-8.4]	7.5 [5.4-9.7]	7.6 [5.7-9.6]	7.5 [5.4-9.7]	5.5 [1.6-8.6]	7.7 [5.2-10.6]	7.8 [5.7-10.5]	7.7 [5.3-10.5]
	Aortic root diameter				Ascending aorta diameter				Aortic arch diameter			
	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All	BMI <18.5 kg/m ²	BMI 18.5-30 kg/m ²	BMI ≥30 kg/m ²	All
Subjects, n (%)	4773 (2)	133153 (68)	57212 (29)	195138 (100)	2693 (3)	65077 (64)	33619 (33)	101389 (100)	454 (3)	10988 (65)	5405 (32)	16847 (100)
Events, n (%)	541 (11.3)	8971 (6.7)	2844 (5.0)	12356 (6.3)	295 (11.0)	5587 (8.6)	2252 (6.7)	8134 (8.0)	43 (9.5)	803 (7.3)	312 (5.8)	1158 (6.9)
Female sex, n (%)	3272 (69)	62640 (47)	28806 (50)	94718 (49)	1770 (66)	28766 (44)	15877 (47)	46413 (46)	303 (67)	4667 (43)	2393 (44)	7363 (44)
Age, years	68 [41-81]	64 [49-76]	62 [51-71]	63 [50-75]	66 [43-80]	67 [52-78]	63 [53-73]	65 [52-76]	52 [26-77]	64 [47-76]	61 [50-70]	63 [48-74]
Follow-up, years	5.9 [2.1-9.6]	7.6 [5.4-11]	7.7 [5.6-10.7]	7.6 [5.4-10.9]	5.9 [1.9-9.6]	6.7 [4.5-9.6]	6.9 [5.2-9.6]	6.8 [4.9-9.6]	5.8 [2.1-8.7]	6.6 [5.2-9]	6.8 [5.3-8.9]	6.7 [5.2-9]

RA = right atrial, RV = right ventricular, RVOT = right ventricular outflow tract, LA = left atrial, LV = left ventricular, IVS = interventricular septum.