Supplementary table 1 Psychological characteristics and glycaemic control among patients living with type 2 diabetes in Kinshasa, Democratic Republic of the Congo, n=620 (2021-2022)

	Controlled	Uncontrolled	All participants	р
	(n, %(95%CI))	(n, %(95%CI))	(n, %)	
Adherence to treatment				0.427
High	110 (31.3 (23.4 to 40.3))	241 (68.7 (59.7 to 76.6))	351 (100.0)	
Moderate	76 (35.0 (29.2 to 41.4))	141 (65.0 (58.6 to 70.8))	217 (100.0)	
Low	14 (26.8 (17.0 to 39.7))	38 (73.2 (60.3 to 83.0))	52 (100.0)	
Depression				0.535
Without depression	198 (32.3 (26.5 to 38.7))	414 (67.6 (61.3 to 73.5))	612 (100.0)	
Moderate depression	1 (16.7 (2.6 to 60.0))	5 (83.3 (40.0 to 95.4))	6 (100.0)	
Moderately severe	1 (50.1 (4.6 to 95.4))	1 (49.9 (4.6 to 95.4))	2 (100.0)	
depression				
Multidimensional				
perceived social support				
Total score				0.299
Low support	40 (28.8 (20.6 to 38.6))	99 (71.2 (61.4 to 79.4))	139 (100.0)	
Moderate support	150 (32.5 (25.6 to 40.4))	310 (67.5 (59.6 to 74.4))	460 (100.0)	
High support	10 (47.4 (27.8 to 67.8))	11 (52.6 (32.2 to 72.2))	21 (100.0)	
Significant others				0.006*
Low support	49 (26.9 (19.3 to 36.1))	133 (73.1 (63.9 to 80.7))	182 (100.0)	
Moderate support	98 (30.2 (23.2 to 38.2))	227 (69.8 (61.8 to 76.8))	325 (100.0)	
High support	53 (46.7 (38.1 to 55.6))	60 (53.3 (44.4 to 61.9))	113 (100.0)	
Family				0.020*
Low support	44 (31.5 (24.7 to 39.3))	96 (68.5 (60.7 to 75.3))	140 (100.0)	
Moderate support	111 (28.7 (21.4 to 37.2))	275 (71.3 (62.8 to 78.6))	386 (100.0)	
High support	45 (47.8 (36.3 to 59.5))	49 (52.2 (40.5 to 63.7))	94 (100.0)	
Friends				0.463
Low support	100 (35.3 (27.1 to 44.5))	182 (64.7 (55.5 to 72.9))	282 (100.0)	

Moderate support	95 (29.6 (20.7 to 40.4))	226 (70.4 (59.6 to 79.3))	321 (100.0)	
High support	5 (29.4 (17.1 to 45.6))	12 (70.6 (54.4 to 82.9))	17 (100.0)	
Diabetes distress				
Total score				0.113
No distress	105 (39.0 (31.8 to 46.8))	163 (61.0 (53.2 to 68.2))	268 (100.0)	
Moderate distress	37 (26.8 (19.5 to 35.5))	101 (73.2 (64.5 to 80.5))	138 (100.0)	
High distress	58 (27.2 (16.9 to 40.6))	156 (72.8 (59.4 to 83.1))	214 (100.0)	
Emotional				0.375
No distress	135 (34.1 (27.9 to 40.9))	260 (65.9 (59.1 to 72.1))	395 (100.0)	
High distress	65 (28.9 (19.8 to 40.2))	160 (71.1 (59.8 to 80.2))	225 (100.0)	
Regimen				0.033*
No distress	102 (39.7 (32.1 to 47.9))	154 (60.3 (52.1 to 67.9))	256 (100.0)	
Moderate distress	31 (21.5 (14.7 to 30.3))	113 (78.5 (69.7 to 85.3))	144 (100.0)	
High distress	67 (30.5 (20.7 to 42.5))	153 (69.5 (57.5 to 79.3))	220 (100.0)	
Interpersonal				0.293
No distress	91 (36.7 (29.1 to 45.1))	156 (63.3 (54.9 to 70.9))	247 (100.0)	
Moderate distress	37 (28.4 (22.3 to 35.4))	93 (71.6 (64.6 to 77.7))	130 (100.0)	
High distress	72 (29.6 (19.9 to 41.6))	169 (70.4 (58.4 to 80.1))	243 (100.0)	
Physician				0.134
No distress	106 (38.0 (30.8 to 45.8))	172 (62.0 (54.2 to 69.2))	278 (100.0)	
Moderate distress	40 (30.9 (25.7 to 36.6))	89 (69.1 (63.4 to 74.3))	129 (100.0)	
High distress	54 (25.5 (15.3 to 39.2))	159 (74.5 (60.8 to 84.7))	213 (100.0)	
Self-management				
Total score				0.748
Good adherence	193 (32.4 (26.2 to 39.3))	402 (67.6 (60.7 to 73.8))	595 (100.0)	
Poor adherence	7 (28.3 (11.2 to 55.3))	18 (71.7 (44.7 to 88.8))	25 (100.0)	
Dietary control				0.386
Good adherence	174 (33.0 (26.0 to 40.8))	352 (67.0 (59.2 to 74.0))	526 (100.0)	
Poor adherence	26 (27.7 (19.8 to 37.2))	68 (72.3 (62.8 to 80.2))	94 (100.0)	
Glucose management				0.511

Good adherence	181 (32.7 (26.5 to 39.6))	371 (67.3 (60.4 to73.5))	552 (100.0)	
Poor adherence	19 (28.0 (16.4 to 43.4))	49 (72.0 (56.6 to 83.6))	68 (100.0)	
Physician contact				0.304
Good adherence	183 (33.1 (26.3 to 40.6))	369 (66.9 (59.4 to 73.7))	552 (100.0)	
Poor adherence	17 (25.1 (15.1 to 38.7))	51 (74.9 (61.3 to 84.9))	68 (100.0)	
Physical activity				0.019*
Good adherence	110 (28.5 (22.7 to 35.2))	275 (71.5 (64.8 to 77.3))	385 (100.0)	
Poor adherence	90 (38.2 (30.5 to 46.6))	145 (61.8 (53.4 to 69.5))	235 (100.0)	
Knowledge on diabetes				0.097
Low	62 (35.6 (27.6 to 44.6))	112 (64.4 (55.4 to 72.4))	174 (100.0)	
Acceptable	68 (27.7 (20.9 to 35.7))	177 (72.3 (64.3 to 79.1))	245 (100.0)	·
Good	70 (34.7 (28.5 to 41.5))	131 (65.3 (58.5 to 71.5))	201 (100.0)	
* +0 OF				

^{*}p<0.05