

Supplementary file 1 to COVID-19 vaccine effectiveness against mortality and risk of death from other causes after COVID-19 vaccination, the Netherlands, January 2021- January 2022

Table S1. VE estimates of primary and booster vaccination against COVID-19 mortality, with 95% confidence interval, per stratum of long-term care use and birth cohort, adjusted for sex, year of birth, medical risk and country of origin. Numbers below 10 are not shown.

Stratum	Vaccination status	Person-time (x 1000 days)	COVID-19 deaths	VE (95% CI)
LTC high 70+	Unvaccinated	10778	3282	[ref]
LTC high 70+	Primary series partly	6368	589	63.1% (59.3-66.5)
LTC high 70+	Primary series m1	3361	42	90.7% (87.2-93.2)
LTC high 70+	Primary series m2	3291	31	90.6% (86.3-93.6)
LTC high 70+	Primary series m3	3338	34	82.6% (74.8-88)
LTC high 70+	Primary series m4	3311	41	79% (70.9-84.9)
LTC high 70+	Primary series m5	3368	125	67% (59.5-73.2)
LTC high 70+	Primary series m6	3310	151	66.5% (59.8-72)
LTC high 70+	Primary series m7	3113	198	69.1% (63.8-73.6)
LTC high 70+	Primary series m8	2779	468	61.1% (56.2-65.4)
LTC high 70+	Primary series m9	1917	793	41.9% (35.5-47.6)
LTC high 70+	Primary series m10	933	203	38.2% (26.9-47.7)
LTC high 70+	Booster m1	2629	151	87.2% (84.5-89.4)
LTC high 70+	Booster m2	1401	27	85.8% (78.2-90.8)
LTC low 70+	Unvaccinated	3159	525	[ref]
LTC low 70+	Primary series partly	1556	54	72.3% (62.7-79.4)
LTC low 70+	Primary series m1	783	<10	91.9% (81.4-96.5)
LTC low 70+	Primary series m2	767	<10	95.3% (80.3-98.9)
LTC low 70+	Primary series m3	765	<10	78.7% (45.9-91.7)
LTC low 70+	Primary series m4	763	13	59.5% (25.9-77.9)
LTC low 70+	Primary series m5	764	12	80% (63.2-89.2)
LTC low 70+	Primary series m6	744	16	78.3% (63.3-87.2)
LTC low 70+	Primary series m7	702	32	71.7% (58-80.9)
LTC low 70+	Primary series m8	596	65	69.7% (59-77.6)
LTC low 70+	Primary series m9	324	71	56.2% (41-67.4)
LTC low 70+	Primary series m10	122	12	60.4% (26.2-78.7)
LTC low 70+	Booster m1	657	10	95% (90.2-97.4)
LTC low 70+	Booster m2	302	<10	95.5% (80.3-99)
Disability care	Unvaccinated	18128	206	[ref]
Disability care	Primary series partly	5744	28	67.3% (50.7-78.3)
Disability care	Primary series m1	2948	<10	>99% (--)
Disability care	Primary series m2	2895	<10	91.9% (65.9-98.1)
Disability care	Primary series m3	2861	<10	94.5% (59.8-99.3)
Disability care	Primary series m4	2827	<10	95.2% (64.6-99.3)
Disability care	Primary series m5	2770	<10	77.1% (49-89.8)

Disability care	Primary series m6	2468	<10	79% (53.4-90.5)
Disability care	Primary series m7	2150	<10	87% (69.7-94.5)
Disability care	Primary series m8	1913	18	76.4% (59.6-86.3)
Disability care	Primary series m9	1497	37	51.7% (25.6-68.7)
Disability care	Primary series m10	794	15	42.3% (-6.4-68.7)
Disability care	Booster m1	1918	<10	93.3% (77.3-98)
Disability care	Booster m2	580	<10	>99% (--)
<1931 (90+)	Unvaccinated	7375	899	[ref]
<1931 (90+)	Primary series partly	3857	129	66.6% (59.1-72.7)
<1931 (90+)	Primary series m1	2004	13	91.6% (85.2-95.3)
<1931 (90+)	Primary series m2	1936	<10	94.2% (87.3-97.3)
<1931 (90+)	Primary series m3	1915	<10	88.2% (72.1-95)
<1931 (90+)	Primary series m4	1853	<10	86.4% (72.7-93.2)
<1931 (90+)	Primary series m5	1835	24	81.4% (70.8-88.2)
<1931 (90+)	Primary series m6	1732	26	75% (61.5-83.8)
<1931 (90+)	Primary series m7	1567	45	67.7% (54-77.3)
<1931 (90+)	Primary series m8	1413	111	70.3% (61.6-77)
<1931 (90+)	Primary series m9	671	138	45.2% (30.4-56.9)
<1931 (90+)	Primary series m10	157	32	-25.4% (-91.8-18)
<1931 (90+)	Booster m1	1462	40	89.5% (85-92.7)
<1931 (90+)	Booster m2	891	<10	96.1% (88.8-98.6)
1931-1950 (70-89)	Unvaccinated	250627	5591	[ref]
1931-1950 (70-89)	Primary series partly	108277	696	76.1% (73.9-78.1)
1931-1950 (70-89)	Primary series m1	59638	57	96% (94.8-97)
1931-1950 (70-89)	Primary series m2	59665	38	96.2% (94.8-97.3)
1931-1950 (70-89)	Primary series m3	59546	51	92.7% (90.3-94.6)
1931-1950 (70-89)	Primary series m4	58656	94	88.1% (85.2-90.5)
1931-1950 (70-89)	Primary series m5	58535	149	89.1% (86.9-90.8)
1931-1950 (70-89)	Primary series m6	57014	419	85.5% (83.7-87.1)
1931-1950 (70-89)	Primary series m7	46666	550	85% (83.4-86.4)
1931-1950 (70-89)	Primary series m8	20076	543	82.9% (81.1-84.6)
1931-1950 (70-89)	Primary series m9	4768	305	67.8% (63.3-71.8)
1931-1950 (70-89)	Primary series m10	801	56	37.3% (16.6-52.8)
1931-1950 (70-89)	Booster m1	48724	109	96.4% (95.6-97.1)
1931-1950 (70-89)	Booster m2	13454	11	98.2% (96.7-99)
1951-1970 (50-69)	Unvaccinated	748546	2009	[ref]
1951-1970 (50-69)	Primary series partly	265532	145	84.2% (81-86.9)
1951-1970 (50-69)	Primary series m1	119387	<10	97.2% (94.1-98.7)
1951-1970 (50-69)	Primary series m2	118579	<10	97.7% (95.2-98.9)
1951-1970 (50-69)	Primary series m3	116455	20	94.8% (91.7-96.7)
1951-1970 (50-69)	Primary series m4	115809	36	93.1% (90.2-95.1)
1951-1970 (50-69)	Primary series m5	113602	81	92.5% (90.4-94.1)
1951-1970 (50-69)	Primary series m6	93957	123	90.6% (88.5-92.3)
1951-1970 (50-69)	Primary series m7	36851	62	88.1% (84.4-90.9)
1951-1970 (50-69)	Primary series m8	9481	44	63.9% (50.3-73.7)
1951-1970 (50-69)	Primary series m9	5119	38	23.7% (-6.9-45.6)

1951-1970 (50-69)	Primary series m10	3725	<10	65.5% (33.2-82.2)
1951-1970 (50-69)	Booster m1	76888	17	96.9% (94.9-98.1)
1951-1970 (50-69)	Booster m2	7503	<10	93.6% (79.5-98)
1971-2009 (12-49)	Unvaccinated	1992705	154	[ref]
1971-2009 (12-49)	Primary series partly	366041	<10	77.7% (53.5-89.3)
1971-2009 (12-49)	Primary series m1	164614	<10	95.8% (69.1-99.4)
1971-2009 (12-49)	Primary series m2	157578	<10	96.3% (72.8-99.5)
1971-2009 (12-49)	Primary series m3	153765	<10	91.2% (63.4-97.9)
1971-2009 (12-49)	Primary series m4	146518	<10	89.8% (71.6-96.4)
1971-2009 (12-49)	Primary series m5	134024	<10	96.5% (85.6-99.2)

Figure S1. VE estimates of primary and booster vaccination against all-cause mortality, with 95% confidence interval, per stratum of long-term care use and birth cohort, adjusted for sex, year of birth, medical risk and country of origin. Underlying numbers can be found in Table S2.




Table S2. VE estimates of primary and booster vaccination against all-cause mortality, with 95% confidence interval, per stratum of long-term care use and birth cohort, adjusted for sex, year of birth, medical risk and country of origin. Numbers below 10 are not shown.

Stratum	Vaccination status	Person-time (x 1000 days)	Deaths	VE (95% CI)
LTC high 70+	Unvaccinated	10778	13973	[ref]
LTC high 70+	Primary series partly	6368	4959	40.4% (38.3-42.5)
LTC high 70+	Primary series m1	3361	2001	54.6% (52.2-57)
LTC high 70+	Primary series m2	3291	2156	50.5% (47.8-53)
LTC high 70+	Primary series m3	3338	2296	47.7% (44.9-50.4)
LTC high 70+	Primary series m4	3311	2335	46.5% (43.7-49.2)
LTC high 70+	Primary series m5	3368	2558	44.6% (41.7-47.3)
LTC high 70+	Primary series m6	3310	2531	45.2% (42.3-47.8)
LTC high 70+	Primary series m7	3113	2700	39.2% (36.1-42.2)
LTC high 70+	Primary series m8	2779	2912	35.8% (32.5-38.9)
LTC high 70+	Primary series m9	1917	2670	26.1% (22.1-29.9)
LTC high 70+	Primary series m10	933	1285	19.4% (13.5-24.8)
LTC high 70+	Booster m1	2629	2069	55.8% (53-58.4)
LTC high 70+	Booster m2	1401	1179	45.4% (40.7-49.8)
LTC low 70+	Unvaccinated	3159	2386	[ref]
LTC low 70+	Primary series partly	1556	550	54.6% (49.9-58.9)
LTC low 70+	Primary series m1	783	200	68.2% (62.9-72.8)
LTC low 70+	Primary series m2	767	216	65.9% (60.2-70.8)
LTC low 70+	Primary series m3	765	239	63.2% (57.3-68.3)
LTC low 70+	Primary series m4	763	258	60.5% (54.4-65.8)
LTC low 70+	Primary series m5	764	278	57.9% (51.6-63.4)
LTC low 70+	Primary series m6	744	289	55.4% (48.8-61.2)
LTC low 70+	Primary series m7	702	291	55.9% (49.3-61.7)
LTC low 70+	Primary series m8	596	331	50.5% (43.2-56.8)
LTC low 70+	Primary series m9	324	251	40.3% (30.3-48.8)
LTC low 70+	Primary series m10	122	97	39.5% (23.7-52)
LTC low 70+	Booster m1	657	224	72.9% (67.9-77.2)
LTC low 70+	Booster m2	302	96	75.2% (68-80.8)
Disability care	Unvaccinated	18128	1116	[ref]
Disability care	Primary series partly	5744	273	47.5% (39.7-54.2)
Disability care	Primary series m1	2948	94	67% (58.9-73.5)
Disability care	Primary series m2	2895	123	56.6% (46.9-64.4)
Disability care	Primary series m3	2861	99	65.9% (57.5-72.6)
Disability care	Primary series m4	2827	112	62.5% (53.7-69.6)
Disability care	Primary series m5	2770	121	58.8% (49.4-66.4)
Disability care	Primary series m6	2468	123	55.7% (45.5-64)
Disability care	Primary series m7	2150	133	50.6% (39.4-59.8)
Disability care	Primary series m8	1913	140	46.8% (34.7-56.7)
Disability care	Primary series m9	1497	140	33.3% (17.6-46.1)
Disability care	Primary series m10	794	91	12% (-13.9-32.1)

Disability care	Booster m1	1918	108	53% (39.2-63.7)
Disability care	Booster m2	580	32	59.3% (37.9-73.4)
<1931 (90+)	Unvaccinated	7375	5766	[ref]
<1931 (90+)	Primary series partly	3857	1368	55.1% (52.2-57.9)
<1931 (90+)	Primary series m1	2004	570	64.2% (60.6-67.5)
<1931 (90+)	Primary series m2	1936	625	59.5% (55.5-63.3)
<1931 (90+)	Primary series m3	1915	687	56% (51.6-59.9)
<1931 (90+)	Primary series m4	1853	631	58.6% (54.3-62.5)
<1931 (90+)	Primary series m5	1835	687	55.2% (50.7-59.3)
<1931 (90+)	Primary series m6	1732	690	54.4% (49.8-58.6)
<1931 (90+)	Primary series m7	1567	672	55.7% (51.1-60)
<1931 (90+)	Primary series m8	1413	751	52.8% (47.8-57.3)
<1931 (90+)	Primary series m9	671	600	32.7% (25-39.6)
<1931 (90+)	Primary series m10	157	244	-3.7% (-20.6-10.8)
<1931 (90+)	Booster m1	1462	536	73.7% (70.6-76.5)
<1931 (90+)	Booster m2	891	331	73.5% (69.4-77.1)
1931-1950 (70-89)	Unvaccinated	250627	32578	[ref]
1931-1950 (70-89)	Primary series partly	108277	7316	62.3% (61.2-63.3)
1931-1950 (70-89)	Primary series m1	59638	3030	76.8% (75.8-77.7)
1931-1950 (70-89)	Primary series m2	59665	3713	73.2% (72.2-74.3)
1931-1950 (70-89)	Primary series m3	59546	3951	72% (70.9-73.1)
1931-1950 (70-89)	Primary series m4	58656	4074	71.5% (70.4-72.6)
1931-1950 (70-89)	Primary series m5	58535	4273	71.5% (70.4-72.6)
1931-1950 (70-89)	Primary series m6	57014	4590	71.7% (70.6-72.7)
1931-1950 (70-89)	Primary series m7	46666	4663	70.5% (69.3-71.6)
1931-1950 (70-89)	Primary series m8	20076	3577	66% (64.5-67.4)
1931-1950 (70-89)	Primary series m9	4768	1737	51.7% (48.9-54.3)
1931-1950 (70-89)	Primary series m10	801	573	37.5% (31.6-42.9)
1931-1950 (70-89)	Booster m1	48724	2464	86.5% (85.8-87.2)
1931-1950 (70-89)	Booster m2	13454	1057	85.7% (84.6-86.8)
1951-1970 (50-69)	Unvaccinated	748546	16411	[ref]
1951-1970 (50-69)	Primary series partly	265532	3576	62.6% (60.9-64.1)
1951-1970 (50-69)	Primary series m1	119387	1369	72.9% (71.1-74.6)
1951-1970 (50-69)	Primary series m2	118579	1590	70.4% (68.6-72.1)
1951-1970 (50-69)	Primary series m3	116455	1718	68.5% (66.6-70.3)
1951-1970 (50-69)	Primary series m4	115809	1828	67% (65-68.8)
1951-1970 (50-69)	Primary series m5	113602	1826	68.6% (66.7-70.4)
1951-1970 (50-69)	Primary series m6	93957	1842	65.3% (63.2-67.3)
1951-1970 (50-69)	Primary series m7	36851	1176	55.6% (52.4-58.6)
1951-1970 (50-69)	Primary series m8	9481	490	47.2% (41.8-52.1)
1951-1970 (50-69)	Primary series m9	5119	223	48.3% (40.6-55)
1951-1970 (50-69)	Primary series m10	3725	114	24.5% (8.8-37.4)
1951-1970 (50-69)	Booster m1	76888	628	85.9% (84.6-87.2)
1951-1970 (50-69)	Booster m2	7503	107	79.3% (74.6-83.1)
1971-2009 (12-49)	Unvaccinated	1992705	3424	[ref]

1971-2009 (12-49)	Primary series partly	366041	447	54.1% (49-58.8)
1971-2009 (12-49)	Primary series m1	164614	194	60.3% (53.7-66.1)
1971-2009 (12-49)	Primary series m2	157578	203	57.6% (50.6-63.6)
1971-2009 (12-49)	Primary series m3	153765	238	49.4% (41.5-56.2)
1971-2009 (12-49)	Primary series m4	146518	237	50% (42.1-56.8)
1971-2009 (12-49)	Primary series m5	134024	248	47.6% (39.4-54.7)
1971-2009 (12-49)	Primary series m6	68084	190	43.5% (33.4-52)
1971-2009 (12-49)	Primary series m7	18495	83	31.1% (13.3-45.3)
1971-2009 (12-49)	Primary series m8	7506	41	21.3% (-8.1-42.7)
1971-2009 (12-49)	Primary series m9	4890	21	28.5% (-10.6-53.9)
1971-2009 (12-49)	Primary series m10	4509	11	34.2% (-19.5-63.8)
1971-2009 (12-49)	Booster m1	48508	34	84.6% (77.9-89.2)
1971-2009 (12-49)	Booster m2	5199	<10	75.7% (41-90)

Table S3. Hazard ratio (HR) estimates of the risk of non-COVID-19 mortality after a first dose of COVID-19 mRNA vaccine, compared to unvaccinated, with 95% confidence interval, per stratum of long-term care use and birth cohort, adjusted for sex, year of birth, medical risk and country of origin. Numbers below 10 are not shown.

Stratum	Risk period	Person-time (x 1000 days)	Non-COVID-19 deaths	HR (95% CI)
LTC high 70+	[reference]	10765	10998	NA
LTC high 70+	week 1	761	213	0.3 (0.2-0.3)
LTC high 70+	week 2	761	399	0.5 (0.4-0.5)
LTC high 70+	week 3	760	462	0.6 (0.5-0.6)
LTC high 70+	week 4	720	427	0.5 (0.5-0.6)
LTC high 70+	week 5	266	263	0.9 (0.8-1.0)
LTC low 70+	[reference]	3156	1914	NA
LTC low 70+	week 1	179	24	0.2 (0.2-0.3)
LTC low 70+	week 2	178	37	0.3 (0.2-0.5)
LTC low 70+	week 3	177	33	0.3 (0.2-0.4)
LTC low 70+	week 4	171	52	0.5 (0.4-0.6)
LTC low 70+	week 5	110	33	0.4 (0.3-0.6)
Disability care	[reference]	18125	926	NA
Disability care	week 1	666	<10	0.1 (0.1-0.3)
Disability care	week 2	660	15	0.3 (0.2-0.5)
Disability care	week 3	656	27	0.5 (0.4-0.8)
Disability care	week 4	572	19	0.4 (0.3-0.7)
Disability care	week 5	285	13	0.6 (0.4-1.1)
<1931 (90 +)	[reference]	7375	4953	NA
<1931 (90 +)	week 1	443	50	0.2 (0.1-0.2)
<1931 (90 +)	week 2	441	101	0.3 (0.3-0.4)
<1931 (90 +)	week 3	438	100	0.3 (0.3-0.4)
<1931 (90 +)	week 4	433	112	0.4 (0.3-0.4)
<1931 (90 +)	week 5	416	119	0.4 (0.3-0.5)
1931-1950 (70-89 years)	[reference]	250627	27480	NA
1931-1950 (70-89 years)	week 1	13833	322	0.2 (0.2-0.2)
1931-1950 (70-89 years)	week 2	13821	475	0.2 (0.2-0.3)
1931-1950 (70-89 years)	week 3	13808	580	0.3 (0.2-0.3)
1931-1950 (70-89 years)	week 4	13722	624	0.3 (0.3-0.3)
1931-1950 (70-89 years)	week 5	13427	664	0.3 (0.3-0.3)
1951-1970 (50-69 years)	[reference]	748541	14605	NA
1951-1970 (50-69 years)	week 1	19105	103	0.2 (0.2-0.2)
1951-1970 (50-69 years)	week 2	19096	139	0.3 (0.2-0.3)
1951-1970 (50-69 years)	week 3	19085	173	0.3 (0.2-0.3)
1951-1970 (50-69 years)	week 4	18206	172	0.3 (0.2-0.3)
1951-1970 (50-69 years)	week 5	17241	190	0.3 (0.3-0.4)
1971-2009 (12-49 years)	[reference]	1992706	3283	NA
1971-2009 (12-49 years)	week 1	36934	30	0.4 (0.3-0.5)
1971-2009 (12-49 years)	week 2	36893	33	0.4 (0.3-0.6)

1971-2009 (12-49 years)	week 3	36831	39	0.5 (0.3-0.6)
1971-2009 (12-49 years)	week 4	33513	39	0.5 (0.3-0.6)
1971-2009 (12-49 years)	week 5	30261	48	0.6 (0.4-0.8)

Table S4. Hazard ratio (HR) estimates of the risk of non-COVID-19 mortality after a first dose of COVID-19 vector vaccine, compared to unvaccinated, with 95% confidence interval, per stratum of long-term care use and birth cohort, adjusted for sex, year of birth, medical risk and country of origin. Numbers below 10 are not shown.

Stratum	Risk period	Person-time (x 1000 days)	Non-COVID-19 deaths	HR (95% CI)
LTC high 70+	[reference]	10765	10998	NA
LTC high 70+	week 1	18	<10	0.3 (0.1-0.6)
LTC high 70+	week 2	18	13	0.5 (0.3-0.9)
LTC high 70+	week 3	18	11	0.5 (0.3-0.8)
LTC high 70+	week 4	18	15	0.6 (0.4-1.1)
LTC high 70+	week 5	18	14	0.6 (0.4-1.0)
LTC high 70+	week 6	17	16	0.7 (0.5-1.2)
LTC high 70+	week 7	16	18	0.9 (0.6-1.4)
LTC high 70+	week 8	15	12	0.7 (0.4-1.2)
LTC low 70+	[reference]	3156	1914	NA
LTC low 70+	week 1	7	<10	0.2 (0.0-1.2)
LTC low 70+	week 2	7	<10	0.6 (0.2-1.7)
LTC low 70+	week 3	7	<10	0.2 (0.0-1.1)
LTC low 70+	week 4	7	<10	0.3 (0.1-1.3)
LTC low 70+	week 5	7	<10	0.2 (0.1-1.0)
LTC low 70+	week 6	7	<10	0.5 (0.2-1.5)
LTC low 70+	week 7	6	<10	0.4 (0.1-1.4)
LTC low 70+	week 8	6	<10	0.4 (0.1-1.6)
Disability care	[reference]	18125	926	NA
Disability care	week 1	35	<10	1.1 (0.3-3.4)
Disability care	week 2	35	<10	0.4 (0.1-2.6)
Disability care	week 3	35	<10	<0.1 (--)
Disability care	week 4	35	<10	1.0 (0.3-3.3)
Disability care	week 5	34	<10	0.3 (0.0-2.5)
Disability care	week 6	34	<10	0.4 (0.1-2.7)
Disability care	week 7	33	<10	0.4 (0.1-2.7)
Disability care	week 8	33	<10	0.4 (0.1-3.0)
<1931 (90 +)	[reference]	7375	4953	NA
<1931 (90 +)	week 1	42	13	0.4 (0.2-0.7)
<1931 (90 +)	week 2	42	<10	0.2 (0.1-0.5)
<1931 (90 +)	week 3	41	12	0.4 (0.2-0.6)
<1931 (90 +)	week 4	41	<10	0.3 (0.1-0.5)
<1931 (90 +)	week 5	39	17	0.5 (0.3-0.9)
<1931 (90 +)	week 6	38	12	0.4 (0.2-0.7)

<1931 (90 +)	week 7	35	17	0.6 (0.4-1.0)
<1931 (90 +)	week 8	32	15	0.6 (0.3-1.0)
1931-1950 (70-89 years)	[reference]	250627	27480	NA
1931-1950 (70-89 years)	week 1	225	28	0.5 (0.3-0.7)
1931-1950 (70-89 years)	week 2	222	42	0.7 (0.5-0.9)
1931-1950 (70-89 years)	week 3	220	43	0.7 (0.5-0.9)
1931-1950 (70-89 years)	week 4	217	74	1.1 (0.9-1.4)
1931-1950 (70-89 years)	week 5	212	40	0.6 (0.5-0.9)
1931-1950 (70-89 years)	week 6	204	59	1.0 (0.8-1.3)
1931-1950 (70-89 years)	week 7	193	61	1.1 (0.9-1.4)
1931-1950 (70-89 years)	week 8	180	65	1.3 (1.0-1.7)
1951-1970 (50-69 years)	[reference]	748541	14605	NA
1951-1970 (50-69 years)	week 1	9301	30	0.1 (0.1-0.2)
1951-1970 (50-69 years)	week 2	9254	76	0.3 (0.3-0.4)
1951-1970 (50-69 years)	week 3	9221	88	0.4 (0.3-0.5)
1951-1970 (50-69 years)	week 4	9195	73	0.3 (0.2-0.3)
1951-1970 (50-69 years)	week 5	9104	87	0.3 (0.2-0.4)
1951-1970 (50-69 years)	week 6	8937	97	0.3 (0.3-0.4)
1951-1970 (50-69 years)	week 7	8647	98	0.3 (0.3-0.4)
1951-1970 (50-69 years)	week 8	8278	97	0.3 (0.3-0.4)
1971-2009 (12-49 years)	[reference]	1992706	3283	NA
1971-2009 (12-49 years)	week 1	4373	<10	0.5 (0.2-1.3)
1971-2009 (12-49 years)	week 2	4366	<10	0.4 (0.2-1.2)
1971-2009 (12-49 years)	week 3	4363	<10	0.2 (0.1-0.9)
1971-2009 (12-49 years)	week 4	4358	<10	0.4 (0.2-1.2)
1971-2009 (12-49 years)	week 5	4339	10	1.1 (0.6-2.0)
1971-2009 (12-49 years)	week 6	4310	<10	0.2 (0.1-0.8)
1971-2009 (12-49 years)	week 7	4281	<10	0.7 (0.3-1.5)
1971-2009 (12-49 years)	week 8	4249	<10	0.4 (0.2-1.1)

Table S5. Hazard ratio (HR) estimates of the risk of non-COVID-19 mortality after a second dose of COVID-19 vaccine, compared to person-time at least 2 weeks post-first dose, with 95% confidence interval, per stratum of long-term care use and birth cohort, adjusted for sex, year of birth, medical risk and country of origin. Numbers below 10 are not shown.

Stratum	Risk period	Person-time (x 1000 days)	Non-COVID-19 deaths	HR (95% CI)
LTC high 70+	[reference]	3326	3213	NA
LTC high 70+	week 1	749	218	0.3 (0.3-0.3)
LTC high 70+	week 2	750	378	0.5 (0.4-0.5)
LTC high 70+	week 3	751	405	0.6 (0.5-0.6)
LTC high 70+	week 4	751	443	0.6 (0.5-0.7)
LTC high 70+	week 5	749	455	0.6 (0.6-0.7)
LTC high 70+	week 6	748	463	0.6 (0.6-0.7)
LTC high 70+	week 7	748	467	0.7 (0.6-0.7)
LTC high 70+	week 8	4452	2965	0.7 (0.6-0.7)
LTC low 70+	[reference]	858	374	NA
LTC low 70+	week 1	176	21	0.3 (0.2-0.5)
LTC low 70+	week 2	175	46	0.7 (0.5-1.0)
LTC low 70+	week 3	175	37	0.5 (0.4-0.8)
LTC low 70+	week 4	174	40	0.6 (0.4-0.8)
LTC low 70+	week 5	173	42	0.6 (0.4-0.9)
LTC low 70+	week 6	172	48	0.7 (0.5-0.9)
LTC low 70+	week 7	172	44	0.6 (0.4-0.9)
LTC low 70+	week 8	1020	307	0.7 (0.6-0.8)
Disability care	[reference]	3218	189	NA
Disability care	week 1	658	10	0.3 (0.1-0.5)
Disability care	week 2	655	24	0.6 (0.4-0.9)
Disability care	week 3	653	15	0.4 (0.2-0.7)
Disability care	week 4	651	17	0.4 (0.3-0.7)
Disability care	week 5	644	25	0.6 (0.4-1.0)
Disability care	week 6	642	26	0.6 (0.4-1.0)
Disability care	week 7	640	19	0.5 (0.3-0.8)
Disability care	week 8	3806	160	0.6 (0.5-0.8)
<1931 (90 +)	[reference]	1959	898	NA
<1931 (90 +)	week 1	461	51	0.2 (0.2-0.3)
<1931 (90 +)	week 2	459	111	0.4 (0.4-0.5)
<1931 (90 +)	week 3	457	102	0.4 (0.3-0.5)
<1931 (90 +)	week 4	454	124	0.5 (0.4-0.6)
<1931 (90 +)	week 5	452	131	0.5 (0.4-0.6)
<1931 (90 +)	week 6	449	130	0.5 (0.4-0.6)
<1931 (90 +)	week 7	447	125	0.5 (0.4-0.6)
<1931 (90 +)	week 8	2696	904	0.6 (0.6-0.7)
1931-1950 (70-89 years)	[reference]	53101	4963	NA
1931-1950 (70-89 years)	week 1	13729	340	0.3 (0.2-0.3)
1931-1950 (70-89 years)	week 2	13716	489	0.4 (0.3-0.4)

1931-1950 (70-89 years)	week 3	13703	576	0.4 (0.4-0.4)
1931-1950 (70-89 years)	week 4	13689	643	0.4 (0.4-0.5)
1931-1950 (70-89 years)	week 5	13672	708	0.4 (0.4-0.5)
1931-1950 (70-89 years)	week 6	13651	741	0.4 (0.4-0.5)
1931-1950 (70-89 years)	week 7	13629	853	0.5 (0.4-0.5)
1931-1950 (70-89 years)	week 8	82906	5080	0.4 (0.3-0.4)
1951-1970 (50-69 years)	[reference]	205942	2975	NA
1951-1970 (50-69 years)	week 1	25395	143	0.3 (0.3-0.4)
1951-1970 (50-69 years)	week 2	25354	182	0.4 (0.3-0.5)
1951-1970 (50-69 years)	week 3	25323	277	0.6 (0.5-0.7)
1951-1970 (50-69 years)	week 4	25289	283	0.6 (0.5-0.7)
1951-1970 (50-69 years)	week 5	25248	295	0.6 (0.5-0.7)
1951-1970 (50-69 years)	week 6	25190	344	0.7 (0.6-0.8)
1951-1970 (50-69 years)	week 7	25136	345	0.7 (0.6-0.8)
1951-1970 (50-69 years)	week 8	152626	2187	0.7 (0.7-0.8)
1971-2009 (12-49 years)	[reference]	294087	437	NA
1971-2009 (12-49 years)	week 1	34453	13	0.2 (0.1-0.4)
1971-2009 (12-49 years)	week 2	34375	23	0.4 (0.3-0.7)
1971-2009 (12-49 years)	week 3	34284	32	0.6 (0.4-0.9)
1971-2009 (12-49 years)	week 4	34168	41	0.9 (0.6-1.2)
1971-2009 (12-49 years)	week 5	34047	48	1.1 (0.8-1.5)
1971-2009 (12-49 years)	week 6	33922	43	1.0 (0.7-1.4)
1971-2009 (12-49 years)	week 7	33742	42	1.0 (0.7-1.4)
1971-2009 (12-49 years)	week 8	200937	277	1.1 (0.9-1.3)

Table S6. Hazard ratio (HR) estimates with 95% confidence interval, for risk of non-COVID-19 mortality after a booster dose of COVID-19 vaccine, compared to person-time at least 3 months post-second dose, per stratum of long-term care use and birth cohort, adjusted for sex, year of birth, medical risk and country of origin. Numbers below 10 are not shown.

Stratum	Risk period	Person-time (x 1000 days)	Non-COVID-19 deaths	HR (95% CI)
LTC high 70+	[reference]	17178	16210	NA
LTC high 70+	week 1	598	278	0.2 (0.2-0.3)
LTC high 70+	week 2	594	458	0.4 (0.4-0.5)
LTC high 70+	week 3	587	474	0.5 (0.4-0.5)
LTC high 70+	week 4	574	461	0.5 (0.4-0.5)
LTC high 70+	week 5	556	450	0.6 (0.5-0.6)
LTC high 70+	week 6	525	403	0.6 (0.5-0.7)
LTC high 70+	week 7	463	379	0.7 (0.6-0.7)
LTC high 70+	week 8	366	288	0.6 (0.5-0.7)
LTC low 70+	[reference]	3484	1684	NA
LTC low 70+	week 1	152	31	0.2 (0.2-0.3)
LTC low 70+	week 2	150	45	0.3 (0.2-0.4)
LTC low 70+	week 3	148	58	0.4 (0.3-0.5)
LTC low 70+	week 4	143	52	0.3 (0.2-0.5)
LTC low 70+	week 5	136	44	0.3 (0.2-0.4)
LTC low 70+	week 6	124	38	0.3 (0.2-0.4)
LTC low 70+	week 7	103	24	0.2 (0.2-0.4)
LTC low 70+	week 8	71	30	0.4 (0.3-0.7)
Disability care	[reference]	13754	790	NA
Disability care	week 1	495	13	0.3 (0.2-0.5)
Disability care	week 2	483	26	0.6 (0.4-0.9)
Disability care	week 3	457	20	0.5 (0.3-0.7)
Disability care	week 4	408	26	0.7 (0.4-1.1)
Disability care	week 5	357	23	0.7 (0.4-1.1)
Disability care	week 6	295	13	0.5 (0.3-1.0)
Disability care	week 7	210	16	0.9 (0.5-1.6)
Disability care	week 8	127	<10	0.6 (0.3-1.4)
<1931 (90 +)	[reference]	9571	4101	NA
<1931 (90 +)	week 1	346	68	0.2 (0.2-0.2)
<1931 (90 +)	week 2	342	115	0.3 (0.2-0.4)
<1931 (90 +)	week 3	337	106	0.3 (0.2-0.3)
<1931 (90 +)	week 4	328	120	0.3 (0.2-0.3)
<1931 (90 +)	week 5	317	115	0.3 (0.2-0.3)
<1931 (90 +)	week 6	299	115	0.3 (0.2-0.3)
<1931 (90 +)	week 7	269	96	0.2 (0.2-0.3)
<1931 (90 +)	week 8	224	70	0.2 (0.2-0.3)
1931-1950 (70-89 years)	[reference]	251171	22312	NA

1931-1950 (70-89 years)	week 1	11967	328	0.2 (0.1-0.2)
1931-1950 (70-89 years)	week 2	11871	506	0.2 (0.2-0.2)
1931-1950 (70-89 years)	week 3	11669	581	0.2 (0.2-0.2)
1931-1950 (70-89 years)	week 4	11125	546	0.2 (0.2-0.2)
1931-1950 (70-89 years)	week 5	10005	514	0.2 (0.2-0.2)
1931-1950 (70-89 years)	week 6	8131	472	0.2 (0.2-0.2)
1931-1950 (70-89 years)	week 7	5354	365	0.2 (0.1-0.2)
1931-1950 (70-89 years)	week 8	2539	205	0.2 (0.1-0.2)
1951-1970 (50-69 years)	[reference]	364320	6944	NA
1951-1970 (50-69 years)	week 1	22084	108	0.2 (0.1-0.2)
1951-1970 (50-69 years)	week 2	21632	144	0.2 (0.2-0.3)
1951-1970 (50-69 years)	week 3	20468	159	0.2 (0.2-0.3)
1951-1970 (50-69 years)	week 4	17587	132	0.2 (0.2-0.2)
1951-1970 (50-69 years)	week 5	12675	118	0.2 (0.2-0.3)
1951-1970 (50-69 years)	week 6	6636	57	0.2 (0.1-0.3)
1951-1970 (50-69 years)	week 7	2448	26	0.3 (0.2-0.4)
1951-1970 (50-69 years)	week 8	1104	24	0.7 (0.5-1.1)
1971-2009 (12-49 years)	[reference]	385181	768	NA
1971-2009 (12-49 years)	week 1	19549	10	0.2 (0.1-0.4)
1971-2009 (12-49 years)	week 2	18281	15	0.3 (0.2-0.6)
1971-2009 (12-49 years)	week 3	15420	<10	0.2 (0.1-0.4)
1971-2009 (12-49 years)	week 4	9404	<10	0.2 (0.1-0.5)
1971-2009 (12-49 years)	week 5	4150	<10	0.4 (0.2-1.1)
1971-2009 (12-49 years)	week 6	2463	<10	0.2 (0.0-1.3)
1971-2009 (12-49 years)	week 7	1749	<10	0.5 (0.1-2.1)
1971-2009 (12-49 years)	week 8	1183	<10	<0.1 (--)