


## Supplemental Materials - Table of Contents

<i>S1 Figure. Distribution of SARS-CoV-2 index infection dates.....</i>	<i>2</i>
<i>S1 Table. Demographic characteristics by inclusion vs exclusion due to completion of the conditions and symptoms survey .....</i>	<i>3</i>
<i>S2 Table. Pre-pandemic comorbidities.....</i>	<i>5</i>
<i>S3 Table. Health status by internal tremors status and time of index SARS-CoV-2 infection... </i>	<i>9</i>
<i>S4 Table. New-onset conditions .....</i>	<i>10</i>
<i>S5 Table. Long COVID symptoms .....</i>	<i>14</i>
<i>S1 Methods. Health status questions.....</i>	<i>23</i>
<i>S2 Methods. Pre-pandemic comorbidities questions .....</i>	<i>24</i>
<i>S3 Methods. Current conditions questions .....</i>	<i>26</i>
<i>S4 Methods. Long COVID symptoms questions.....</i>	<i>28</i>

S1 Figure. Distribution of SARS-CoV-2 index infection dates



S1 Table. Demographic characteristics by inclusion vs exclusion due to completion of the conditions and symptoms survey

<b>Characteristic</b>	<b>Overall, N = 614</b>	<b>Complete survey, N = 423</b>	<b>Incomplete survey, N = 191</b>	<b>p-value<sup>†</sup></b>
	<b>n/N, % [95% CI]</b>	<b>n/N, % [95% CI]</b>	<b>n/N, % [95% CI]</b>	
Age (years), median, IQR	45, 37-54	46, 38-56	43, 35-53	0.014
Gender				0.2
Female	452/614, 74% [70-77%]	313/423, 74% [69-78%]	139/191, 73% [66-79%]	
Male	156/614, 25% [22-29%]	108/423, 26% [21-30%]	48/191, 25% [19-32%]	
Non-binary	6/614, 1.0% [0.40-2.2%]	2/423, 0.5% [0.08-1.9%]	4/191, 2.1% [0.67-5.6%]	
Race and Ethnicity				0.12
Asian	20/614, 3.3% [2.1-5.1%]	11/423, 2.6% [1.4-4.7%]	9/191, 4.7% [2.3-9.0%]	
Black	17/614, 2.8% [1.7-4.5%]	8/423, 1.9% [0.88-3.8%]	9/191, 4.7% [2.3-9.0%]	
Latino	25/614, 4.1% [2.7-6.0%]	15/423, 3.5% [2.1-5.9%]	10/191, 5.2% [2.7-9.7%]	
Multiracial or Other	31/614, 5.0% [3.5-7.2%]	21/423, 5.0% [3.2-7.6%]	10/191, 5.2% [2.7-9.7%]	
Non-Hispanic White	521/614, 85% [82-88%]	368/423, 87% [83-90%]	153/191, 80% [74-85%]	
Country of residence				0.4
Canada	15/614, 2.4% [1.4-4.1%]	11/423, 2.6% [1.4-4.7%]	4/191, 2.1% [0.67-5.6%]	
Germany	7/614, 1.1% [0.50-2.4%]	5/423, 1.2% [0.44-2.9%]	2/191, 1.0% [0.18-4.1%]	

United Kingdom	7/614, 1.1% [0.50-2.4%]	5/423, 1.2% [0.44- 2.9%]	2/191, 1.0% [0.18- 4.1%]	
U.S.	563/614, 92% [89-94%]	391/423, 92% [89- 95%]	172/191, 90% [85- 94%]	
Other countries	22/614, 3.6% [2.3-5.5%]	11/423, 2.6% [1.4- 4.7%]	11/191, 5.8% [3.1- 10%]	
Euro-QoL visual analogue scale (0-100) median, IQR	50, 32-64	49, 32-61	51, 32-69	0.10
/ Wilcoxon rank sum test; Fisher's exact test; Pearson's Chi-squared test				
IQR, interquartile range				

S2 Table. Pre-pandemic comorbidities

	<b>Overall,</b> N = 423	<b>No internal tremors,</b> N = 265	<b>Has internal tremors, N</b> = 158	<b>p- value<sup>1</sup></b>	<b>adjusted p-value<sup>2</sup></b>
	<b>n/N, % [95% CI]</b>	<b>n/N, % [95% CI]</b>	<b>n/N, % [95% CI]</b>		
Any allergies	208/423, 49% [44- 54%]	141/265, 53% [47- 59%]	67/158, 42% [35- 51%]	0.032	>0.999
Arthritis (including rheumatoid arthritis, gout, lupus, or fibromyalgia)	67/423, 16% [13- 20%]	46/265, 17% [13- 23%]	21/158, 13% [8.6- 20%]	0.268	>0.999
Asthma	78/423, 18% [15- 23%]	58/265, 22% [17- 27%]	20/158, 13% [8.1- 19%]	0.018	0.627
Autoimmune disease (including lupus, scleroderma, etc.)	50/423, 12% [9.0- 15%]	35/265, 13% [9.5- 18%]	15/158, 9.5% [5.6- 15%]	0.252	>0.999
Bleeding disorder (including sickle cell disease or thalassemia)	4/423, 0.9% [0.30- 2.6%]	3/265, 1.1% [0.29- 3.5%]	1/158, 0.6% [0.03- 4.0%]	>0.999	>0.999
Blood clots	6/423, 1.4% [0.58- 3.2%]	2/265, 0.8% [0.13- 3.0%]	4/158, 2.5% [0.81- 6.8%]	0.202	>0.999
Cancer or malignancy of any kind	21/423, 5.0% [3.2- 7.6%]	12/265, 4.5% [2.5- 8.0%]	9/158, 5.7% [2.8- 11%]	0.593	>0.999
Cerebrovascular conditions affecting blood vessels to or in the brain (including stroke)	3/423, 0.7% [0.18- 2.2%]	3/265, 1.1% [0.29- 3.5%]	0/158, 0% [0.00- 3.0%]	0.296	>0.999

Chronic lung disease (emphysema, chronic bronchitis, chronic obstructive pulmonary disease)	10/423, 2.4% [1.2-4.4%]	6/265, 2.3% [0.92-5.1%]	4/158, 2.5% [0.81-6.8%]	>0.999	>0.999
Diabetes	11/423, 2.6% [1.4-4.7%]	7/265, 2.6% [1.2-5.6%]	4/158, 2.5% [0.81-6.8%]	>0.999	>0.999
Ehlers Danlos Syndrome (hypermobile joints)	8/423, 1.9% [0.88-3.8%]	4/265, 1.5% [0.48-4.1%]	4/158, 2.5% [0.81-6.8%]	0.479	>0.999
Gastrointestinal issues (including IBS or acid reflux)	103/423, 24% [20-29%]	67/265, 25% [20-31%]	36/158, 23% [17-30%]	0.563	>0.999
Heart attack, also called myocardial infarction	3/423, 0.7% [0.18-2.2%]	2/265, 0.8% [0.13-3.0%]	1/158, 0.6% [0.03-4.0%]	>0.999	>0.999
Heart conditions (including coronary artery disease or cardiomyopathies)	12/423, 2.8% [1.5-5.0%]	7/265, 2.6% [1.2-5.6%]	5/158, 3.2% [1.2-7.6%]	0.768	>0.999
High cholesterol	59/423, 14% [11-18%]	42/265, 16% [12-21%]	17/158, 11% [6.6-17%]	0.144	>0.999
Hypertension or high blood pressure	50/423, 12% [9.0-15%]	34/265, 13% [9.2-18%]	16/158, 10% [6.1-16%]	0.405	>0.999
Immunocompromised state	13/423, 3.1% [1.7-5.3%]	12/265, 4.5% [2.5-8.0%]	1/158, 0.6% [0.03-4.0%]	0.037	>0.999
Kidney disease	5/423, 1.2% [0.44-2.9%]	4/265, 1.5% [0.48-4.1%]	1/158, 0.6% [0.03-4.0%]	0.655	>0.999

Liver disease	3/423, 0.7% [0.18- 2.2%]	2/265, 0.8% [0.13- 3.0%]	1/158, 0.6% [0.03- 4.0%]	>0.999	>0.999
Lyme disease	25/423, 5.9% [3.9- 8.7%]	14/265, 5.3% [3.0- 8.9%]	11/158, 7.0% [3.7- 12%]	0.479	>0.999
MCAS (mast cell activation syndrome) or other mast cell disorders	4/423, 0.9% [0.30- 2.6%]	1/265, 0.4% [0.02- 2.4%]	3/158, 1.9% [0.49- 5.9%]	0.149	>0.999
ME/CFS (myalgic encephalomyelitis/chronic fatigue syndrome)	16/423, 3.8% [2.3- 6.2%]	10/265, 3.8% [1.9- 7.0%]	6/158, 3.8% [1.6- 8.5%]	0.990	>0.999
Migraines	84/423, 20% [16- 24%]	50/265, 19% [14- 24%]	34/158, 22% [16- 29%]	0.509	>0.999
Neurologic conditions (including seizures, dementia, multiple sclerosis, Parkinson's, neuropathy, small fiber neuropathy, etc.)	20/423, 4.7% [3.0- 7.3%]	14/265, 5.3% [3.0- 8.9%]	6/158, 3.8% [1.6- 8.5%]	0.486	>0.999
Postural orthostatic hypotension (POTS) or other dysautonomia	13/423, 3.1% [1.7- 5.3%]	5/265, 1.9% [0.70- 4.6%]	8/158, 5.1% [2.4- 10%]	0.083	>0.999
Spinal disorder(s)	16/423, 3.8% [2.3- 6.2%]	10/265, 3.8% [1.9- 7.0%]	6/158, 3.8% [1.6- 8.5%]	0.990	>0.999
Tremors/Internal vibrations	6/423, 1.4% [0.58- 3.2%]	2/265, 0.8% [0.13- 3.0%]	4/158, 2.5% [0.81- 6.8%]	0.202	>0.999

Depressive disorders	122/423, 29% [25-33%]	84/265, 32% [26-38%]	38/158, 24% [18-32%]	0.093	>0.999
Anxiety disorders	127/423, 30% [26-35%]	83/265, 31% [26-37%]	44/158, 28% [21-36%]	0.451	>0.999
Schizophrenia spectrum and other psychotic disorders	1/423, 0.2% [0.01-1.5%]	1/265, 0.4% [0.02-2.4%]	0/158, 0% [0.00-3.0%]	>0.999	>0.999
Bipolar and related disorders	13/423, 3.1% [1.7-5.3%]	6/265, 2.3% [0.92-5.1%]	7/158, 4.4% [2.0-9.3%]	0.249	>0.999
Obsessive-compulsive and related disorders	15/423, 3.5% [2.1-5.9%]	7/265, 2.6% [1.2-5.6%]	8/158, 5.1% [2.4-10%]	0.193	>0.999
Trauma- and stressor-related disorders	46/423, 11% [8.1-14%]	27/265, 10% [6.9-15%]	19/158, 12% [7.6-18%]	0.557	>0.999
Feeding and eating disorders	20/423, 4.7% [3.0-7.3%]	13/265, 4.9% [2.7-8.4%]	7/158, 4.4% [2.0-9.3%]	0.824	>0.999
Somatic symptoms (excessive thoughts, feelings and behaviors relating to physical symptoms) and related disorders	7/423, 1.7% [0.73-3.5%]	5/265, 1.9% [0.70-4.6%]	2/158, 1.3% [0.22-5.0%]	>0.999	>0.999
<sup>1</sup> Pearson's Chi-squared test; Fisher's exact test					
<sup>2</sup> Bonferroni correction for multiple testing					
CI, confidence interval; IBS, irritable bowel syndrome; POTS, postural orthostatic tachycardia syndrome					



### S3 Table. Health status by internal tremors status and time of index SARS-CoV-2 infection

Excluding n = 50 participants with missing dates of index SARS-CoV-2 infection

<b>Overall, N = 373</b>					
	<b>Pre-Delta, N = 171<sup>1</sup></b>	<b>Delta, N = 48<sup>1</sup></b>	<b>Omicron, N = 110<sup>1</sup></b>	<b>Post-Omicron, N = 44<sup>1</sup></b>	<b>p-value<sup>2</sup></b>
Euro-QoL visual analogue scale (0-100)	41 (32, 60)	46 (31, 69)	49 (31, 61)	50 (34, 60)	0.914
<b>No internal tremors, N = 233</b>					
	<b>Pre-Delta, N = 97<sup>1</sup></b>	<b>Delta, N = 27<sup>1</sup></b>	<b>Omicron, N = 72<sup>1</sup></b>	<b>Post-Omicron, N = 37<sup>1</sup></b>	<b>p-value<sup>2</sup></b>
Euro-QoL visual analogue scale (0-100)	45 (35, 61)	59 (38, 69)	50 (32, 62)	49 (34, 60)	0.750
<b>Has internal tremors, N = 140</b>					
	<b>Pre-Delta, N = 74<sup>1</sup></b>	<b>Delta, N = 21<sup>1</sup></b>	<b>Omicron, N = 38<sup>1</sup></b>	<b>Post-Omicron, N = 7<sup>1</sup></b>	<b>p-value<sup>2</sup></b>
Euro-QoL visual analogue scale (0-100)	40 (30, 60)	35 (31, 55)	41 (30, 58)	55 (35, 60)	0.922
<sup>1</sup> Median (IQR)					
<sup>2</sup> Kruskal-Wallis rank sum test					

S4 Table. New-onset conditions

	<b>Overall,</b> N = 423	<b>No internal tremors,</b> N = 265	<b>Has internal tremors,</b> N = 158	<b>p- value<sup>1</sup></b>	<b>Adjusted p-value<sup>2</sup></b>
	<b>n/N, % [95% CI]</b>	<b>n/N, % [95% CI]</b>	<b>n/N, % [95% CI]</b>		
Any allergies	20/423, 4.7% [3.0- 7.3%]	12/265, 4.5% [2.5- 8.0%]	8/158, 5.1% [2.4- 10%]	0.802	>0.999
Arthritis (including rheumatoid arthritis, gout, lupus, or fibromyalgia)	27/423, 6.4% [4.3- 9.3%]	13/265, 4.9% [2.7- 8.4%]	14/158, 8.9% [5.1- 15%]	0.107	>0.999
Asthma	20/423, 4.7% [3.0- 7.3%]	10/265, 3.8% [1.9- 7.0%]	10/158, 6.3% [3.2- 12%]	0.231	>0.999
Autoimmune disease (including lupus, scleroderma, etc.)	26/423, 6.1% [4.1- 9.0%]	11/265, 4.2% [2.2- 7.5%]	15/158, 9.5% [5.6- 15%]	0.027	0.914
Bleeding disorder (including sickle cell disease or thalassemia)	2/423, 0.5% [0.08- 1.9%]	2/265, 0.8% [0.13- 3.0%]	0/158, 0% [0.00- 3.0%]	0.531	>0.999
Blood clots	14/423, 3.3% [1.9- 5.6%]	5/265, 1.9% [0.70- 4.6%]	9/158, 5.7% [2.8- 11%]	0.034	>0.999
Cancer or malignancy of any kind	6/423, 1.4% [0.58- 3.2%]	4/265, 1.5% [0.48- 4.1%]	2/158, 1.3% [0.22- 5.0%]	>0.999	>0.999
Cerebrovascular conditions affecting blood vessels to or in the brain (including stroke)	7/423, 1.7%	3/265, 1.1%	4/158, 2.5%	0.432	>0.999

	[0.73-3.5%]	[0.29-3.5%]	[0.81-6.8%]		
Chronic lung disease (emphysema, chronic bronchitis, chronic obstructive pulmonary disease)	14/423, 3.3% [1.9-5.6%]	8/265, 3.0% [1.4-6.1%]	6/158, 3.8% [1.6-8.5%]	0.665	>0.999
Diabetes	7/423, 1.7% [0.73-3.5%]	4/265, 1.5% [0.48-4.1%]	3/158, 1.9% [0.49-5.9%]	0.716	>0.999
Ehlers Danlos Syndrome (hypermobile joints)	8/423, 1.9% [0.88-3.8%]	3/265, 1.1% [0.29-3.5%]	5/158, 3.2% [1.2-7.6%]	0.156	>0.999
Gastrointestinal issues (including IBS or acid reflux)	65/423, 15% [12-19%]	30/265, 11% [7.9-16%]	35/158, 22% [16-30%]	0.003	0.095
Heart attack, also called myocardial infarction	1/423, 0.2% [0.01-1.5%]	0/265, 0% [0.00-1.8%]	1/158, 0.6% [0.03-4.0%]	0.374	>0.999
Heart conditions (including coronary artery disease or cardiomyopathies)	29/423, 6.9% [4.7-9.8%]	11/265, 4.2% [2.2-7.5%]	18/158, 11% [7.1-18%]	0.004	0.148
High cholesterol	36/423, 8.5% [6.1-12%]	24/265, 9.1% [6.0-13%]	12/158, 7.6% [4.2-13%]	0.602	>0.999
Hypertension or high blood pressure	29/423, 6.9% [4.7-9.8%]	16/265, 6.0% [3.6-9.8%]	13/158, 8.2% [4.6-14%]	0.389	>0.999
Immunocompromised state	21/423, 5.0% [3.2-7.6%]	10/265, 3.8% [1.9-7.0%]	11/158, 7.0% [3.7-12%]	0.144	>0.999

Kidney disease	5/423, 1.2% [0.44- 2.9%]	0/265, 0% [0.00- 1.8%]	5/158, 3.2% [1.2- 7.6%]	0.007	0.237
Liver disease	4/423, 0.9% [0.30- 2.6%]	3/265, 1.1% [0.29- 3.5%]	1/158, 0.6% [0.03- 4.0%]	>0.999	>0.999
Lyme disease	4/423, 0.9% [0.30- 2.6%]	1/265, 0.4% [0.02- 2.4%]	3/158, 1.9% [0.49- 5.9%]	0.149	>0.999
MCAS (mast cell activation syndrome) or other mast cell disorders	25/423, 5.9% [3.9- 8.7%]	7/265, 2.6% [1.2- 5.6%]	18/158, 11% [7.1- 18%]	<0.001	<b>0.008</b>
ME/CFS (myalgic encephalomyelitis/chronic fatigue syndrome)	62/423, 15% [11- 18%]	29/265, 11% [7.6- 15%]	33/158, 21% [15- 28%]	0.005	0.175
Migraines	43/423, 10% [7.5- 14%]	20/265, 7.5% [4.8- 12%]	23/158, 15% [9.6- 21%]	0.021	0.714
Neurologic conditions (including seizures, dementia, multiple sclerosis, Parkinson's, neuropathy, small fiber neuropathy, etc.)	56/423, 13% [10- 17%]	22/265, 8.3% [5.4- 12%]	34/158, 22% [16- 29%]	<0.001	<b>0.004</b>
Postural orthostatic hypotension (POTS) or other dysautonomia	107/423, 25% [21- 30%]	55/265, 21% [16- 26%]	52/158, 33% [26- 41%]	0.005	0.184
Spinal disorder(s)	9/423, 2.1% [1.0- 4.1%]	5/265, 1.9% [0.70- 4.6%]	4/158, 2.5% [0.81- 6.8%]	0.733	>0.999
Depressive disorders	42/423, 9.9% [7.3-13%]	24/265, 9.1% [6.0- 13%]	18/158, 11% [7.1- 18%]	0.437	>0.999

Anxiety disorders	54/423, 13% [9.8- 16%]	23/265, 8.7% [5.7- 13%]	31/158, 20% [14- 27%]	0.001	<b>0.038</b>
Schizophrenia spectrum and other psychotic disorders	1/423, 0.2% [0.01- 1.5%]	0/265, 0% [0.00- 1.8%]	1/158, 0.6% [0.03- 4.0%]	0.374	>0.999
Bipolar and related disorders	2/423, 0.5% [0.08- 1.9%]	1/265, 0.4% [0.02- 2.4%]	1/158, 0.6% [0.03- 4.0%]	>0.999	>0.999
Obsessive-compulsive and related disorders	3/423, 0.7% [0.18- 2.2%]	1/265, 0.4% [0.02- 2.4%]	2/158, 1.3% [0.22- 5.0%]	0.559	>0.999
Trauma- and stressor-related disorders	28/423, 6.6% [4.5- 9.5%]	9/265, 3.4% [1.7- 6.6%]	19/158, 12% [7.6- 18%]	<0.001	<b>0.019</b>
Feeding and eating disorders	4/423, 0.9% [0.30- 2.6%]	1/265, 0.4% [0.02- 2.4%]	3/158, 1.9% [0.49- 5.9%]	0.149	>0.999
Somatic symptoms (excessive thoughts, feelings and behaviors relating to physical symptoms) and related disorders	8/423, 1.9% [0.88- 3.8%]	3/265, 1.1% [0.29- 3.5%]	5/158, 3.2% [1.2- 7.6%]	0.156	>0.999
<sup>1</sup> Pearson's Chi-squared test; Fisher's exact test					
<sup>2</sup> Bonferroni correction for multiple testing					
CI, confidence interval; IBS, irritable bowel syndrome; POTS, postural orthostatic tachycardia syndrome					

S5 Table. Long COVID symptoms

	Overall, N = 423	No internal tremors, N = 265	Has internal tremors, N = 158	p-value <sup>1</sup>	Adjusted p-value <sup>2</sup>
	n/N, % [95% CI]	n/N, % [95% CI]	n/N, % [95% CI]		
Anxiety	185/423, 44% [39-49%]	97/265, 37% [31-43%]	88/158, 56% [48-64%]	<0.001	<b>0.012</b>
Confusion	166/423, 39% [35-44%]	91/265, 34% [29-40%]	75/158, 47% [40-56%]	0.007	0.695
Brain fog; difficulty concentrating or focusing	362/423, 86% [82-89%]	223/265, 84% [79-88%]	139/158, 88% [82-92%]	0.279	>0.999
Feelings of impending doom	105/423, 25% [21-29%]	50/265, 19% [14-24%]	55/158, 35% [28-43%]	<0.001	<b>0.022</b>
Memory problems	297/423, 70% [66-74%]	175/265, 66% [60-72%]	122/158, 77% [70-83%]	0.015	>0.999
Difficulty speaking properly	195/423, 46% [41-51%]	106/265, 40% [34-46%]	89/158, 56% [48-64%]	0.001	0.104
Suicidal thoughts	60/423, 14% [11-18%]	27/265, 10% [6.9-15%]	33/158, 21% [15-28%]	0.002	0.212
Abnormally low temperature	54/423, 13% [9.8-16%]	20/265, 7.5% [4.8-12%]	34/158, 22% [16-29%]	<0.001	<b>0.003</b>
Fevers, including low-grade fevers	80/423, 19% [15-23%]	40/265, 15% [11-20%]	40/158, 25% [19-33%]	0.009	0.875

Chills but no fever	146/423, 35% [30-39%]	69/265, 26% [21-32%]	77/158, 49% [41-57%]	<0.001	<b>&lt;0.001</b>
Heat intolerance	197/423, 47% [42-51%]	101/265, 38% [32-44%]	96/158, 61% [53-68%]	<0.001	<b>&lt;0.001</b>
Cold intolerance	131/423, 31% [27-36%]	68/265, 26% [21-31%]	63/158, 40% [32-48%]	0.002	0.207
Night sweats	175/423, 41% [37-46%]	89/265, 34% [28-40%]	86/158, 54% [46-62%]	<0.001	<b>0.002</b>
Trouble falling or staying asleep	303/423, 72% [67-76%]	171/265, 65% [58-70%]	132/158, 84% [77-89%]	<0.001	<b>0.003</b>
Sleeping more than usual	168/423, 40% [35-45%]	96/265, 36% [30-42%]	72/158, 46% [38-54%]	0.057	>0.999
Nightmares	73/423, 17% [14-21%]	32/265, 12% [8.5-17%]	41/158, 26% [19-34%]	<0.001	<b>0.024</b>
Exercise intolerance	333/423, 79% [74-82%]	199/265, 75% [69-80%]	134/158, 85% [78-90%]	0.018	>0.999
Excessive fatigue	369/423, 87% [84-90%]	227/265, 86% [81-90%]	142/158, 90% [84-94%]	0.209	>0.999
Burning sensations	116/423, 27% [23-32%]	50/265, 19% [14-24%]	66/158, 42% [34-50%]	<0.001	<b>&lt;0.001</b>
Tremors or shakiness	161/423, 38% [33-43%]	59/265, 22% [18-28%]	102/158, 65% [57-72%]	<0.001	<b>&lt;0.001</b>
Tingling, pins and needles, numbness	222/423, 52% [48-57%]	109/265, 41% [35-47%]	113/158, 72% [64-78%]	<0.001	<b>&lt;0.001</b>

Neuropathy (nerve sensations including pain) anywhere in the body	192/423, 45% [41-50%]	91/265, 34% [29-40%]	101/158, 64% [56-71%]	<0.001	<b>&lt;0.001</b>
Seizures	5/423, 1.2% [0.44-2.9%]	3/265, 1.1% [0.29-3.5%]	2/158, 1.3% [0.22-5.0%]	>0.999	>0.999
Abdominal pain	136/423, 32% [28-37%]	61/265, 23% [18-29%]	75/158, 47% [40-56%]	<0.001	<b>&lt;0.001</b>
Acid reflux or heartburn	123/423, 29% [25-34%]	62/265, 23% [19-29%]	61/158, 39% [31-47%]	<0.001	0.080
Diarrhea	132/423, 31% [27-36%]	64/265, 24% [19-30%]	68/158, 43% [35-51%]	<0.001	<b>0.005</b>
Constipation	108/423, 26% [21-30%]	56/265, 21% [16-27%]	52/158, 33% [26-41%]	0.007	0.669
Nausea/vomiting	138/423, 33% [28-37%]	72/265, 27% [22-33%]	66/158, 42% [34-50%]	0.002	0.181
Loss of appetite	129/423, 30% [26-35%]	64/265, 24% [19-30%]	65/158, 41% [33-49%]	<0.001	<b>0.022</b>
Sore throat	129/423, 30% [26-35%]	76/265, 29% [23-35%]	53/158, 34% [26-42%]	0.293	>0.999
Congested or runny nose	134/423, 32% [27-36%]	76/265, 29% [23-35%]	58/158, 37% [29-45%]	0.086	>0.999
Palpitations (improper beating of the heart due to electrical impulse problems)	222/423, 52% [48-57%]	117/265, 44% [38-50%]	105/158, 66% [58-74%]	<0.001	<b>&lt;0.001</b>
Bilateral neck throbbing around lymph nodes	57/423, 13% [10-17%]	20/265, 7.5% [4.8-12%]	37/158, 23% [17-31%]	<0.001	<b>&lt;0.001</b>



Costochondritis (pain in the cartilage that connects a rib to the breastbone)	105/423, 25% [21-29%]	47/265, 18% [13-23%]	58/158, 37% [29-45%]	<0.001	<b>0.001</b>
Cough	116/423, 27% [23-32%]	73/265, 28% [22-33%]	43/158, 27% [21-35%]	0.941	>0.999
Coughing up blood	7/423, 1.7% [0.73-3.5%]	2/265, 0.8% [0.13-3.0%]	5/158, 3.2% [1.2-7.6%]	0.108	>0.999
Cold or burning feeling in lungs	53/423, 13% [9.6-16%]	26/265, 9.8% [6.6-14%]	27/158, 17% [12-24%]	0.029	>0.999
Difficulty swallowing	74/423, 17% [14-22%]	32/265, 12% [8.5-17%]	42/158, 27% [20-34%]	<0.001	<b>0.014</b>
Throat pain or discomfort	95/423, 22% [19-27%]	42/265, 16% [12-21%]	53/158, 34% [26-42%]	<0.001	<b>0.002</b>
Lump in throat	58/423, 14% [11-17%]	24/265, 9.1% [6.0-13%]	34/158, 22% [16-29%]	<0.001	<b>0.029</b>
Phlegm in back of throat	102/423, 24% [20-29%]	54/265, 20% [16-26%]	48/158, 30% [23-38%]	0.020	>0.999
Postnasal drip	97/423, 23% [19-27%]	56/265, 21% [16-27%]	41/158, 26% [19-34%]	0.254	>0.999
Swollen lymph nodes	82/423, 19% [16-24%]	41/265, 15% [11-21%]	41/158, 26% [19-34%]	0.008	0.778
Tachycardia (rapid heartbeat) at rest	179/423, 42% [38-47%]	89/265, 34% [28-40%]	90/158, 57% [49-65%]	<0.001	<b>&lt;0.001</b>
Tachycardia (rapid heartbeat) after standing up	194/423, 46% [41-51%]	103/265, 39% [33-45%]	91/158, 58% [49-65%]	<0.001	<b>0.017</b>

Wheezing	46/423, 11% [8.1-14%]	21/265, 7.9% [5.1-12%]	25/158, 16% [11-23%]	0.012	>0.999
Shortness of breath or difficulty breathing	246/423, 58% [53-63%]	143/265, 54% [48-60%]	103/158, 65% [57-72%]	0.024	>0.999
Bone aches	138/423, 33% [28-37%]	65/265, 25% [20-30%]	73/158, 46% [38-54%]	<0.001	<b>&lt;0.001</b>
Migraine	129/423, 30% [26-35%]	62/265, 23% [19-29%]	67/158, 42% [35-51%]	<0.001	<b>0.004</b>
Headache	271/423, 64% [59-69%]	149/265, 56% [50-62%]	122/158, 77% [70-83%]	<0.001	<b>0.001</b>
Calf cramps	114/423, 27% [23-31%]	54/265, 20% [16-26%]	60/158, 38% [30-46%]	<0.001	<b>0.007</b>
Pressure at base of head	151/423, 36% [31-40%]	71/265, 27% [22-33%]	80/158, 51% [43-59%]	<0.001	<b>&lt;0.001</b>
Jaw pain	92/423, 22% [18-26%]	42/265, 16% [12-21%]	50/158, 32% [25-40%]	<0.001	<b>0.013</b>
Joint pain	177/423, 42% [37-47%]	88/265, 33% [28-39%]	89/158, 56% [48-64%]	<0.001	<b>&lt;0.001</b>
Kidney pain	35/423, 8.3% [5.9-11%]	7/265, 2.6% [1.2-5.6%]	28/158, 18% [12-25%]	<0.001	<b>&lt;0.001</b>
Mouth sores or sore tongue	82/423, 19% [16-24%]	38/265, 14% [10-19%]	44/158, 28% [21-36%]	<0.001	0.063
Muscle or body aches	239/423, 57% [52-61%]	129/265, 49% [43-55%]	110/158, 70% [62-77%]	<0.001	<b>0.002</b>

Persistent chest pain or pressure	138/423, 33% [28-37%]	68/265, 26% [21-31%]	70/158, 44% [36-52%]	<0.001	<b>0.007</b>
Painful scalp	63/423, 15% [12-19%]	23/265, 8.7% [5.7-13%]	40/158, 25% [19-33%]	<0.001	<b>&lt;0.001</b>
Sharp or sudden chest pain	131/423, 31% [27-36%]	57/265, 22% [17-27%]	74/158, 47% [39-55%]	<0.001	<b>&lt;0.001</b>
Changed sense of taste	122/423, 29% [25-33%]	66/265, 25% [20-31%]	56/158, 35% [28-43%]	0.021	>0.999
Changed sense of smell	132/423, 31% [27-36%]	66/265, 25% [20-31%]	66/158, 42% [34-50%]	<0.001	<b>0.027</b>
Floaters or flashes of light in vision	117/423, 28% [24-32%]	43/265, 16% [12-21%]	74/158, 47% [39-55%]	<0.001	<b>&lt;0.001</b>
Loss of hearing	37/423, 8.7% [6.3-12%]	14/265, 5.3% [3.0-8.9%]	23/158, 15% [9.6-21%]	0.001	0.102
Loss or decrease in quality of vision/blurry vision	176/423, 42% [37-46%]	90/265, 34% [28-40%]	86/158, 54% [46-62%]	<0.001	<b>0.003</b>
Phantom smells	98/423, 23% [19-28%]	43/265, 16% [12-21%]	55/158, 35% [28-43%]	<0.001	<b>0.001</b>
Phantom tastes	36/423, 8.5% [6.1-12%]	14/265, 5.3% [3.0-8.9%]	22/158, 14% [9.1-21%]	0.002	0.192
Hallucinations (visual or auditory)	26/423, 6.1% [4.1-9.0%]	10/265, 3.8% [1.9-7.0%]	16/158, 10% [6.1-16%]	0.008	0.790
Tinnitus or humming in ears	193/423, 46% [41-51%]	95/265, 36% [30-42%]	98/158, 62% [54-70%]	<0.001	<b>&lt;0.001</b>

Skin bruising	93/423, 22% [18- 26%]	42/265, 16% [12-21%]	51/158, 32% [25-40%]	<0.001	<b>0.007</b>
Change in nails (i.e. white spots, brittleness, change in moons)	83/423, 20% [16- 24%]	35/265, 13% [9.5-18%]	48/158, 30% [23-38%]	<0.001	<b>0.002</b>
Tender or itchy rash or chilblains on the toes or foot)	29/423, 6.9% [4.7- 9.8%]	5/265, 1.9% [0.70-4.6%]	24/158, 15% [10-22%]	<0.001	<b>&lt;0.001</b>
Cracked or dry lips	79/423, 19% [15- 23%]	35/265, 13% [9.5-18%]	44/158, 28% [21-36%]	<0.001	<b>0.017</b>
Dental problems (e.g., chipped tooth, tooth loss)	54/423, 13% [9.8- 16%]	26/265, 9.8% [6.6-14%]	28/158, 18% [12-25%]	0.018	>0.999
Discoloration of the skin (for example: purple or blue on the hands or feet, no blistering)	74/423, 17% [14- 22%]	28/265, 11% [7.3-15%]	46/158, 29% [22-37%]	<0.001	<b>&lt;0.001</b>
Dry or peeling skin	76/423, 18% [14- 22%]	35/265, 13% [9.5-18%]	41/158, 26% [19-34%]	<0.001	0.089
Dry scalp or dandruff	61/423, 14% [11- 18%]	30/265, 11% [7.9-16%]	31/158, 20% [14-27%]	0.019	>0.999
Hair loss	167/423, 39% [35- 44%]	79/265, 30% [24-36%]	88/158, 56% [48-64%]	<0.001	<b>&lt;0.001</b>
Itchiness	108/423, 26% [21- 30%]	46/265, 17% [13-23%]	62/158, 39% [32-47%]	<0.001	<b>&lt;0.001</b>
Tender or itchy rash not on foot	44/423, 10% [7.7- 14%]	21/265, 7.9% [5.1-12%]	23/158, 15% [9.6-21%]	0.031	>0.999

Chilblains (itching, bumps, red- to violet-colored patches on the hands or feet)	24/423, 5.7% [3.7-8.4%]	6/265, 2.3% [0.92-5.1%]	18/158, 11% [7.1-18%]	<0.001	<b>0.008</b>
Constant thirst	111/423, 26% [22-31%]	46/265, 17% [13-23%]	65/158, 41% [33-49%]	<0.001	<b>&lt;0.001</b>
Changes in voice	81/423, 19% [16-23%]	46/265, 17% [13-23%]	35/158, 22% [16-30%]	0.226	>0.999
Clogged ears	98/423, 23% [19-28%]	49/265, 18% [14-24%]	49/158, 31% [24-39%]	0.003	0.293
Dizziness	249/423, 59% [54-64%]	131/265, 49% [43-56%]	118/158, 75% [67-81%]	<0.001	<b>&lt;0.001</b>
Dry eyes	120/423, 28% [24-33%]	56/265, 21% [16-27%]	64/158, 41% [33-49%]	<0.001	<b>0.002</b>
Irregular or skipped menstrual cycles	78/423, 18% [15-23%]	38/265, 14% [10-19%]	40/158, 25% [19-33%]	0.005	0.452
Menstrual cycles that are heavier or lighter than normal	81/423, 19% [16-23%]	40/265, 15% [11-20%]	41/158, 26% [19-34%]	0.006	0.563
New allergies	68/423, 16% [13-20%]	32/265, 12% [8.5-17%]	36/158, 23% [17-30%]	0.004	0.346
Inability to eat or tolerate food	90/423, 21% [18-26%]	39/265, 15% [11-20%]	51/158, 32% [25-40%]	<0.001	<b>0.002</b>
Swollen hands or feet	78/423, 18% [15-23%]	36/265, 14% [9.8-18%]	42/158, 27% [20-34%]	<0.001	0.079

Fainting	43/423, 10% [7.5- 14%]	13/265, 4.9% [2.7-8.4%]	30/158, 19% [13-26%]	<0.001	<b>&lt;0.001</b>
Weakened neck	69/423, 16% [13- 20%]	23/265, 8.7% [5.7-13%]	46/158, 29% [22-37%]	<0.001	<b>&lt;0.001</b>
<sup>1</sup> Pearson's Chi-squared test; Fisher's exact test					
<sup>2</sup> Bonferroni correction for multiple testing					
CI, confidence interval					

## S1 Methods. Health status questions

1. Please choose one point in this 0-100 scale, which can best represent your health today (0 means the worst and 100 means the best). ["slider"]
2. We are trying to get a sense of how bad your long COVID symptoms are when you feel them the most. On the slider below, with 0 being a trivial illness and 100 being unbearable, please let us know what the worst days are like. ["slider"]

## S2 Methods. Pre-pandemic comorbidities questions

Have you ever been told by a doctor before January 2020 that you have any of the following?

Check all that apply

["multiple choice"]

1. Any allergies
2. Arthritis (including rheumatoid arthritis, gout, lupus, or fibromyalgia)
3. Asthma
4. Autoimmune disease (including lupus, scleroderma, etc.)
5. Bleeding disorder (including sickle cell disease or Thalassemia)
6. Blood clots
7. Cancer or malignancy of any kind
8. Cerebrovascular conditions affecting blood vessels to or in the brain (including stroke)
9. Chronic lung disease (including emphysema, chronic bronchitis, chronic obstructive pulmonary disease (COPD), or pulmonary fibrosis)
10. Cystic fibrosis
11. Diabetes
12. Ehlers Danlos Syndrome (hypermobile joints)
13. Gastrointestinal issues (including IBS or acid reflux)
14. Heart attack, also called myocardial infarction
15. Heart conditions (including coronary artery disease or cardiomyopathies)
16. Heart failure
17. High cholesterol
18. History of organ transplant (including kidney, liver, heart, or lung)
19. Hypertension or high blood pressure
20. Immunocompromised state (including weakened immune system from blood or bone marrow transplant, immune deficiencies, HIV, use of corticosteroids, or use of other immune-weakening medicines)
21. Kidney disease
22. Liver disease
23. Lyme disease
24. MCAS (mast cell activation syndrome) or other mast cell disorders
25. ME/CFS (myalgic encephalomyelitis/chronic fatigue syndrome)
26. Migraines
27. Neurologic conditions (including seizures, dementia, multiple sclerosis, Parkinson's, neuropathy, small fiber neuropathy, etc.)
28. Postural orthostatic hypotension (POTS) or dysautonomia
29. Spinal disorder(s)
30. Tremors/Internal vibrations
31. Other
32. None of the above



Have you ever been told by a doctor before January 2020 that you have any of the following?  
Check all that apply  
["multiple choice"]

1. Depressive disorders
2. Anxiety disorders
3. Schizophrenia spectrum and other psychotic disorders
4. Bipolar and related disorders
5. Obsessive-compulsive and related disorders
6. Trauma- and stressor-related disorders
7. Feeding and eating disorders
8. Somatic symptoms (excessive thoughts, feelings and behaviors relating to the physical symptoms) and related disorders
9. Other
10. None of the above

### S3 Methods. Current conditions questions

Currently, have you ever been told by a doctor that you have any of the following?

Check all that apply ["multiple choice"]

1. Any allergies
2. Arthritis (including rheumatoid arthritis, gout, lupus, or fibromyalgia)
3. Asthma
4. Autoimmune disease (including lupus, scleroderma, etc.)
5. Bleeding disorder (including sickle cell disease or Thalassemia)
6. Blood clots
7. Cancer or malignancy of any kind
8. Cerebrovascular conditions affecting blood vessels to or in the brain (including stroke)
9. Chronic lung disease (including emphysema, chronic bronchitis, chronic obstructive pulmonary disease (COPD), or pulmonary fibrosis)
10. Cystic fibrosis
11. Diabetes
12. Ehlers Danlos Syndrome (hypermobile joints)
13. Gastrointestinal issues (including IBS or acid reflux)
14. Heart attack, also called myocardial infarction
15. Heart conditions (including coronary artery disease or cardiomyopathies)
16. Heart failure
17. High cholesterol
18. History of organ transplant (including kidney, liver, heart, or lung)
19. Hypertension or high blood pressure
20. Immunocompromised state (including weakened immune system from blood or bone marrow transplant, immune deficiencies, HIV, use of corticosteroids, or use of other immune-weakening medicines)
21. Kidney disease
22. Liver disease
23. Long COVID
24. Lyme disease
25. MCAS (mast cell activation syndrome) or other mast cell disorders
26. ME/CFS (myalgic encephalomyelitis/chronic fatigue syndrome)
27. Migraines
28. Neurological conditions (including seizures, dementia, multiple sclerosis, Parkinson's, neuropathy, small fiber neuropathy, etc.)
29. Postural orthostatic hypotension (POTS) or dysautonomia
30. Spinal disorder(s)
31. Vaccine injury
32. Other
33. None of the above

Currently, have you ever been told by a doctor that you have any of the following?  
Check all that apply ["multiple choice"]

1. Depressive disorders
2. Anxiety disorders
3. Schizophrenia spectrum and other psychotic disorders
4. Bipolar and related disorders
5. Obsessive-compulsive and related disorders
6. Trauma- and stressor-related disorders
7. Feeding and eating disorders
8. Somatic symptom and related disorders
9. Other
10. None of the above

## S4 Methods. Long COVID symptoms questions

Please select all following health conditions that you have had as a result of long COVID. Check all that apply ["multiple choice"]

1. Abnormally low temperature
2. Fevers, including low-grade fevers
3. Chills but no fever
4. Heat intolerance
5. Cold intolerance
6. Night sweats
7. Other
8. None of the above

Please select all following health conditions that you have had as a result of long COVID. Check all that apply ["multiple choice"]

1. Trouble falling or staying asleep
2. Sleeping more than usual
3. Nightmares
4. Exercise intolerance
5. Excessive fatigue
6. Other
7. None of the above

Please select all following health conditions that you have had as a result of long COVID. Check all that apply ["multiple choice"]

1. Burning sensations
2. Tremors or shakiness
3. Internal tremors or buzzing/vibration
4. Tingling, pins and needles, numbness
5. Neuropathy (nerve sensations including pain) anywhere in the body
6. Seizures
7. Other
8. None of the above

Please select all following health conditions that you have had as a result of long COVID. Check all that apply ["multiple choice"]

1. Abdominal pain
2. Acid reflux or heartburn
3. Diarrhea
4. Constipation
5. Nausea/Vomiting
6. Loss of appetite
7. Other
8. None of the above

Please select all following health conditions that you have had as a result of long COVID. Check all that apply ["multiple choice"]

1. Sore throat
2. Congested or runny nose
3. Palpitations (improper beating of the heart due to electrical impulse problems)
4. Bilateral neck throbbing around lymph nodes

5. Costochondritis (pain in the cartilage that connects a rib to the breastbone)
6. Cough
7. Coughing up blood
8. Cold or burning feeling in lungs
9. Difficulty swallowing
10. Throat pain or discomfort
11. Lump in throat
12. Phlegm in back of throat
13. Postnasal drip
14. Runny nose
15. Swollen lymph nodes
16. Tachycardia (rapid heartbeat) at rest
17. Tachycardia (rapid heartbeat) after standing up
18. Wheezing
19. Shortness of breath or difficulty breathing
20. Other
21. None of the above

Please select all following health conditions that you have had as a result of long COVID. Check all that apply ["multiple choice"]

1. Bone aches
2. Migraine
3. Headache
4. Calf cramps
5. Pressure at base of head
6. Jaw pain
7. Joint pain
8. Kidney pain
9. Mouth sores or sore tongue
10. Muscle or body aches
11. Persistent chest pain or pressure
12. Painful scalp
13. Sharp or sudden chest pain
14. Other
15. None of the above

Please select all following health conditions that you have had as a result of long COVID. Check all that apply ["multiple choice"]

1. Changed sense of taste
2. Changed sense of smell
3. Floaters or flashes of light in vision
4. Loss of hearing
5. Loss or decrease in quality of vision/blurry vision
6. Phantom smells
7. Phantom tastes
8. Hallucinations (visual or auditory)
9. Tinnitus or humming in ears
10. Other

11. None of the above

Please select all following health conditions that you have had as a result of long COVID. Check all that apply ["multiple choice"]

1. Skin bruising
2. Change in nails (i.e. white spots, brittleness, change in moons)
3. Tender or itchy rash or chilblains on the toes or foot)
4. Cracked or dry lips
5. Dental problems (e.g., chipped tooth, tooth loss)
6. Discoloration of the skin (for example: purple or blue on the hands or feet, no blistering)
7. Dry or peeling skin
8. Dry scalp or dandruff
9. Hair loss
10. Itchiness
11. Tender or itchy rash not on foot
12. Chilblains (itching, bumps, red- to violet-colored patches on the hands or feet)
13. Other
14. None of the above

Please select all following health conditions that you have had as a result of long COVID. Check all that apply ["multiple choice"]

1. Constant thirst
2. Changes in voice
3. Clogged ears
4. Dizziness
5. Dry eyes
6. Fatigue
7. Irregular or skipped menstrual cycles
8. Menstrual cycles that are heavier or lighter than normal
9. New allergies
10. Inability to eat or tolerate food
11. Swollen hands or feet
12. Fainting
13. Weakened neck
14. Other
15. None of the above

Please select all that you have. Check all that apply ["multiple choice"]

1. Anxiety
2. Confusion
3. Brain fog; difficulty concentrating or focusing
4. Feelings of impending doom
5. Memory problems
6. Difficulty speaking properly
7. Suicidal thoughts
8. Other
9. None of the above