

SUPPLEMENTARY INFORMATION

Supplementary table 1. Sub-selection of children from the 2004 Pelotas birth cohort

Classification	11 years		Retention	13 years	Percentage of change
	Selected	Collected		Collected	
Height-for-age z-score					
<i>Stunting (< -2 z-score)</i>	22	17	77%	12	29%
<i>BMI-for-age z-score</i>					
Severe wasting (< -3 z-score)	14	10	71%	10	0%
<i>Wasting (< -2 z-score)</i>	101	70	69%	53	24%
<i>Normal weight</i>	219	164	74%	203	23%
<i>Overweight (< 2 z-score)</i>	105	73	69%	68	6%
<i>Obesity (> 3 z-score)</i>	39	32	82%	16	50%
No information on weight/height				3	
Total	500	366	76.4%	365	

Supplementary table 2. List of food groups derived from Food Frequency Questionnaire

<i>Food group</i>	<i>Food items</i>
Beans	beans
Bread	whole wheat; white bread
Candies and sweets	candies; chocolate bar / bonbons; chocolate milk powder; fruit jam / jelly; dairy based sweets / pudding; ice cream
Coffee	coffee
Cookies and cake	sweet cookies; crackers; cake; cereal bars; breakfast cereals; granola
Milk and dairy products	cow's milk; yoghurt; cheese; soft cheese
Fast food and snacks	bauru / cheeseburger / hotdog; pizza; hamburger / nuggets; quibe; fried salty pastries; chips; canned vegetables (peas / corn / pickles); mayonnaise; sweet or savory popcorn
Fats	butter; margarine
Fish	fish
Fruits and fruit juices	avocado; pineapple; banana; guava; orange; apple / pear; papaya; mango; watermelon / cantaloupe; strawberry; peach; grape; artificial juice; natural juice
Meats and eggs	red meat; chicken; pork; gizzards / liver / heart / kidney; barbecue; eggs
Pastas and tubers	spaghetti; noodles; lasagna / ravioli / gnocchi; potato boiled / roasted / mashed; fried potato / polenta / cassava
Processed meats	bacon; sausage / frankfurter; mortadella / ham / salami
Rice	rice
Soda	sugar-sweetened and artificial-sweetened cola and other flavours
Sugar	sugar added to milk, juice, coffee, and tea
Teas	tea; chimarrao
Vegetable spices	garlic; onion; sweet pepper
Vegetables and legumes	pumpkin; lettuce; beet; carrot; cauliflower; chayote; cabbage; cucumber; cabbage; tomato; green beans; lentils / peas / chickpeas

Supplementary table 3. Correlation coefficients of alpha diversity of prenatal, sociodemographic and anthropometric variables

	<i>All</i>				<i>Female</i>				<i>Male</i>			
	<i>Chao1</i>		<i>Shannon</i>		<i>Chao1</i>		<i>Shannon</i>		<i>Chao1</i>		<i>Shannon</i>	
	<i>Rho</i>	<i>p-val</i>	<i>Rho</i>	<i>p-val</i>	<i>Rho</i>	<i>p-val</i>	<i>Rho</i>	<i>p-val</i>	<i>Rho</i>	<i>p-val</i>	<i>Rho</i>	<i>p-val</i>
Age (years)	0.18	0.001	0.06	0.28	0.12	0.14	0.01	0.88	0.23	0.001	0.11	0.15
Maternal age (years)	-0.13	0.01	-0.12	0.03	-0.23	0.004	-0.24	0.002	-0.03	0.70	0.01	0.93
Maternal education (years)	-0.18	0.0008	-0.15	0.005	-0.11	0.20	-0.05	0.53	-0.27	0.0003	-0.24	0.001
Maternal BMI (kg/m2)	-0.06	0.34	0.02	0.77	-0.05	0.62	-0.05	0.63	-0.08	0.38	0.09	0.33
Dietary patterns												
<i>Processed</i>	0.10	0.06	0.07	0.19	0.02	0.81	0.02	0.82	0.16	0.04	0.11	0.13
<i>Coffee, Tea, Vegetables</i>	0.19	0.0005	0.07	0.22	0.16	0.05	0.07	0.39	0.23	0.002	0.06	0.44
<i>Common-Brazilian</i>	0.15	0.005	0.14	0.01	0.20	0.01	0.20	0.01	0.10	0.20	0.08	0.29
Age of introduction of solids (months)	0.05	0.38	0.03	0.65	0.06	0.50	0.05	0.57	0.04	0.57	0.03	0.74
BMI-for-age z-score	-0.21	0.0001	-0.16	0.005	-0.03	0.69	-0.11	0.18	-0.36	0.00	0.84	0.01
Height-for-age z-score	-0.05	0.35	-0.03	0.60	-0.01	0.91	-0.01	0.92	-0.10	0.17	-0.02	0.84
Fat mass at 11 years (%)	-0.31	0.00	-0.26	0.00	-0.27	0.0009	-0.26	0.001	-0.37	0.00	-0.24	0.002

Spearman correlations

Supplementary table 4. Comparison of gut microbiota beta-diversity and variables of prenatal, sociodemographic and anthropometric variables

	Unweighted UNIFRAC			Weighted UNIFRAC		
	All (n=331)	Females (n=154)	Males (n=77)	All (n=331)	Females (n=154)	Males (n=77)
Skin colour						
<i>Black vs brown</i>	0.79	0.27	0.78	0.82	0.93	0.61
<i>Black vs other</i>	0.13	0.28	0.05	0.11	0.93	0.14
<i>Black vs white</i>	0.006	0.01	0.01	0.02	0.05	0.14
<i>Brown vs other</i>	0.27	0.56	0.12	0.20	0.93	0.14
<i>Brown vs white</i>	0.006	0.17	0.006	0.02	0.05	0.14
<i>Other vs white</i>	0.02	0.41	0.009	0.33	0.93	0.14
Income						
<i>Quintile 1 vs 2</i>	0.60	0.38	0.81	0.29	0.13	0.78
<i>Quintile 1 vs 3</i>	0.34	0.88	0.72	0.03	0.16	0.08
<i>Quintile 1 vs 4</i>	0.01	0.38	0.05	0.07	0.76	0.06
<i>Quintile 1 vs 5</i>	0.003	0.01	0.01	0.01	0.09	0.04
<i>Quintile 2 vs 3</i>	0.23	0.41	0.37	0.29	0.76	0.06
<i>Quintile 2 vs 4</i>	0.10	0.38	0.02	0.44	0.25	0.05
<i>Quintile 2 vs 5</i>	0.003	0.03	0.01	0.03	0.25	0.02
<i>Quintile 3 vs 4</i>	0.07	0.38	0.36	0.29	0.33	0.59
<i>Quintile 3 vs 5</i>	0.003	0.01	0.05	0.13	0.13	0.59
<i>Quintile 4 vs 5</i>	0.01	0.06	0.35	0.11	0.13	0.59
Maternal smoking						
<i>No vs yes</i>	0.004	0.08	0.009	0.12	0.43	0.23
Type of birth						
<i>Vaginal vs caesarean</i>	0.008	0.21	0.002	0.23	0.54	0.27
Breastfeeding at 3 months						
<i>Exclusive vs no</i>	0.58	0.94	0.68	0.90	0.75	0.73
<i>Exclusive vs partial</i>	0.42	0.91	0.75	0.44	0.78	0.73
<i>Exclusive vs predominant</i>	0.58	0.91	0.89	0.87	0.78	0.73
<i>No vs partial</i>	0.58	0.91	0.89	0.44	0.47	0.83
<i>No vs predominant</i>	0.56	0.91	0.68	0.87	0.75	0.83
<i>Predominant vs partial</i>	0.42	0.91	0.68	0.71	0.75	0.73
Breastfeeding at 12 months						
<i>No vs yes</i>	0.44	0.46	0.37	0.65	0.16	0.88
BMI-for-age z-score						
<i>Normal vs overweight</i>	0.006	0.40	0.003	0.12	0.20	0.22

<i>Normal vs wasting</i>	0.75	0.76	0.35	0.20	0.98	0.22
<i>Overweight vs wasting</i>	0.04	0.49	0.02	0.14	0.98	0.22
Height-for-age z-score						
<i>Stunting vs normal</i>	0.05	0.91	0.14	0.06	0.38	0.14

Supplementary figure 1. Alpha diversity of prenatal, sociodemographic and anthropometric variables



