1	Late reproduction is associated with extended female survival but not with familial
2	longevity
3	
4	
5	Authors:
6	Annelien C de Kat ¹ , Femke Roelofs ¹ , P. Eline Slagboom ² , Frank JM Broekmans ¹ , Marian
7	Beekman ² , Niels van den Berg ²
8	
9	Affiliations:
10	1) Department of Reproductive Medicine and Gynecology, University Medical Center
11	Utrecht, Utrecht, The Netherlands.
12	2) Department of Biomedical Data Sciences, section of Molecular Epidemiology, Leiden
13	University Medical Center, Leiden, The Netherlands
14	
15	

16 Abstract (350 words):

17 **Objective**

Female reproductive health comprises adequate oocyte quality and quantity, normal fecundability, a normal course of pregnancy, and the delivery of healthy offspring. General aging patterns and the maintenance of somatic health have been associated with female reproductive health. However, it is unknown whether better long-term somatic maintenance is directly related to reproductive outcomes, and whether there is a shared genetic predisposition underlying both somatic and reproductive aging. Here we investigate whether reproductive health is related to female lifespan or familial longevity.

25

26 Design

- 27 Observational study
- 28

29 Subjects

10,255 female members of a multigenerational historical cohort (1812-1910), the LINKing
System for historical family reconstruction (LINKS) and 1,258 females from 651 long-lived
families in the Leiden Longevity Study.

33

34 Main outcome measures

The association between reproductive characteristics and longevity was studied both on an individual and familial level. Individual survival was studied in relation to age at last childbirth and total number of children. Familial longevity was studied through parental survival and related to age at last childbirth, total number of children and a polygenic risk score (PRS) for age at menopause.

40

41 Results

Females giving birth to their last child at a higher age lived longer: for each year increase in the age of the birth of the last child, a woman's lifespan increased with 0.06 years (22 days) (p<0.005). Females who lived to be in the top 10% survivors of their birth cohort (n=2,241, 21.9%) on average gave birth to their last child at a 1% later age than the remaining cohort (IRR=1.01, p<0.005).

47 Females with 1 or 2 long-lived parents did not have a higher mean age of last childbirth.

48 There was neither a significant association between an increasing number of long-lived

- 49 ancestral family members (familial longevity), nor the PRS.
- 50

51 **Conclusion**

52 Female reproductive health associates with a longer lifespan and with survival to more 53 extreme ages (longevity). The heritable component in familial longevity, however, does not 54 associate to extended reproductive health and the PRS underlying age at menopause does 55 not explain familial longevity. Other factors in somatic maintenance that support a longer 56 lifespan are likely to have an impact on reproductive health.

57

58 Keywords 59

60 Longevity – fertility – aging

61 Introduction

62 Female reproductive health encompasses the evolution of being born with a 63 complete set of oocytes, fertility and pregnancy, to the deterioration of ovarian quality and 64 quantity, and ultimately postmenopausal health. It is widely accepted that these milestones 65 and transitions do not stand alone but may be subject to the same processes that govern 66 overall somatic aging and health¹. This relationship has not yet been fully clarified and it 67 thus remains unknown to what extent the maintenance of somatic health is primarily 68 essential to reproductive health or vice versa, and whether there is a genetic predisposition 69 underlying both healthier somatic and reproductive aging.

70 Over the past decades a plethora of studies has sought to determine and explain the 71 relationship between ovarian and overall somatic aging. Though there remains some 72 dispute, several studies have observed that mothers who give birth to a child at an advanced age have a longer post-reproductive survival ^{2,3}. Studies also suggested a familial 73 74 or genetic component underlying both an increasing somatic lifespan and a longer 75 reproductive period or reproductive lifespan^{4,5}, although others have proposed a trade-off 76 mechanism for an increasing lifespan and childbearing⁶. The latter results originate from 77 studies with varying sample sizes and potential biases in the selection of their study 78 population and await confirmation from well-defined, large-scale cohorts. If longevity and 79 late reproductive aging coincide in families, the study of both traits in longevity families may 80 reveal shared genetic loci predisposing to better maintenance of somatic and reproductive 81 cell functions.

82 Genetic studies into menopause generated polygenic risk scores (PRS) that indicate 83 risk of early menopause and involved loci in DNA repair processes, known as hallmark

84 mechanisms of ageing ⁷. It is unknown whether the genetic component in age at menopause 85 associates with that in familial longevity.

86 The current study addresses the relationship between somatic and reproductive 87 aging and health in both a large multigenerational historical cohort and a cohort of long-88 living families. We aim to test whether reproductive health is associated with longevity, as 89 well as whether members of exceptionally long-living families exhibit more favorable 90 reproductive outcomes, compared to families from the general population. Firstly, we 91 investigate whether lifespan (age at death) and longevity (survival to extreme ages) 92 associate with age at last childbirth and total number of children. Secondly, we investigate 93 whether age at last childbirth and number of children are associated with the number of long-lived parents (0, 1 or 2 long-lived parents), as an indicator of familial longevity¹². 94 95 Thirdly, we investigate whether an increasing number of long-lived ancestors associates 96 with a PRS for age at menopause, capturing alleles associated with age at menopause, as a 97 proxy for the total reproductive lifespan.

98

100 Methods

101

102 LINKS Study population

We used data from the LINKing System for historical family reconstruction (LINKS) 103 104 which is a historical cohort of inhabitants of the province of Zeeland, the Netherlands, from the early 19th century. The LINKS database contains demographic and genealogical 105 106 information derived from the Netherlands linked vital event registration. In the Netherlands, 107 birth, marriage and death certificates were registered from the year 1812 onward. Currently 108 LINKS Zeeland contains 739,453 birth, 387,102 marriage, and 641,216 death certificates that were linked together to reconstruct intergenerational pedigrees and individual life courses⁸. 109 110 Two generations were identified in the dataset (Suppl Figure 1); FO and F1, of which 111 the F1 generation is the index generation comprising the study participants. The F0 112 generation was selected by identifying couples who were married between 1812 and 1850 113 and had at least two children, ensuring that the F1 persons had at least one sibling. The 114 families were mutually exclusive, meaning that a parent in the FO generation could only 115 contribute data for a single family. From the F1 generation, the LINKS research persons (RP) 116 were selected using the following criteria: members of the female sex, with an age of death 117 above 50 years and a single spouse who lived until the RP was at least 50 years, and who 118 delivered at least one child, ensuring high data quality. This selection made it possible to 119 study the reproductive outcomes in the study population throughout the entire fertile 120 lifespan. In both generations, a distinction was made between persons who belonged to the 121 top 10% of survivors in their birth cohort, and those who did not. This calculation was based 122 on Dutch lifetables, nationally collected data of survival of historic cohorts from Statistics Netherlands (CBS)⁸. Reproductive characteristics of the RPs are derived using information of 123

their children (F3 generation). The reproductive characteristics that could reliably be
extracted from the historic data were age at last childbirth and total number of children.

126

127 Leiden Longevity Study population

128 The Leiden Longevity Study (LLS) was initiated in 2002 to study the mechanisms that lead to 129 exceptional survival in good health. The LLS currently consists of 651 three-generational 130 families, defined by siblings who have the same parents. Inclusion took place between 2002 131 and 2006 and initially started with the recruitment of living nonagenarian sibling pairs of 132 European descent (F2 generation). Within a sibling pair, males were invited to participate if 133 they were 89 years or older and females if they were 91 years or older (N=944, mean age=93 years), representing < 0.5% of the Dutch population in 2001^{9,10}. Inclusion was 134 135 subsequently extended to the offspring of the sibling pairs and the partners of these 136 offspring (F3 generation). This study focuses on all F3 generation females, which are 137 henceforth denoted as LLS RPs (offspring and partners combined).

138 The LLS DNA samples were genotyped using Illumina Infinium HD Human660W-Quad and 139 OmniExpress BeadChips (Illumina, San Diego, CA, USA). DNA genotyping for LLS was performed at baseline as described in detail in Beekman et al., 2006¹¹ with the Illumina 140 141 Human660W and Illumina OmniExpress arrays (Illumina, San Diego, CA, USA). Genotype 142 imputation was performed using 288,635 SNPS with SNP-wise call rate (>95%), minor allele 143 frequency (>1%) and no derivation from the Hardy–Weinberg equilibrium (p-value > 1×10^{-4}) 144 at the Michigan Imputation Server (https://imputationserver.sph.umich.edu/index.html) 145 with Haplotype Reference Consortium (HRC) reference panels (HRC1.1).

146 Mortality information was verified by birth or marriage certificates and passports whenever 147 possible. Additionally, verification took place via personal cards which were obtained from

148 the Dutch Central Bureau of Genealogy. In January 2021 all mortality information was 149 updated through the Personal Records Database (PRD) which is managed by Dutch 150 governmental service for identity information. 151 https://www.government.nl/topics/personal-data/personal-records-database-brp. The 152 combination of officially documented information provides very reliable and complete 153 ancestral as well as current mortality information. 154 155 Construction of LRC score in LLS data 156 Familial longevity was quantified with the Longevity Relatives Count (LRC) score. The LRC score can be interpreted as a weighted proportion (ranging between 0 and 10)¹². For 157 158 example, an LRC score of 5 for an RP indicates 50% long-lived family members, weighted by 159 the genetic distance between RPs and their family members. 160 161 Construction of PRS of age at menopause in LLS data 162 The genome-wide association analysis for age at menopause resulted in a polygenic risk score (PRS) ⁷ that could be constructed from 290 SNPs. After we removed all T/A SNPs, 163

164 SNPSs with MAF<0.01 and $HWE_{pvalue} < 10^{-4}$, and an imputation quality <0.8⁻¹³, we were able

to use 195 SNPs to construct the PRS for age at menopause in the LLS data set.

166

167 Statistical analysis

168 First, in LINKS, lifespan (age at death) was regressed on 1) age at last child birth 169 (quantitative and categorical) and 2) number of children (quantitative and categorical),

- 170 while adjusting for maternal birth cohort and age at marriage using a linear mixed-model
- 171 with a random effect for the unique sibship ID to account for within sibship correlation.

172	Second, in LINKS, 1) age at last child birth and 2) number of children were regressed
173	on a) the number of long-lived parents (0, 1 or 2 parents that belonged to the top 10%
174	survivors of their birth cohort), as an indicator of familial longevity 14 , and b) whether the RP
175	survived to the top 10% of her birth cohort, while adjusting for maternal birth cohort and
176	age at marriage using a Poisson mixed-model with a random effect for the unique sibship ID
177	to account for within sibship correlation.
178	Third, in the LLS, the standardized (mean=0, SD=1) PRS of age at menopause of RPs
179	was regressed on the number of long-lived family members, as measured with the LRC score,
180	while adjusting for standardized birth year using a linear mixed-model with a random effect

- 181 for the family ID to account for within family correlation.
- 182 All analyses were performed with R version 4.0.2.
- 183

185 **Results**

186

187 Study populations

188	In the LINKS data, 10,255 female Research Persons (RPs; the F1 generation) were
189	identified. Collectively, they had 7,664 mothers and 7,636 fathers (the FO generation) and
190	72,895 children (the F2 generation). In total, there were 7,721 unique families, taking into
191	account that the RP generation included siblings. Mean age at death of the RPs was 73.9 (\pm
192	10.4) years and their mean number of children was 7.1 (± 3.9). Further descriptive
193	characteristics of the RP group are described in detail in Table 1.
194	The LLS cohort included 1,258 females with a mean age of 59 years.

195

196 Females giving birth to their last child at a higher age live longer

To confirm in the LINKS dataset that mothers who give birth to a child at an 197 198 advanced age have a longer post-reproductive survival, we investigated the relation 199 between age at last child and lifespan using linear mixed-model regression analysis. We 200 observed that for each year increase in the age of the birth of the last child, a woman has a 0.06 years (22 days) longer lifespan (p-value= $2.16 \cdot 10^{-3}$). When we compared the lifespan of 201 202 females with a low (\leq 40 years) vs high (\geq 45 years) age at last child birth, we observed that 203 females who delivered their last child beyond the age of 45 lived 1.41 years (17 months) 204 longer than females who had their last child before 40 years (p-value=9.07 \cdot 10⁻⁵), while 205 adjusting for age at marriage and the mother's birth year (Table 2).

The number of children may relate both to age at latest childbirth and to survival of the mother, so we investigated whether the number of children associates with female lifespan. We performed a linear mixed-model regression analysis with lifespan as outcome and the number of children as the independent variable of interest, while adjusting for age at marriage and maternal birth year. We observed that with each additional child the

211 lifespan of females increased with 0.05 years (p-value= $7.63 \cdot 10^{-2}$). Moreover, females who 212 had 10 or more children (N=2,771) in comparison to females who had 4 and fewer children 213 (N=2,990) lived on average 0.61 years (18 days) longer, but this did not reach statistical 214 significance (Table 2; p-value= $6.25 \cdot 10^{-2}$).

215 Next, we studied whether females who lived as long as the top 10% survivors of their 216 birth cohort (long-lived), gave birth to their last child at higher ages than other females using 217 mixed-model Poisson regression analysis. While adjusting for age at marriage and the RP's 218 maternal birth year, we observed that the top 10% survivor (N = 2,241, 21.9%)), on average 219 gave birth to their last child at a 1% later age than the remaining cohort (N= 8,014; 78,1%) 220 (IRR=1.01; p-value=2.75.10⁻³). Thus, with an increasing age of last child, an RP has a very 221 small increasing chance to become long-lived. Moreover, females who lived as long as the 222 top 10% of their birth cohort, had on average 2% more children than other females (IRR=1.02, p-value=9.19.10⁻²), although this effect was not statistically significant. We 223 224 conclude from the LINKS cohort that women with more offspring and a high age at last 225 reproduction have a longer lifespan and that top 10% female survivors of their birth cohort 226 are capable to reproduce longer than other women.

227

Females with long-lived parents do not differ from females from the general population with respect to their age at last child and number of children

High quality somatic maintenance in individuals may beneficially affect both reproductive health and longevity. It has also been suggested that familial longevity and especially heritable mechanisms drive such joint beneficial effects. To study whether familial longevity associates with reproductive health, we investigated whether females from longlived families have more offspring and higher age at last reproduction. We observed that RPs with 1 or 2 long-lived parents do not have a significantly higher number of children (IRR-

236	1 LL parent=0.98, p-value=1.62·10 ⁻¹ ; IRR-2 LL parents=0.98, p-value=6.44·10 ^{·1}) nor a higher
237	mean age at last child birth (IRR-1 LL parent=0.99, p-value=5.28·10 ⁻² ; IRR2 LL parents=1.00,
238	p-value=9.99 \cdot 10 ^{\cdot1}) compared to RPs without any long-lived parents (Table 3).
239	
240	Females with long-lived parents have a similar genetic predisposition for a late

241 menopause as other females

242 To further study the genetic component underlying both longevity and reproductive 243 health we focused on the Leiden Longevity Study. We investigated whether an increasing 244 number of long-lived ancestors of female RPs, as measured with the LRC score, associates 245 with an increasing number of alleles marking a later age at menopause. In the Leiden 246 Longevity Study we included a generation of RP women (F3 generation; N=1,258) with a quantified family history of longevity, as well as their genotypes through single nucleotide 247 248 polymorphism (SNP) data. We calculated a PRS for age at menopause based on the most recent Genome Wide Association Study (GWAS)⁷. 249

Using mixed-model linear regression, no statistically significant association between an increasing number of long-lived family members (familial longevity) and our polygenic score for age at menopause was observed (Beta=0.014 (95% CI=-0.01-0.04), Pvalue= $2.63 \cdot 10^{-1}$). Still, the effect size was in the expected direction: with every 10 percent increase in long-lived family members, the age at menopause, as expressed by our polygenic score, was 0.014 standard deviation lower.

256 **Discussion**

257 In the historic (1812-1910) multigenerational LINKS database of Zeeland (NL), we 258 observed that females who gave birth to their last child at a higher age, and with increasing 259 numbers of offspring had a longer lifespan. Moreover, females who were among the top 10% 260 survivors of their birth cohort delivered their last child at a slightly higher age and overall 261 had slightly more children. This could be explained by a better maintenance of both 262 reproductive health and overall health that supports longevity. Next, we studied whether 263 the genetic component in familial longevity might associate with that of reproductive health, 264 possibly pointing to common mechanisms in of both traits. However, females descending 265 from such long-lived families do not have a different number of offspring or age at last child 266 than females from non-long-lived families. Moreover, in the LLS, there was no evidence for 267 an association between the genetic predisposition for a delayed age at menopause and 268 familial longevity, as measured by a score indicating the proportion of long-lived ancestors. 269 Hence, we conclude that a high age of last childbirth and number of offspring are markers of 270 good reproductive health and overall health supporting longevity. They are not, however, 271 explained by the genetic component in longevity, neither in the LINKS population nor in the 272 Leiden Longevity study. Finally, the heritable component underlying the clinical extremes of age at menopause as represented by a PRS 7 does not appear to coincide with that in 273 274 familial longevity.

Our study affirms previous research that supports a relationship between a later age at last childbirth and increased post-reproductive survival^{2,3,15-19} and the notion that the functioning of the reproductive system can be representative of females' health, not necessarily driving it as our data imply. The ability for late reproduction and a larger number of offspring could be facilitated by a longer reproductive period, i.e. later age at menopause.

Genes of DNA repair strongly relate to age at menopause⁷, suggesting that the latter is the 280 result of overall somatic aging²⁰. Although the genetic loci associated with age at 281 282 menopause have not yet been directly correlated to human longevity or familial longevity, a 283 meta-analysis relating SNPs to exceptional human longevity (in single cases) reported a correlation with several of the same SNPs that related to age at menopause²¹. Because the 284 285 genetic predisposition for a late onset of menopause is not significantly associated to the 286 familial component of human longevity in our study, the late reproducing females' health 287 might also be affected by other factors that influence lifespan in singletons (long lived 288 persons without long lived family members) such as good environmental circumstances, 289 healthy lifestyles, or favorable social factors.

290 Besides oocyte quantity, oocyte quality is a necessary factor for reproductive success and is thought to be a causal factor of age-related fertility decline²². As females age, oocyte 291 292 competence decreases, leading to an increased risk of aneuploidy and miscarriage, in turn 293 leading to decreased fecundity. Suggested pathways of oocyte quality decline include deterioration of the maintenance of mitochondrial function²³ and the intrafollicular 294 295 processes of DNA translation²⁴. These processes are in turn thought to be subject to 296 oxidative stress, to which the oocyte becomes more vulnerable with increasing age, as shown in animal models²⁵. Fertility treatments such as in vitro fertilization (IVF) have 297 298 previously, though not consistently, been linked to adverse cardiovascular outcomes in the short and long term²⁶⁻²⁸, which could suggest an adverse aging profile for the sub-fertile 299 300 population, but it is not clear whether this can be attributed to effects of the treatment or population risk. While it is possible that the influence of the DNA damage repair genes 301 302 associated with age at menopause additionally extends to oocyte quality, this remains to be 303 further determined. Perhaps in oocytes, a group of cells that spend most of their life in

medRxiv preprint doi: https://doi.org/10.1101/2023.06.26.23291896; this version posted June 28, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. It is made available under a CC-BY-NC 4.0 International license.

304 senescence, the pathways for cell maintenance are regulated somewhat differently than in 305 somatic cells. This could be another explanation for the lack of association between familial 306 longevity and the polygenic risk score for menopause as well as reproductive outcomes in 307 our study. It is also possible that fecundity, and thus oocyte quality, cannot be adequately 308 measured through the proxies of age at childbirth and number of offspring. In addition, 309 because we study a by-definition relatively healthy group of females who lived to age 50 310 and underwent at least one successful pregnancy and delivery, our study precludes an in-311 depth inquiry into the association between infertility or involuntary childlessness and 312 longevity.

The method of linkage of families in the historical cohort makes our study uniquely suited to study the familial effects of reproduction and longevity. The methodological selection of the study population as well as the population size add to its strengths. Due to the historical nature of the data, the results are not influenced by the use of hormonal contraception or assisted reproductive techniques, therefore allowing for a reasonable assumption of unrestricted natural fertility.

Our results are limited by the obligatory use of proxy variables for fertility and reproductive success, as we were limited to the data stored in governmental registries. Furthermore, as mentioned we included a relatively healthy group of individuals who lived to be at least 50 years old. It is possible that this selection excludes individuals with accelerated aging genotypes and therefore attenuates any associations of reproduction with longevity.

In conclusion, we affirm that a late age at last childbirth is associated with a longer lifespan, and that traits of reproductive success seem to be markers of females' health in middle age, likely acquired by good environmental circumstances. Furthermore, we

- 328 conclude that neither parental nor more extended ancestral familial longevity are
- 329 characterized by reproductive success.

	Total number	Mean ± SD	Range
Number F1 RPs (N, % female)	10,255 (100)	-	-
Top 10% survivors of their birth cohort	2,241 (21.8)		
Number of unique sibships (N)	7,721	-	-
Birth year (Mean)	-	1839	1812-1873
Age at death in years (Mean ± SD)	-	73.9 ± 10.4	50-104
Number of children (Mean ± SD)	72,985	7.1 ± 3.9	1-24
Number of children ≤ 4 (N, %)	2,990 (29.2)	2.6 ± 1.1	1-4
Number of children ≥ 10 (N, %)	2,771 (27.1)	12.2 ± 2.1	10-24
Age at first child in years (Mean ± SD)	-	26.9 ± 4.9	15-49
Age at last child in years (Mean ± SD)	-	39.2 ± 5.0	18-51
Last childbirth ≤ 40 years (N, %)	5,190 (50.6)	35.5 ± 4.4	18-40
Last childbirth ≥ 45 years (N, %)	981 (9.6)	45.8 ± 1.0	45-51
Age at marriage lpha in years (Mean ± SD)	-	25.9 ± 4.6	16-46
Number of identified F0 parents (N, %)	15,300 (99.1)	-	-
RPs with 0 long-lived [#] parents (N, %)	8,293 (80.9)	-	-
RPs with 1 long-lived [#] parent (N, %)	1,849 (18.0)	-	-
RPs with 2 long-lived [#] parents (N, %)	113 (1.1)	-	-

Table 1. LINKS study population selected for females that gave birth to at least one child.

 $^{\alpha}$ In the case of multiple marriages, age at first marriage was considered. [#]Belonging to the top 10% survivors of their birth cohort. 15.3% (2,344) of the identified parents have a missing age at death.

334

335

336

	N (mean/proportion)	Beta (CI)	P-value
Age at last child (quantitative) Age at last child (qualitative)	10,255 (39.23)	0.06 (0.02- 0.10)	2.16 x 10 ⁻³
Group 0: \leq 40 years	5,190 (50.6)	REF	REF
Group 1: \geq 45 years	981 (9.6)	1.41 (0.71-2012)	9.07 x 10 ⁻⁵
Number of children (quantitative)	10,255 (7.12)	0.05 (-0.01-0.11)	7.63 x 10 ⁻²
Group 0: ≤ 4	2.990 (29.2)	REF	REF
Group 1: ≥ 10	2,771 (27.1)	0.61 (-0.03-1.25)	6.25 x 10 ⁻²

338 Table 2. Age at last child birth and number of offspring associates with female lifespan.

All analyses are adjusted for the maternal birth year and RPs age at marriage. In addition, our research design accounts for survival of RPs and their partner up to the age of 50 years and the number of marriages. Analyses are done using mixed-model linear regression using the lme4 and ImerTest package in R. Confidence intervals have been calculated in R with the "confint" function using the Wald method. 4 separate analyses have been done with age at death as outcome; 1 where age at last child (quantitative definition) was independent variable of interest, 1 where age at last child (qualitative definition) was independent variable of interest, 1 where number of children (quantitative definition) was independent variable of interest, 1 where number of children (stative definition) was independent variable of interest.

346

	N (mean/proportion)	IRR (CI)	P-value
<u>Age at last child</u>			
Number of long-lived parents			
0 long-lived parents	8,293 (80.9)	REF	REF
1 long-lived parent	1,849 (18.0)	0.99 (0.98-1.00)	5.28 x 10 ⁻²
2 long-lived parents	113 (1.1)	1.00 (0.97-1.03)	9.99 x 10⁻¹
RP long-lived			
No	8,014 (78.2)	REF	REF
Yes	2,241 (21.8)	1.01 (1.00-1.02)	2.75 x 10 ⁻³
<u>Number of children</u>			
Number of long-lived parents			
0 long-lived parents	8,293 (80.9)	REF	REF
1 long-lived parent	1,849 (18.0)	0.98 (0.96-1.01)	1.62 x 10 ⁻¹
2 long-lived parents	113 (1.1)	0.98 (0.89-1.08)	6.44 x 10 ⁻¹
RP long-lived			
No	8,014 (78.2)	REF	REF
Yes	2,241 (21.8)	1.02 (1.00-1.04)	9.19 x 10 ⁻²

Table 3. Association of age at last child birth and number of children with familial longevity.

All analyses are adjusted for the maternal birth year and RPs age at marriage. In addition, our research design accounts for survival of RPs and their partner up to the age of 50 years and the number of marriages. Analyses are done using mixed-model poissons regression using the lme4 and lmerTest package in R. Confidence intervals have been calculated in R with the "confint" function using the Wald method. 4 separate analyses have been done; 1 where age at last child was the outcome and the number of long lived parents was independent variable of interest, 1 where age at last child was the outcome and RP long-lived yes/no was independent variable of interest, and 1 where number of number of children was the outcome and the number of long lived parents was independent variable of children was the outcome and RP long-lived yes/no was independent variable of interest.

357 References

- 359 360 361 References 362 1. Laven JSE, Visser JA, Uitterlinden AG, Vermeij WP, Hoeijmakers JHJ. Menopause: Genome 363 stability as new paradigm. Maturitas. 2016; 92: 15-23. 364 2. Gagnon A, Smith KR, Tremblay M, Vézina H, Paré PP, Desjardins B. Is there a trade-off 365 between fertility and longevity? A comparative study of women from three large historical 366 databases accounting for mortality selection. Am J Hum Biol. 2009; 21: 533-540. 367 3. Gagnon A. Natural fertility and longevity. Fertil Steril. 2015; 103: 1109-1116. 368 4. Perls TT, Alpert L, Fretts RC. Middle-aged mothers live longer. *Nature*. 1997; 389: 133. 369 5. Smith KR, Gagnon A, Cawthon RM, Mineau GP, Mazan R, Desjardins B. Familial 370 aggregation of survival and late female reproduction. J Gerontol A Biol Sci Med Sci. 2009; 64: 371 740-744. 372 6. Westendorp RG, Kirkwood TB. Human longevity at the cost of reproductive success. 373 Nature. 1998; 396: 743-746. 374 7. Ruth KS, Day FR, Hussain J, Martínez-Marchal A, Aiken CE, Azad A, Thompson DJ, 375 Knoblochova L, Abe H, Tarry-Adkins JL, Gonzalez JM, Fontanillas P, Claringbould A, Bakker
- 376 OB, Sulem P, Walters RG, Terao C, Turon S, Horikoshi M, Lin K, Onland-Moret NC, Sankar A,

377	Hertz EPT, Timshel PN, Shukla V, Borup R, Olsen KW, Aguilera P, Ferrer-Roda M, Huang Y,
378	Stankovic S, Timmers PRHJ, Ahearn TU, Alizadeh BZ, Naderi E, Andrulis IL, Arnold AM,
379	Aronson KJ, Augustinsson A, Bandinelli S, Barbieri CM, Beaumont RN, Becher H, Beckmann
380	MW, Benonisdottir S, Bergmann S, Bochud M, Boerwinkle E, Bojesen SE, Bolla MK,
381	Boomsma DI, Bowker N, Brody JA, Broer L, Buring JE, Campbell A, Campbell H, Castelao JE,
382	Catamo E, Chanock SJ, Chenevix-Trench G, Ciullo M, Corre T, Couch FJ, Cox A, Crisponi L,
383	Cross SS, Cucca F, Czene K, Smith GD, de Geus EJCN, de Mutsert R, De Vivo I, Demerath EW,
384	Dennis J, Dunning AM, Dwek M, Eriksson M, Esko T, Fasching PA, Faul JD, Ferrucci L,
385	Franceschini N, Frayling TM, Gago-Dominguez M, Mezzavilla M, García-Closas M, Gieger C,
386	Giles GG, Grallert H, Gudbjartsson DF, Gudnason V, Guénel P, Haiman CA, Håkansson N, Hall
387	P, Hayward C, He C, He W, Heiss G, Høffding MK, Hopper JL, Hottenga JJ, Hu F, Hunter D,
388	Ikram MA, Jackson RD, Joaquim MDR, John EM, Joshi PK, Karasik D, Kardia SLR, Kartsonaki C,
389	Karlsson R, Kitahara CM, Kolcic I, Kooperberg C, Kraft P, Kurian AW, Kutalik Z, La Bianca M,
390	LaChance G, Langenberg C, Launer LJ, Laven JSE, Lawlor DA, Le Marchand L, Li J, Lindblom A,
391	Lindstrom S, Lindstrom T, Linet M, Liu Y, Liu S, Luan J, Mägi R, Magnusson PKE, Mangino M,
392	Mannermaa A, Marco B, Marten J, Martin NG, Mbarek H, McKnight B, Medland SE,
393	Meisinger C, Meitinger T, Menni C, Metspalu A, Milani L, Milne RL, Montgomery GW, Mook-
394	Kanamori DO, Mulas A, Mulligan AM, Murray A, Nalls MA, Newman A, Noordam R, Nutile T,
395	Nyholt DR, Olshan AF, Olsson H, Painter JN, Patel AV, Pedersen NL, Perjakova N, Peters A,
396	Peters U, Pharoah PDP, Polasek O, Porcu E, Psaty BM, Rahman I, Rennert G, Rennert HS,
397	Ridker PM, Ring SM, Robino A, Rose LM, Rosendaal FR, Rossouw J, Rudan I, Rueedi R,
398	Ruggiero D, Sala CF, Saloustros E, Sandler DP, Sanna S, Sawyer EJ, Sarnowski C, Schlessinger
399	D, Schmidt MK, Schoemaker MJ, Schraut KE, Scott C, Shekari S, Shrikhande A, Smith AV,
400	Smith BH, Smith JA, Sorice R, Southey MC, Spector TD, Spinelli JJ, Stampfer M, Stöckl D, van

401	Meurs JBJ, Strauch K, Styrkarsdottir U, Swerdlow AJ, Tanaka T, Teras LR, Teumer A,
402	Þorsteinsdottir U, Timpson NJ, Toniolo D, Traglia M, Troester MA, Truong T, Tyrrell J,
403	Uitterlinden AG, Ulivi S, Vachon CM, Vitart V, Völker U, Vollenweider P, Völzke H, Wang Q,
404	Wareham NJ, Weinberg CR, Weir DR, Wilcox AN, van Dijk KW, Willemsen G, Wilson JF,
405	Wolffenbuttel BHR, Wolk A, Wood AR, Zhao W, Zygmunt M, Biobank-based Integrative
406	Omics Study (BIOS) Consortium, eQTLGen Consortium, Biobank Japan Project, China
407	Kadoorie Biobank Collaborative Group, kConFab Investigators, LifeLines Cohort Study,
408	InterAct consortium, 23andMe Research Team, Chen Z, Li L, Franke L, Burgess S, Deelen P,
409	Pers TH, Grøndahl ML, Andersen CY, Pujol A, Lopez-Contreras AJ, Daniel JA, Stefansson K,
410	Chang-Claude J, van der Schouw YT, Lunetta KL, Chasman DI, Easton DF, Visser JA, Ozanne
411	SE, Namekawa SH, Solc P, Murabito JM, Ong KK, Hoffmann ER, Murray A, Roig I, Perry JRB.
412	Genetic insights into biological mechanisms governing human ovarian ageing. Nature. 2021;
413	
414	8. van den Berg N, van Dijk IK, Mourits RJ, Slagboom PE, Janssens AAPO, Mandemakers K.
415	Families in comparison: An individual-level comparison of life-course and family
416	reconstructions between population and vital event registers. <i>Popul Stud (Camb)</i> . 2021; 75:

417 91-110.

9. Schoenmaker M, de Craen AJM, de Meijer PHEM, Beekman M, Blauw GJ, Slagboom PE,
Westendorp RGJ. Evidence of genetic enrichment for exceptional survival using a family
approach: the Leiden Longevity Study. *Eur J Hum Genet.* 2006; 14: 79-84.

421	10. Schoenmaker M,	de Craen AJM,	, de Meijer PHEN	1, Beekman M,	, Blauw GJ, Sla	gboom PE,
-----	--------------------	---------------	------------------	---------------	-----------------	-----------

- 422 Westendorp RGJ. Evidence of genetic enrichment for exceptional survival using a family
- 423 approach: the Leiden Longevity Study. *Eur J Hum Genet.* 2006; 14: 79-84.
- 424 11. Beekman M, Blauw GJ, Houwing-Duistermaat JJ, Brandt BW, Westendorp RGJ, Slagboom
- 425 PE. Chromosome 4q25, microsomal transfer protein gene, and human longevity: novel data
- 426 and a meta-analysis of association studies. *J Gerontol A Biol Sci Med Sci.* 2006; 61: 355-362.
- 427 12. van den Berg N, Rodríguez-Girondo M, Mandemakers K, Janssens AAPO, Beekman M,
- 428 Slagboom PE. Longevity Relatives Count score identifies heritable longevity carriers and
- 429 suggests case improvement in genetic studies. *Aging Cell.* 2020; 19: e13139.
- 430 13. Choi SW, Mak TS, O'Reilly PF. Tutorial: a guide to performing polygenic risk score
- 431 analyses. *Nat Protoc*. 2020; 15: 2759-2772.
- 432 14. van den Berg N, Rodríguez-Girondo M, van Dijk IK, Mourits RJ, Mandemakers K, Janssens
- 433 AAPO, Beekman M, Smith KR, Slagboom PE. Longevity defined as top 10% survivors and
- 434 beyond is transmitted as a quantitative genetic trait. *Nat Commun.* 2019; 10: 35-0.
- 435 15. Helle S, Lummaa V, Jokela J. Are reproductive and somatic senescence coupled in
- 436 humans? Late, but not early, reproduction correlated with longevity in historical Sami
- 437 women. *Proc Biol Sci.* 2005; 272: 29-37.
- 438 16. Sun F, Sebastiani P, Schupf N, Bae H, Andersen SL, McIntosh A, Abel H, Elo IT, Perls TT.
- 439 Extended maternal age at birth of last child and women's longevity in the Long Life Family

440 Study. *Menopause*. 2015; 22: 26-31.

- 441 17. Müller HG, Chiou JM, Carey JR, Wang JL. Fertility and life span: late children enhance
- 442 female longevity. J Gerontol A Biol Sci Med Sci. 2002; 57: 202.
- 443 18. McArdle PF, Pollin TI, O'Connell JR, Sorkin JD, Agarwala R, Schäffer AA, Streeten EA, King
- 444 TM, Shuldiner AR, Mitchell BD. Does having children extend life span? A genealogical study
- of parity and longevity in the Amish. *J Gerontol A Biol Sci Med Sci.* 2006; 61: 190-195.
- 19. Jaffe D, Kogan L, Manor O, Gielchinsky Y, Dior U, Laufer N. Influence of late-age births on
- 447 maternal longevity. *Ann Epidemiol.* 2015; 25: 387-391.
- 448 20. Laven JSE. Early menopause results from instead of causes premature general ageing.
- 449 *Reprod Biomed Online*. 2022; 45: 421-424.
- 450 21. Sebastiani P, Bae H, Sun FX, Andersen SL, Daw EW, Malovini A, Kojima T, Hirose N,
- 451 Schupf N, Puca A, Perls TT. Meta-analysis of genetic variants associated with human
- 452 exceptional longevity. *Aging (Albany NY).* 2013; 5: 653-661.
- 453 22. Silber SJ, Kato K, Aoyama N, Yabuuchi A, Skaletsky H, Fan Y, Shinohara K, Yatabe N,
- 454 Kobayashi T. Intrinsic fertility of human oocytes. *Fertil Steril*. 2017; 107: 1232-1237.
- 455 23. Chiang JL, Shukla P, Pagidas K, Ahmed NS, Karri S, Gunn DD, Hurd WW, Singh KK.
- 456 Mitochondria in Ovarian Aging and Reproductive Longevity. Ageing Res Rev. 2020; 63:
- 457 101168.
- 458 24. Llarena N, Hine C. Reproductive Longevity and Aging: Geroscience Approaches to
- 459 Maintain Long-Term Ovarian Fitness. *J Gerontol A Biol Sci Med Sci*. 2021; 76: 1551-1560.

- 460 25. Sasaki H, Hamatani T, Kamijo S, Iwai M, Kobanawa M, Ogawa S, Miyado K, Tanaka M.
- 461 Impact of Oxidative Stress on Age-Associated Decline in Oocyte Developmental
- 462 Competence. *Front Endocrinol (Lausanne)*. 2019; 10: 811.
- 463 26. Henriksson P. Cardiovascular problems associated with IVF therapy. J Intern Med. 2021;
- 464 289: 2-11.
- 465 27. Yiallourou SR, Magliano D, Haregu TN, Carrington MJ, Rolnik DL, Rombauts L, Rodrigues
- 466 A, Ball J, Bruinsma FJ, Da Silva Costa F. Long term all-cause and cardiovascular disease
- 467 mortality among women who undergo fertility treatment. *Med J Aust.* 2022; 217: 532-537.
- 468 28. Bungum AB, Glazer CH, Arendt LH, Schmidt L, Pinborg A, Bonde JP, Tøttenborg SS. Risk of
- 469 hospitalization for early onset of cardiovascular disease among infertile women: a register-
- 470 based cohort study. *Hum Reprod.* 2019; 34: 2274-2281.
- 471