- preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.

 It is made available under a CC-BY 4.0 International license.
- 1 Title: Poverty Proofing healthcare: a qualitative study of barriers to accessing healthcare for low
- 2 income families with children in Northern England.
- 3 Short title: Barriers to accessing healthcare for low income families with children in Northern
- England. 4
- 5 **Authors:**
- 6 Elaine Bidmead^{1,2*}, Louise Hayes³, Emma Leggott⁴, Josephine Wildman^{5, 2, #a}, Judith Rankin^{5,2}, Luke
- 7 Bramhall⁴, Liz Todd⁶, Laura Mazzoli-Smith⁷
- 8 ¹ Institute of Health, University of Cumbria, Carlisle, Cumbria, United Kingdom.
- 9 ² National Institute for Health and Care Research (NIHR) Applied Research Collaboration (ARC), North
- 10 East and North Cumbria, Newcastle Upon Tyne, Tyne and Wear, United Kingdom.
- ³ National Institute for Health and Care Research (NIHR) Research Development Service (RDS) North 11
- 12 East and North Cumbria, Population Health Sciences Institute, Newcastle University, Newcastle upon
- 13 Tyne, Tyne and Wear, United Kingdom,
- 14 ⁴ Children North East, Newcastle upon Tyne, Tyne and Wear, United Kingdom.
- ⁵ Population Health Sciences Institute, Newcastle University, Newcastle upon Tyne, Tyne and Wear, 15
- 16 United Kingdom.
- 17 ⁶ School of Education, Communication and Language Sciences, Newcastle University, Newcastle
- 18 upon Tyne, United Kingdom.
- 19 ⁷ School of Education, Durham University, Durham, County Durham, United Kingdom.
- 20 #aCurrent address: ScotCen Social Research, Edinburgh, Scotland.
- 21 *Corresponding author
- elaine.bidmead@cumbria.ac.uk 22 NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

Abstract

Poverty impacts negatively on children's health and future life chances. Access to the UK's National Health Service (NHS) is based on clinical need rather than the ability to pay but horizontal inequities in access exist. Children North East, a charity supporting children experiencing poverty, wanted to develop a Poverty Proofing@ Health tool to help NHS services reduce the impacts of poverty on access. This study aimed to understand barriers to healthcare access faced by families living on low incomes to support development of the tool. Twenty parents and seven Voluntary Community Social Enterprise sector staff participated in qualitative interviews or focus groups. Data were analysed thematically, and three main themes were identified as impacting access to healthcare: hidden costs, securing appointments and developing relationships with healthcare providers. We conclude that low-income families experience both financial and other barriers to accessing NHS healthcare and that these barriers are exacerbated for low income families living in rural areas.

1. Introduction

Poverty is a major determinant of health and life opportunities that impacts negatively on children's futures. Poverty occurs when people's resources are well below their minimum needs [1]. A recent UK report shows that 'children born into the poorest fifth of families in the UK are almost 13 times more likely to experience poor health and educational outcomes by the age of 17 years' [2]. Children experiencing poverty are at greater risk of becoming overweight, developing asthma and having tooth decay, as well as performing poorly at school [3]. Poverty also increases the risk of poor mental health [4] and early adulthood mortality [5,6]. Children and young people in the UK report that poverty has a negative effect on their wellbeing and causes feelings of exclusion, shame and unfairness [7].

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

In 2021-2022, 29% of UK children lived in poverty [8]. In June 2023, the figure was substantially higher (35%) in the North East of England [9]. Poverty is a significant cause of the UK North-South divide in children's life chances as it limits access to the circumstances that help to ensure good health [10]. Children North East (CNE) is a charitable organisation founded to support children living in poverty. In 2011, children working with CNE identified an end to discrimination in school as their main priority. In response, CNE, with support from the North East Child Poverty Commission, developed 'Poverty Proofing© the school day'. This is an audit and action-plan development tool for schools which aims to remove poverty-related barriers to learning [11]. Access to the UK's National Health Service (NHS) is based on clinical need rather than an individual's ability to pay. It is free at the point of delivery irrespective of financial circumstances. However, 'horizontal inequities' exist in healthcare utilisation [12]. While poorer health in poorer people results in them consuming more healthcare (at every age), richer people tend to access healthcare at an earlier stage and consume more preventive and specialist care [12, 13]. This study aimed to identify barriers to healthcare access among families with children living on low incomes (commonly defined in the UK as below 60% of the median income [14]) with the objective of designing an action-plan toolkit for Poverty Proofing a range of healthcare settings. The work was conducted during a period when the NHS was experiencing service pressures due to increased demand from COVID-19, workforce issues, and the impacts of austerity. Comments during data collection made clear that these pressures had created a situation in which access to health services (such as appointments with dentists, General Practitioners (GPs) and hospitals) was challenging for many people, irrespective of financial circumstance. In this paper we focus on issues impacting access to healthcare that are amplified by low-income. The results presented informed the development of a Poverty Proofing audit tool.

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

2.3 Theory, design and setting

2. Material and methods The COnsolidated criteria for Reporting Qualitative research (COREQ) [15] were used to guide our research design; our COREQ checklist is attached as appendix A. 2.1 Sample and Recruitment Data collection was undertaken with parents on low-incomes and with professionals working in the Voluntary, Community and Social Enterprise (VCSE) sector who support people on low-incomes. Recruitment commenced 9 December 2021 and ended 16 June 2022. Parent participants were purposively recruited via VCSE organisations in the North East and North Cumbria. VCSE organisations were supplied with study information sheets which they shared with service users they identified as experiencing low-income (number unknown). Participants were offered a £20 gift voucher to thank them for their contribution. Twenty parents volunteered; none were known previously to the researchers. Three VCSE organisations working in health and wellbeing were contacted by email, supplied with a study information sheet, and invited to contribute to the research. Organisations were offered compensation of £20 per person participating. Eight staff members volunteered to participate. All were based in North Cumbria and two were known to EB previously. No participants dropped out. The number of parents/VCSE staff choosing not to participate is unknown. 2.2 Ethics Ethical approval for the study was granted by Newcastle University Research Ethics Committee (Reference: 2236/15258 Date: 23/11/2021). All participants were provided with written and verbal information about the study and invited to

ask questions prior to participating; all provided written informed consent before taking part.

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

This study employed a critical realist, contextualist approach to gather and understand participants' situated experiences of accessing NHS health services whilst living on low incomes. A topic guide was devised to structure and facilitate in-depth one-to-one interviews and focus groups; it was piloted with two parents and no amendments were made. The topic guide prompted participants to think about different aspects of healthcare, including getting appointments, accessing appointments, emergency situations, and staff attitudes; it also allowed participants to introduce issues significant to them. Data collection was undertaken by EB and LH. Both are female, mid-career researchers (educated to PhD level) trained and experienced in qualitative data collection methods and analysis. Researchers shared with participants their names, job roles, qualifications, and reasons for doing the research. Data were collected between December 2021 and June 2022; one round of data collection was undertaken. Interviews with parents were conducted via online video using Microsoft Teams or Zoom, six by LH and one by EB. Interviews lasted between 15 and 60 minutes and were recorded and fully transcribed. Four parent focus groups were conducted in community venues and facilitated in person by LH. Parent focus groups lasted between 40 and 60 minutes; three were audio-recorded and fully transcribed; notes were taken in the fourth. The interview and two focus groups with VCSE staff were conducted by EB via online video using Microsoft Teams; they lasted between 60 and 80 minutes and were recorded and fully transcribed. No others were present during data collection besides the researchers and participants. Transcripts were not shared with participants. 2.4 Analysis Anonymised transcripts were analysed using 'reflexive thematic analysis' [16]. Following familiarisation with the data, a sample of six transcripts were independently coded by two researchers (EB and LH), inductive codes emerged from the data; deductive codes aligned with the topic guide. The two researchers then met to discuss codes and construct initial themes. Having agreed the coding frame all transcripts were coded by one researcher (EB) using NVIVO. Following coding, initial themes and coded data were discussed at team meetings and the main themes were agreed.

3. Results

Semi-structured interviews were conducted with seven parents (all mothers) aged between 20-60 years, four of whom were lone parents. Thirteen parents (12 mothers and one father), aged 20-40 years, participated in one of three focus group discussions. Seven staff took part in focus group discussions and one in a semi-structured interview; all were female and aged over 30 years. The results presented below include illustrative quotations to provide rich and faithful accounts; each transcript was given an identity code to indicate whether data came from a parent interview (ParentInt), parent focus group (ParentFG), VCSE interview (VCSEInt) or VCSE focus group (VCSEFG). Contributors commented on the challenges of living in poverty which we discuss first. Next, we present thematic findings. We identified three main themes: hidden costs, securing appointments and developing relationships with healthcare providers. We then discuss contributors' awareness of sources of financial assistance for accessing healthcare followed by contributors' suggestions for improvements.

3.1 Living on a low income

Some parents shared the challenges of living with financial hardship. It was typically described as hard, stressful, embarrassing and stigmatising:

"It's a big struggle on a on a day-to-day basis ... It's like this week it's my, my poor week as I call it, I get like £63 today to last me a week and out of that I've got my bills to pay, my food to pay ... it's just impossible to live on." (ParentInt1)

Participants in ParentFG2 spoke about the embarrassment felt at having to ask for assistance due to financial hardship. ParentInt2 shared the stigmatising effects of poverty: "stigma about people claiming benefits, and 'Oh, you're useless,' and, 'You're timewasters and scroungers." They stressed

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

that they had always worked until their child was born with significant health needs and explained that they were "quite proud"; being asked to prove they were in need was highly embarrassing to them, for example: "You either have to print off a statement, which to me is embarrassing, because it's got every bit of how they break down how much you're going to get paid ... the other thing that I find quite embarrassing is, if, for example, my son's admitted into hospital, ... they'll ask me about what our situation is. Do I work or don't I work? And do we have social worker? ... And I feel that's quite probing ... I think there's a lot of things that could be improved on, to make you feel not as scummy about the way you are." (ParentInt2) VCSE contributors described what living in poverty meant to them. Descriptions highlighted both absolute poverty (reliance on food and clothing banks) and relative poverty (having to do without luxuries, holidays, family days out etc.). Living in financial hardship was thought to impact people's long-term health and resilience due to poor diet and limited social engagement (VCSEFG1). VCSE contributors also emphasised the stress caused by poverty and the complex, layering and cumulative impacts it has on families, which can become overwhelming. "Poverty ... It's an overwhelm with lots of different factors that eat you away, until you feel like you have few options." (VCSEInt1) "It's bad enough if you have a child with a physical need ... If you add on the fact that if there's poverty and you've got a battle with the health system ... you know it's all about those layers." (VCSEFG2) Like parents, VCSE contributors highlighted people's embarrassment about their financial situations because "families often feel judged" (VCSEFG2). Consequently, some attempt to hide or disguise the effects poverty has on their lives.

VCSEFG2 pointed to situations where the impacts of poverty may be misconstrued and understood instead as neglect. For example, one participant highlighted the practice of setting targets for parents during Child Protection or Child in Need Plan meetings, such as attending health appointments. They noted "if you weren't actually able to access the appointment because of difficulties getting there" then that may be seen as the parent not complying:

"Some families will go down the I can't afford it. Others won't say that because they'll be fearful of 'Well, if you can't afford to go to health ... what's happening there' and they will come over as disengaged and difficult when actually they can't, they cannot, actually manage to get there because of finance." (VCSEFG2)

3.2 Hidden Costs – financial barriers to accessing healthcare

3.2.1 Transport

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

Transport costs emerged as a major barrier to accessing healthcare for low-income families. Most could access GPs locally and so could attend relatively easily, but attending hospital appointments often involved longer journeys and several buses if undertaken by public transport, or excessive parking fees if undertaken by car.

Contributors indicated numerous times that the costs of transport to appointments were a concern to them and these costs increased exponentially for parents with multiple appointments, living in remote/rural areas, or having to travel long distances to access secondary care. There were also significant time implications for parents living in remote areas without access to a vehicle, one parent from a rural village elaborated:

"It's about 25, 26 mile away so like I say to get to [large town], you've either got to get a taxi ... to [small town] and then a train ... to [large town] ... or get a bus which takes about 45 minutes. The train takes about 10 minutes, but they don't run as often ... For a taxi into [small town] its £15 each way ... The train I think it's about £7 or £8 return now ... for both of

us, you're looking, by the time you get taxis and that, you're looking at 50 odd pound before you even get to the appointment [...] So, you have to cancel appointments or work around it." (ParentInt1)

In rural areas, people may be required to access secondary care at sites across the region, irrespective of where they live. Where people are referred is determined by the availability of appointments. However, people on low incomes face the dilemma of covering significant costs or delaying their healthcare:

"Where health authorities are trying to squeeze you in for an appointment and not make you wait, they will offer you say [hospital name] ... for some families, that's easy enough [but] often it's a choice of getting yourself over to another hospital ... taking the day off work or waiting maybe a month or two, you know, for your child to be seen, which is a really difficult decision to make [...] they say you aren't forced to go there, you can wait ... so that while you're not denied healthcare it will be delayed, not through your lack of engagement, not through you not putting your health or your children's needs first, it's because of the affordability of the offer of what your appointment looks like." (VCSEFG2)

When it comes to accessing tertiary care, such challenges are exacerbated. VCSEFG1 commented upon the number of people in North Cumbria having to travel "out of county" for treatment. For example, for specialist children's services, "Newcastle's the closest or … it's Manchester" (VCSEInt1). This entails expensive and time-consuming travel and potentially lost earnings if time off work is necessary. One parent in rural North Cumbria highlighted the journeys involved in accessing care for their child 'out of county':

"I went to see [consultant], so of course that incurred money for going across to [hospital in Newcastle], and then he asked for an MRI scan, which [hospital in North Cumbria] did, and then he sent me an appointment to have an MRI scan done with contrast, but at [another hospital in Newcastle]." (ParentInt2)

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

explains:

This means some people simply cannot afford to attend hospital appointments, a situation that is compounded where multiple appointments are involved. 3.2.2 Subsistence during hospital attendance Paying for food and drinks during hospital attendance emerged as a significant challenge for parents who could not afford the costs involved; this was an issue when children were outpatients and inpatients. Parents highlighted the limited options within hospitals to buy food, and stressed the expense of hospital food outlets: "Hospital food is not affordable ... I just had to find the money. My mam would help us out a lot. My daughter's grandad would help. But it is still too much to pay back." (ParentInt5) "Even getting a cuppa, it's like a fiver in the hospital." (ParentFG3) Costs increased when children were inpatients. It was reported that no food is given to parents staying with a child, no matter their age; parents reported living on "Sub-Way sandwiches" and "Pot Noodles - but I can't see it being nutritionally balanced" (ParentInt6). Two parents had experienced extended hospital stays when their babies were born with health complications. Both stayed in charitable accommodation at hospitals; these provided cooking and laundry facilities. However,

"There are so many costs that you just can't anticipate beforehand ... Obviously, food is a massive one ... just through time, I would have to eat in the canteen quite a lot, so I missed quite a lot of meals because of that [...] and I couldn't keep going back and forth to the accommodation because it is quite a way from the hospital, and I was expressing milk like 18-20 hours a day [...] You don't think, I should take toilet paper, or washing powder. Yeah, even now I probably can't think of half of the unexpected costs that came up [...] And then

neither regularly used these due to financial and time pressures which then impacted their ability to

eat healthily; both reported missing meals and not looking after themselves properly. ParentInt7

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

the cost of food is a lot higher because you've got to buy ready meals. We were buying stuff we would never normally eat because it was [fast], and of course it cost more." (ParentInt7) Whilst some preparedness may be expected for planned admissions, this is not possible with emergency admissions which were reported to trigger even more expenditure. VCSEInt1 highlighted the realities of emergency admissions for parents: "As we know from our stats, that's likely to be an ambulance admission. So, they're less likely to have what they need with them. They're less likely to have the people that they need with them [...] you'd be lucky if you find a vending machine. You'd be lucky if you've got the right change on you for the vending machine and you'd be lucky if the vending machine's got anything in it other than tea or coffee. I think you might find that a kind nurse might offer you a cup of tea and a piece of toast, if they're not rushed off their feet." This scenario was confirmed by parents, for example: "I didn't have a budget for when he got rushed into hospital, because nobody knew it was going to happen. So, then I was borrowing money and things like that, just to travel over there and back." (ParentInt1) On a positive note, two parents mentioned specific nurses or wards being helpful in terms of providing food and drinks, but this was dependent on the actions of individual staff members rather than hospital policy. 3.2.3 Discharge from hospital Participants highlighted the costs associated with discharge from hospital following an admission by ambulance. This is a particular issue when the emergency department is a significant distance from home and if discharge occurs when public transport is not operating. Hospital discharge "could be any time of the day; it could be at any time of the night" (VCSEFG2) and "Your only option for getting home without any transport would be a taxi" (VCSEInt1). Parent5 described attending emergency

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

departments several times; each visit requiring a taxi. Sometimes their child would be admitted, but at others they would give medication and discharge them, "so that would be another £30 taxi fare back home" (ParentInt5). 3.2.4 Parking costs For parents who owned a vehicle parking charges were a concern; they were said to be around "£2" or £3 an hour" which "obviously you don't have" (ParentFG3). This view was repeated by VCSEFG1 where it was mentioned that "parking is always an issue because of the extra costs parking brings" which caused stress "because you'd never know how long" you will need. ParentInt2, whose child was in hospital for several weeks, reported high parking charges when their partner drove from North Cumbria to Newcastle at weekends. After a time, somebody mentioned cheaper parking that could be used but this involved using a shuttle bus to the hospital, which took up time and was not available at weekends. 3.2.5 Impacts on income Some contributors spoke about lost income due to attending appointments with children. ParentInt2 reported losing pay from having to miss work when their child was ill because they did not "qualify for sick pay". ParentInt7 reported their spouse's employer was "good about giving some time off" when their child was in hospital but they "didn't actually get paid." A contributor in VCSEFG2 highlighted that some families cannot take time off work because it will affect social security payments. For others, having an ill child had resulted in them losing employment. Contributors in VCSEFG2 talked about several parents who gave up employment because they found working whilst caring for an ill child impossible and decided it was "too much to be able to juggle all these things and meet my child's needs". Another added that "the way that health services shape themselves impacts" because

people must choose between "working or putting children first"; they highlighted "the amount of

negotiation you have to do to try and get not every single health appointment in the middle of the day. You know, it's, it's impossible" (VCSEFG2).

3.3 Securing Appointments

3.3.1 Digital first

that everyone has a smart phone or internet access with unlimited calls/data. Parents questioned if people on low incomes did. For example, whilst some participants at ParentFG4 noted the easiest way to get a GP appointment was via an app, one shared that they did not have a smart phone nor access to a computer.

VCSE contributors referred to a digital divide wherein "you are less likely to have a laptop if you don't have the money" (VCSEFG1). COVID-19 was seen to have accelerated the move to digital first services, which many people have adapted to over time, but "other people haven't been able to just because they can't afford it" (VCSEFG1). A participant in VCSEFG2 pointed to the requirement to have a mobile phone to receive a code that enabled one to access lateral flow tests for COVID-19. VCSEInt1 noted that:

The issue of digital access to health services was raised on several occasions, as was the expectation

"We absolutely know that the majority of people [experiencing financial hardship] need face to face engagement because they need to build up trust with their caregiver and ... we do know that a lot of people will avoid digital connection and will only go for face-to-face connection because that's the way that they work. That's the way they've always operated." (VCSEInt1)

3.3.2 GP Appointments

Whilst not directly related to family poverty, almost all participants described difficulties in securing GP appointments, for example: "not being able to get appointments when you need them ... waiting weeks and weeks, and weeks" (ParentFG1). Others reiterated this experience; one "waited two

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

months" for a GP appointment regarding "a water infection" by which time "it was a kidney infection" (ParentFG1). VCSE contributors also highlighted the difficulties experienced by service users in getting appointments due to "massive waitlists, wait times" (VCSEInt1). Having to telephone the surgery for appointments was highlighted as problematic, participants described waiting on hold for long durations or having to call multiple times: "I was in the queue for half an hour or 45 minutes. And then she said, 'It's really busy, I can't give you an appointment, you can try tomorrow." (ParentInt4) "You're having to ring 30 to 90 times to get through ... I think the record is 124 to get an appointment one morning." (ParentInt6) Specific issues with telephone consultations were also reported. Contributors resented having to wait in for doctors to telephone as "they won't give you a time for them ringing you back ... you've got to be free all day. If you miss that day, then you've really had it" (ParentFG3). ParentInt1 reported similarly and commented "It stops me from ringing the doctors more times than enough to be fair" (ParentInt1). Two important factors emerged for low-income families alongside these issues. First was the cost of being on hold for extended durations. VCSE contributors pointed to an assumption that all patients have access to free calls on their home or mobile phones and have data for online access, which is not the case for families facing financial hardship, who are more likely to be on a basic landline tariffs or pay as you go and have limited data on their mobile phone. "If it's ringing, it's free and people just assume that people don't want that, and they don't want to be ringing, they want to be in a queue. But ... that starts the pennies ticking for people who have to pay for their calls." (VCSEFG2)

The second issue to emerge was that these difficulties discouraged people from trying to obtain appointments, potentially exacerbating conditions, with some choosing to access Accident and Emergency Departments instead:

"They're not even bothering ... because they can't get through to them. So, they won't even bother ringing, they won't ring for the children, they won't ring for their husbands and won't ring for themselves anymore and they will go, if it's an emergency, they would go to the hospital. But apart from that they've not even tried, they've just stopped ringing because they don't, they just don't see the point anymore." (VCSEFG1)

"The system seems quite complex to navigate, sometimes you've got to ring up and then listen to something ... some of my families find that really difficult, and they find it so frustrating. I've actually got a family who are more likely to ring, do a 999, you know, call a blue light, than actually, you know, ring through for ... a GP appointment." (VCSEFG2)

Contributors in VCSEFG1 also highlighted issues in getting appointments for those working in more than one job, non-standard hours or with inflexible employment terms who might not be able to take time off work, and for whom time off may result in loss of income. Consequently, parents had

3.3.3 Dental Appointments

The difficulties of accessing NHS dental care are a national problem that has been highlighted extensively in national media in recent months. Indeed, many people have little option but to access dental treatment privately "but that's not the case for people that don't have the money to do that" (VCSEFG1). However, even NHS treatment is expensive to those on low incomes. ParentInt5 explained that charges might prevent them from seeking treatment: "if I had to pay for that extra treatment, I wouldn't get it done" (ParentInt5).

not attended appointments "because they just couldn't get time off work" (VCSEFG1).

Moreover, participants in ParentFG4 reported routinely waiting 12-18 months for appointments for their children, during which time their oral health had deteriorated and children were in pain. This scenario was repeated in ParentFG3, for example: "Trying to get an appointment at the dentist is like a needle in a haystack. You can't get one"; "they said I couldn't get an appointment until next year".

Problems of access to NHS dentistry appeared greater in rural areas where many dental surgeries have closed resulting in people having extended journeys to access treatment, with ParentInt7 travelling 40 miles to access an NHS dentist. One VCSE contributor in VCSEFG1 suggested that poor dental health is once more becoming a marker of poverty.

3.3.4 Navigating and negotiating appointments

VCSE contributors commented on the difficulties some families face in navigating and negotiating health appointments. The healthcare system was described as a "minefield" involving complicated referral systems and criteria, and what often feels like arbitrary decision making. The system was said to be challenging to negotiate even for those with knowledge of it; for families without such knowledge, it can be debilitating and exhausting, as well as expensive and resource intensive due to having to make multiple telephone calls and searches for information:

"It feels like they're having to jump through the hoops ... they might be feeling are we at the bottom of the pile? Or is it just because of COVID? Or is it just that, you know, our needs are being ignored" (VCSEFG2).

VCSEInt1 highlighted people's inability or reluctance to advocate for their healthcare and that of their families as well as poor awareness of what is available to them "so they're not even accessing those support and services. You know they're not asking for the referral." VCSEInt1 ventured that few of us are "good at asking for help when we think we should" and most of us "leave it too late," but where there are poverty issues "you leave it even later".

3.3.5 Appointment times

Parents commented on the difficulty of getting children to appointments due to having no control over appointment times. Appointment times determined by healthcare providers often clashed with other responsibilities, such as taking other children to school and work. Some preferred appointments outside the school day to avoid missed education for children, but others preferred appointments during school times so they did not have to take the whole family with them.

ParentInt6, whose child was on a child protection plan, spoke about how hospital appointments could sometimes clash with requirements of the plan, but hospital appointments were not easy to change, "a lot of them are ... an afternoon clinic once a month or you have to go to this hospital 16 miles down the road". VCSEInt1 also commented on the difficulty of altering hospital appointment times, even where long journeys are involved, "I think you're entirely at the mercy of what comes through on the letter."

3.3.6 Childcare

Parents talked about challenges in finding suitable childcare so that they or their other children could attend appointments. Participants in ParentFG1 talked about the possibility of using breakfast or after school clubs, but this was more expense. Moreover, several parents reported not having anyone readily available to provide childcare. This situation was recognised by VCSE contributors who reported that childcare impacted access to healthcare for parents and children alike. Both VCSEFG1 and VCSEFG2 referred to whole families presenting at accident and emergency departments because they had no one to leave children with.

3.4 Relationships with healthcare providers

Some parents commented on difficulties they had experienced in forming trusting relationships with healthcare staff. Not receiving care consistently from the same healthcare professional and having to keep "explaining yourself over and over" was a particular issue for parents in ParentFG4. Parents offered little comment on healthcare providers' responses to poverty beyond recognising and

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

valuing moments where healthcare staff went out of their way to be helpful – for example, in the provision of food and drinks. All VCSE contributors were supportive towards healthcare staff and acknowledged the pressures facing the NHS, for example: most people's experiences of "health professionals have been positive; most people go into the job for the right reasons and are kind, caring and helpful" (VCSEInt1). Nonetheless, VCSE contributors held concerns over how healthcare providers respond to poverty: "organisationally there are obviously some issues" (VCSEFG2). Contributors in VCSEFG2 contemplated whether clinical staff were trained or supported to think explicitly about poverty; in their experience, where solutions to poverty issues had been presented it had been "individuals who've done that as opposed to a systemic approach". VCSEInt1 pointed to some healthcare staff that are "authoritative; don't really listen" which they felt was potentially related to "training issues and recruitment issues in medical school" in that so many "medical students are from private school" and that "GPs tend not to do their placements in deprived areas" (VCSEInt1). A contributor in VCSEFG2 pointed to an expectation within health services that patients can comply with available provision and when they cannot it is seen as a problem with the patient rather than the system. Another provided an example of when a single parent with four children did not take one of them to an "urgent appointment" because they had no childcare for the others. Whilst the parent had been supported to rearrange the appointment, their decision prompted involvement from other services: "So, [they] felt judged that, [they were not] able to get to that particular appointment at the correct time [because they] had made that decision that, actually, I can't leave my children alone, and I'm going to have to stay with them." (VCSEFG2)

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

convoluted."

VCSE contributors also pointed to issues with communications between patients and healthcare providers; they perceived that access to healthcare information was largely determined by an individual's ability to navigate and communicate with the system, which was particularly challenging to people with poor literacy, health literacy and digital access/skills. VCSEInt1 highlighted the lack of services to support people who are "overwhelmed or just don't quite understand or can't cope". 3.5 Awareness of financial assistance for health-related costs There was a general lack of awareness about sources of financial assistance for health-related costs. The provision of such information appeared arbitrary, with some people gaining awareness by good fortune and others never becoming aware of it. Participants in ParentFG4 commented about only finding out about support services and financial help by chance. ParentInt1 had "no idea about anything" and could not recall it ever having been mentioned. However, the idea of applying for assistance appeared burdensome: "If you've got to think about support on top of that to get to doctors and stuff like that, it's another thing you're having to constantly think about" (ParentInt1). In contrast, ParentInt6 was aware that hospital transport might be available "but you have to be ready two hours before and you could be waiting up to two hours after", which is not ideal when taking children. However, they reported that "if you ask about the transport, they can be quite shifty with you, especially if you're young ... we need to keep it for the older generation, as I've been told" (ParentInt6). ParentInt7, had claimed travel costs for hospital visits and explained that it was relatively easy at larger hospitals where "you can go straight to the cashier's office". However, there was no cash office at their local hospital, and this meant completing a form and waiting "about six months and then you get a cheque". ParentInt7 explained that they discovered they were entitled to financial support by searching on Google, although the information found was not particularly helpful and "so

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

VCSE informants held little awareness of how to access financial support for health-related costs. VCSEFG1 pointed to "the amount of time it takes to look for the resource and support you can access" and commented that people "just don't have the time to do that because you're too busy trying to live your life; trying to work". 3.6 Suggested improvements Several suggestions for how to improve access to healthcare for families living on low incomes were made. 3.6.1 Financial and practical assistance ParentInt2 commented on awareness of help with financial costs for healthcare. They stated that had they known they were entitled to help due to low-income then they would have claimed but suggested that although they had read about assistance "in one of the leaflets, for one of the hospitals", they were not sure whether they were entitled because "it doesn't say how, it doesn't say in what circumstances". Therefore, ParentInt2 felt that information on help with healthcare costs should be included in letters sent out by healthcare providers and Universal Credit, something that says, "If you're on this benefit, you can be entitled to this." Other parents suggested ways to help with subsistence. ParentInt6 suggested providing vouchers to use at food outlets. ParentInt7, who had stayed in charitable accommodation, suggested provision of a starter pack for parents with "some washing powder and toilet paper, all of that kind of stuff." Participants in ParentFG1 discussed being "embarrassed to ask" for things that would help but felt this would be easier if things were offered; they thought services should "offer, and overly offer." ParentInt7 was aware financial assistance was available but had found claiming "just so very hard" and "quite dehumanising"; they felt staff could be more helpful: "They were just sometimes so rude and horrible to you, that it almost prevented you from [claiming], I'd really think, do I really need...? Can I manage without this money? Because it

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

was horrible, absolutely horrible ... They should definitely not be making it difficult and making it feel like there's any stigma or anything. It's thinking about how to completely get rid of that." VCSE contributors all wanted increased awareness of financial support for healthcare costs. Contributors in VCSEFG1 identified knowledge about financial assistance to be a "big problem". VCSEInt1 believed that at the very least, people should be made aware of available financial support, but also about any flexibility there may be around appointment times which would make attendance cheaper and more achievable. VCSEFG2 suggested awareness of assistance was so low, even amongst VCSE staff, that research was needed to clarify "what support is available" and for it to become "habit that health providers include that in their letters". Both VCSEFG1 and VCSEFG2 suggested having leaflets and posters in areas of high footfall, schools, GP surgeries and all healthcare settings. Another contributor, in VCSEFG2, mentioned having seen posters on the doors of supermarket toilets which said "if you struggle to pay for sanitary products just go to customer service and ask for Sandy or something like that". The group believed something similar would work in healthcare settings. 3.6.2 System changes within healthcare VCSEInt1 wanted to see more flexibility around appointments times: "Because at the moment we just feel lucky if you get an appointment ... it's such a battle. But ... if you've got a long journey, and especially if you've got other caring responsibilities or employment responsibilities, the more flexibility the better." (VCSEInt1)

VCSEFG2 felt that patients should be able to "interact in the way that the doctor surgery wants you to at no cost." They also wanted pre-bookable GP appointments made available to families, which they thought important for planning transport, especially for fitting appointments around the school day and other children's care. Furthermore, for parents whose children have health conditions,

getting GP appointments can feel like a constant trial so pre-bookable appointments would ease their stress: "you know they're going to be going to the doctors in a month's time. So why not?"

VCSEFG1 believed improving access and care for low-income families required "a whole cultural system shift". VCSEInt1 highlighted the social and cultural (class) differences between senior healthcare professionals (i.e. GPs and consultants) and the communities they serve; they wanted medical students to experience more placements in deprived areas. In a similar vein, VCSEFG1 called for improved training for medical staff: "raising awareness about all these different kind of groups that don't get access and why they don't get access." VCSEFG2 felt similarly, "training is really important ... specifically about poverty and how that affects families." VCSEFG2 admitted to having little awareness of how much training in poverty issues different healthcare professionals receive and acknowledged that some professionals are "seeing those issues all the time and [are] really aware of that". Nevertheless, they felt training and awareness to be very important.

4. Discussion

The aim of this study was to identify barriers to healthcare access among families living on low incomes with the objective of designing an action-plan toolkit for poverty proofing healthcare settings used by children and their families. The following discussion summarises how the study has influenced the approach taken by CNE.

As a consultative model Poverty Proofing® Health (PPH) is grounded in the same ethos, principles and methodology as Poverty Proofing® the school day (table 1). However, the audit process for PPH has a wider training remit and a consultation phase that extends beyond the voice of the child to include a diverse range of people. This research provided evidence to strengthen CNE's existing audit approach to PPH, especially in the areas of staff training and suggested improvements, and the themes identified resonated with those CNE see in practice.

Table 1. Ethical principles of Poverty Proofing©

Voice	To achieve real social change it is imperative that the voice
	of those affected by poverty is central to understanding
	and overcoming the barriers faced
Place	Alongside hearing from people, the context of the
	community and place needs to be understood
Structural inequalities	Structural changes at an organisational level can be
	addressed or at least alleviated by eliminating the barriers
	that those in poverty face

Following the research phase, CNE completed several PPH audits across different healthcare settings (including GP Surgeries, Maternity services, Outpatients, Paediatric Diabetes, Palliative Care, Sexual Health and Speech and Language). Whilst the terminology differed across settings there were clear similarities between the thematic areas emerging in the audits and those identified in the research (see table 2). This developed our thinking beyond an action-plan toolkit and led us to develop a 'Common Themes Framework'. The framework presents CNE and the PPH audit process with a systematic, intelligence-led approach that underpins and sits across each of the five phases of the PPH audit process. How this translates into practice is explored below.

Table 2. Thematic Areas in Poverty Proofing® Health

Travel	Affordability; convenience; transport poverty
Navigating & Negotiating	Hidden costs; systems and processes; policy and
Appointments	procedure
Communication	Digitisation & digital inclusion; health literacy; responsivity
	to communication preferences, language and cultural

	support
Staff awareness	Staff knowledge, awareness and understanding of socio-
	economic circumstances and how to help; partnership
	arrangements and joined up working; culture, behaviour
	and attitudes of staff; practical help and support
Patient Empowerment	Patient voice and participation; access to support and
	education; patient perceptions
The additional costs of being ill	Specialist equipment; food and fuel costs, therapeutic,
	wellbeing and associated costs

5.1 The Development of a Common Themes Framework

A PPH audit has five phases, these are: (i) training and initial consultation with healthcare staff; (ii) scoping of the setting and how it works in practice; (iii) patient and community consultation; (iv) comprehensive report with recommendations; (v) review. In this section, we explain each phase, show how the common themes and suggested improvements that emerged in the research were integrated, and the impact this had.

5.1.1 Training

Research participants felt healthcare staff would benefit from training, specifically about poverty and how it affects families. Whilst PPH always contained training, this phase has been revised to embed the common themes with the aim of raising awareness amongst healthcare staff of the barriers people face in accessing healthcare (i.e., travel, subsistence, accessing appointments, navigating the health system and relationships with healthcare providers). Facilitated consultation at the end of training sessions allows CNE coordinators to frame the consultation around these common themes and to draw out how staff experience the challenges of poverty in their work. This is essential to co-production, building relationships and understanding both structural barriers and

the challenges staff face in delivering poverty informed services.

5.1.2 Scoping

A set of prompts, relating to the research themes, have been designed and implemented to ensure PPH coordinators are informed and consistent in observations, conversations and paper-based enquiries whilst scoping and orienting the work in relation to each setting. Our scoping now includes gaining an awareness of the healthcare setting's policies, processes and procedures that are most likely to impact families on low incomes (such as discharge policies and travel reimbursement schemes) and unpicking the mechanisms for signposting to support services, appointment booking systems and so on. This activity helps to discern between what is fact, what is policy and what is perception in both staff and members of the public.

5.1.3 Consultations

The 'Common Themes Framework' also feeds into the way questions are posed during community consultations to emphasise those issues amplified by living on a low income and navigate away from questions that focus on challenges relating to those wider NHS pressures that most people experience, irrespective of income. The questions are designed to ensure that all common themes are addressed in a systematic way, whilst also allowing space for new themes and underdeveloped areas to emerge.

5.1.4 Feedback & Reporting

A key feature of feedback and reporting is making recommendations and suggested improvements based on the findings from the PPH audit. CNE use a strengths-based approach that specifically seeks out what is working well in each setting and how it supports people living with poverty, as well as understanding the challenges and barriers to doing this. The improvements suggested by research participants are now included in a growing bank of recommendations that are drawn on when feeding back to organisations. PPH is delivered at place and the breadth and geography of settings

means recommendations cannot be standardised or generalizable. However, having a bank of recommendations helps with efficacy and consistency where findings are similar. For example, travel is a topic that arises frequently. Therefore, understanding that the NHS low-income scheme includes travel reimbursement and ensuring the process for this is shared clearly and personally is one practical example of how healthcare staff can help close the travel inequality gap. Another is around asking about finances, universally, as part of patient care as a way of opening up the conversation so the right support can be identified. If this question is not asked healthcare staff can be unaware of patients' financial difficulties and this can lead to assumptions, unconscious bias and missed opportunities to provide support.

5.1.5 Impact and Monitoring

The 'Common Themes Framework' is reflexive in its nature and there is space within it to respond and grow to accommodate new knowledge and themes as they emerge. Structuring each audit around common themes means findings can be quantified and analysed by locality, theme and setting type. This then contributes to a broader framework of monitoring impact at scale, providing insight into common themes that contribute to health inequality in a way that can be pinpointed and articulated to policy and decision makers.

5. Conclusion

Current pressures on the UK's NHS have resulted in access to healthcare being challenging to almost all who use it. For those living on low incomes these challenges are exacerbated in many ways, as demonstrated by this research. Our findings show that despite NHS services being free at the point of delivery, low income can be a barrier to accessing healthcare. Poverty restricts access to healthcare for children and perpetuates inequities in health, education and life opportunities. These barriers are not inevitable. The findings of this research have informed CNE's approach to working with healthcare providers to help them reduce the impacts poverty has on healthcare access using their 'Poverty Proofing© Health audit approach'. The development of a 'Common Themes

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

Framework' ensures audits across different settings are consistent, replicable, systematic and intelligence led. **Acknowledgements** The authors wish to acknowledge the parent and VCSE participants who contributed to this study and the VCSE organisations who helped us engage with families. We would also like to thank Lorna Nicoll from CNE for proofreading this paper. **Research Data** Due to the sensitive nature of the questions asked in this study and personal information shared, as well as our ethics approval, research participants were assured raw data would remain confidential and would not be shared. **Funding** The study was funded by the National Institute for Health and Care Research (NIHR) Applied Research Collaboration (ARC) North East and North Cumbria (NIHR200173). The NIHR ARC NENC played no role in the collection, analysis and interpretation of data, writing of the report, and in the decision to submit the article for publication; the views expressed are those of the author(s) and not necessarily those of the NIHR or the Department of Health and Social Care. References [1] D'Arcy C, Goulden C. A definition of poverty. Joseph Rowntree Foundation. 2012. Available from: https://www.jrf.org.uk/report/definition-poverty. [2] Mon-Williams M, Wood ML, et al. (2023). Addressing Education and Health Inequity: Perspectives from the North of England. A report prepared for the Child of the North APPG [Internet]. 2023 [cited

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

https://nechildpoverty.org.uk/.

13 September 2023]. Available from: https://www.healthequitynorth.co.uk/app/uploads/APPG-REPORT-SEPT-23.pdf. [3] Wickham S, Anwar. E, Barr B, Law C, Taylor-Robinson D. Poverty and child health in the UK: using evidence for action. Arch. Dis. Child. 2016; 101(8):759-766. https://doi.org/10.1136/archdischild-2014-306746. [4] Wykes T, Bell A, Carr S, Coldham T, Gilbody S, Hotopf M, et al. Shared goals for mental health research: What, why and when for the 2020s. J Ment Health [internet]. 2021 March [cited 9 August 2023]. https://doi.org/10.1080/09638237.2021.1898552. [5] Rod NH, Bengtsson J, Budtz-Jorgensen E, Clipet-Jensen C, Taylor-Robinson D, Nybo A, et al. Trajectories of childhood adversity and mortality in early adulthood: a population-based cohort study, Lancet. 2020;396(10249):489-497. https://doi.org/10.1016/S0140-6736(20)30621-8 [6] Dyer F. The Good Childhood Report, Supporting the well-being of children and young people, a worship resource for churches and church groups. The Children's Society [Internet]. 2019 [cited 9 August 2023]. Available from: https://southwark.anglican.org/wp-content/uploads/2020/12/Good-Childhood-Whole-Church.pdf. [7] Bidmead E, El Zerbi C, Cheetham M Frost S. A rapid review of children and young people's views of poverty and welfare in the context of Universal Credit. Child Soc 00. [Preprint] 2023. Available from: https://doi.org/10.1111/chso.12728. [8] Child Poverty Action Group, Child Poverty Facts and Figures [Internet]. 2023 [cited 9 August 2023]. Available from: https://cpag.org.uk/child-poverty/child-poverty-facts-and-figures. [9] North East Child Poverty Commission, New government figures show North East child poverty remains shockingly high [Internet]. 2023 [cited 9 August 2023]. Available from:

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

[10] Pickett K, et al. Child of the North: Building a fairer future after COVID-19. 2021. Northern Health Science Alliance and N8 Research Partnership [Internet]. 2021 [cited 9 August 2023]. Available from: https://www.thenhsa.co.uk/app/uploads/2022/01/Child-of-the-North-Report-FINAL-1.pdf. [11] Mazzoli Smith L, Todd L. Poverty proofing the school day: evaluation and development report [Internet] 2016 [cited 9 August 2023]. Available from: https://eprints.ncl.ac.uk/file store/production/232454/86F983AD-4159-4FE1-9F37-3B567F2182C2.pdf. [12] Morris S, Sutton M, Gravelle H. Inequity and inequality in the use of healthcare in England: an empirical investigation. Soc Sci Med 60(6), (2005) 1251–1266. https://doi.org/10.1016/j.socscimed.2004.07.016. [13] Cookson R, Propper RC, Asaria M, Raine R. Socio-Economic Inequalities in Healthcare in England, Fisc Stud 37(3-4), (2016) 371–403. https://doi.org/10.1111/j.1475-5890.2016.12109. [14] Francis-Devine B. Research Briefing: Poverty in the UK: statistics, House of Commons Library [Internet] 2023 [cited 9 August 2023]. Available from: https://commonslibrary.parliament.uk/research-briefings/sn07096/. [15] Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups. Int J Qual Healthcare. 2007 19(6):349 – 357. https://doi.org/10.1093/intqhc/mzm042.

[16] Braun V, Clarke V. Thematic analysis: a practical guide. Los Angeles: SAGE; 2021.