

## *SUPPLEMENTAL DATA.*

# **The spectrum of antibacterial activity of human defensins and cathelicidin against gram-positive and gram-negative bacterial strains isolated from hospitalized patients**


**Albert Bolatchiev**

Department of Clinical Pharmacology, Stavropol State Medical University, Stavropol, Russian Federation

\*Corresponding author, Department of Clinical Pharmacology, Stavropol State Medical University, Mira street 310, Stavropol, Russian Federation, +7 928 820 55 51, bolatalbert@gmail.com

### *Synergy tests by chequerboard assays results*

*Legends for all the tables:*

White cells  – no bacterial growth.

Gray cells  – the visual presence of colony growth.

C-1 – control-1 – only 2.1% Mueller-Hinton broth (200 µl per well, without bacteria and antimicrobial agents).

C-2 – control-2 – only bacterial inoculum (200 µl per well, without antimicrobial agents).

C-3 – control-3 – only antimicrobial peptides (200 µl) without inoculum at maximal concentrations.

C-4 – control-4 – only vancomycin (for *E. faecalis* and *S. aureus*) or imipenem (for *E. coli*, *K. pneumoniae*, and *P. aeruginosa*) (200 µl) at maximal concentrations.

Table <b>S1</b>	<i>E. faecalis</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	HNP-1 (mg/L)										

Table <b>S2</b>	<i>E. faecalis</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	hBD-1 (mg/L)										

Table <b>S3</b>	<i>E. faecalis</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	hBD-3 (mg/L)										

Table <b>S4</b>	<i>E. faecalis</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	LL-37 (mg/L)										

Table <b>S5</b>	<i>S. aureus</i> (MSSA)										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0.0625										
	0										
	0	0.125	0.25	0.5	1	2	4	8	16	32	
	HNP-1 (mg/L)										

Table <b>S6</b>	<i>S. aureus</i> (MSSA)										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0.0625										
	0										
	0	0.125	0.25	0.5	1	2	4	8	16	32	
	hBD-1 (mg/L)										

Table <b>S7</b>	<i>S. aureus</i> (MSSA)										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0.0625										
	0										
	0	0.125	0.25	0.5	1	2	4	8	16	32	
	hBD-3 (mg/L)										



Table <b>S8</b>	<i>S. aureus</i> (MSSA)										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0.0625										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	LL-37 (mg/L)										

Table <b>S9</b>	<i>S. aureus</i> (MRSA)										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	HNP-1 (mg/L)										

Table <b>S10</b>	<i>S. aureus</i> (MRSA)										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	hBD-1 (mg/L)										

Table <b>S11</b>	<i>S. aureus</i> (MRSA)										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	hBD-3 (mg/L)										

Table <b>S12</b>	<i>S. aureus</i> (MRSA)										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Vancomycin (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	LL-37 (mg/L)										

Table <b>S13</b>	<i>E. coli</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	HNP-1 (mg/L)										

Table <b>S14</b>	<i>E. coli</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	hBD-1 (mg/L)										

Table <b>S15</b>	<i>E. coli</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0.0625										
	0										
	0	0.125	0.25	0.5	1	2	4	8	16	32	
	hBD-3 (mg/L)										



Table <b>S16</b>	<i>E. coli</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	LL-37 (mg/L)										

Table <b>S17</b>	<i>K. pneumoniae</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	HNP-1 (mg/L)										

Table <b>S18</b>	<i>K. pneumoniae</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	hBD-1 (mg/L)										

Table <b>S19</b>	<i>K. pneumoniae</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	hBD-3 (mg/L)										

Table <b>S20</b>	<i>K. pneumoniae</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	LL-37 (mg/L)										

Table <b>S21</b>	<i>P. aeruginosa</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	HNP-1 (mg/L)										

Table <b>S22</b>	<i>P. aeruginosa</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	hBD-1 (mg/L)										

Table <b>S23</b>	<i>P. aeruginosa</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	hBD-3 (mg/L)										



Table <b>S24</b>	<i>P. aeruginosa</i>										
	C-1	C-1	C-2	C-2	C-3	C-3	C-4	C-4			
Imipenem (mg/L)	5										
	2.5										
	1										
	0.5										
	0.25										
	0.125										
	0										
		0	0.125	0.25	0.5	1	2	4	8	16	32
	LL-37 (mg/L)										