

## The TIDieR (Template for Intervention Description and Replication) Checklist\*:

Information to include when describing an intervention and the location of the information

| Item number | Item  | Where located **                        |                   |
|-------------|---|---|-------------------|
|             |   | Primary paper (page or appendix number) | Other † (details) |
| 1.          | <b>BRIEF NAME</b><br>Provide the name or a phrase that describes the intervention.  | 1                                       |                   |
| 2.          | <b>WHY</b><br>Describe any rationale, theory, or goal of the elements essential to the intervention.  | 1, 4-5                                  |                   |
| 3.          | <b>WHAT</b><br>Materials: Describe any physical or informational materials used in the intervention, including those provided to participants or used in intervention delivery or in training of intervention providers.<br>Provide information on where the materials can be accessed (e.g. online appendix, URL). | 4-6                                     | Text S2 SDC 1     |
| 4.          | Procedures: Describe each of the procedures, activities, and/or processes used in the intervention, including any enabling or support activities.   | 4-6, Figure 3, 23                       | Text S2 SDC 1     |
| 5.          | <b>WHO PROVIDED</b><br>For each category of intervention provider (e.g. psychologist, nursing assistant), describe their expertise, background and any specific training given.   | 5-6                                     |                   |
| 6.          | <b>HOW</b><br>Describe the modes of delivery (e.g. face-to-face or by some other mechanism, such as internet or telephone) of the intervention and whether it was provided individually or in a group.  | 5-6                                     |                   |
| 7.          | <b>WHERE</b><br>Describe the type(s) of location(s) where the intervention occurred, including any necessary infrastructure or relevant features.   | 3, 6                                    |                   |

|      |   |                 |  |
|------|---|-----------------|--|
|      | <b>WHEN and HOW MUCH</b>  |                 |  |
| 8.   | Describe the number of times the intervention was delivered and over what period of time including the number of sessions, their schedule, and their duration, intensity or dose. | Figure 1, 6, 23 |  |
|      | <b>TAILORING</b>  |                 |  |
| 9.   | If the intervention was planned to be personalised, titrated or adapted, then describe what, why, when, and how.  | 9               | Text S1 & S2<br>SDC 1, Halicka et al. 2020, BMC Neurol, p. 4 |
|      | <b>MODIFICATIONS</b>  |                 |  |
| 10.* | If the intervention was modified during the course of the study, describe the changes (what, why, when, and how).   | NA              |  |
|      | <b>HOW WELL</b>   |                 |  |
| 11.  | Planned: If intervention adherence or fidelity was assessed, describe how and by whom, and if any strategies were used to maintain or improve fidelity, describe them.            | 5-6, 33         | Halicka et al. 2020, BMC Neurol, p. 6-7                      |
| 12.* | Actual: If intervention adherence or fidelity was assessed, describe the extent to which the intervention was delivered as planned.   | Table 1, 23-24  | Table S1 SDC 2   |

\*\* **Authors** - use N/A if an item is not applicable for the intervention being described. **Reviewers** – use ‘?’ if information about the element is not reported/not sufficiently reported.

† If the information is not provided in the primary paper, give details of where this information is available. This may include locations such as a published protocol or other published papers (provide citation details) or a website (provide the URL).

‡ If completing the TIDieR checklist for a protocol, these items are not relevant to the protocol and cannot be described until the study is complete.

\* We strongly recommend using this checklist in conjunction with the TIDieR guide (see *BMJ* 2014;348:g1687) which contains an explanation and elaboration for each item.

\* The focus of TIDieR is on reporting details of the intervention elements (and where relevant, comparison elements) of a study. Other elements and methodological features of studies are covered by other reporting statements and checklists and have not been duplicated as part of the TIDieR checklist. When a **randomised trial** is being reported, the TIDieR checklist should be used in conjunction with the CONSORT statement (see [www.consort-statement.org](http://www.consort-statement.org)) as an extension of **Item 5 of the CONSORT 2010 Statement**. When a **clinical trial protocol** is being reported, the TIDieR checklist should be used in conjunction with the SPIRIT statement as an extension of **Item 11 of the SPIRIT 2013 Statement** (see [www.spirit-statement.org](http://www.spirit-statement.org)). For alternate study designs, TIDieR can be used in conjunction with the appropriate checklist for that study design (see [www.equator-network.org](http://www.equator-network.org)).