

**Supplementary Table 1. Model selection**

	Observed	Full model	Parsimonious model
Group distribution	—	<i>a, v, zr, Ter</i>	<i>a, v</i>
Deviance information criterion	—	12412	12410
Proportion of “same” responses	0.51	0.5±0.48; 0.23	0.5±0.48; 0.23
Response time distribution for “different” responses			
Mean	0.85	0.70±0.34; 0.14	0.70±0.35; 0.14
10 <sup>th</sup>	0.27	0.39±0.23; 0.07	0.39±0.24; 0.07
30 <sup>th</sup>	0.41	0.50±0.26; 0.08	0.50±0.26; 0.08
50 <sup>th</sup>	0.57	0.62±0.31; 0.10	0.62±0.31; 0.10
70 <sup>th</sup>	0.83	0.79±0.39; 0.16	0.79±0.4; 0.16
90 <sup>th</sup>	1.49	1.10±0.60; 0.51	1.10±0.60; 0.51
Response time distribution for “same” responses			
Mean	0.74	0.67±0.34; 0.12	0.67±0.34; 0.12
10 <sup>th</sup>	0.26	0.37±0.23; 0.07	0.37±0.23; 0.06
30 <sup>th</sup>	0.39	0.48±0.26; 0.08	0.48±0.26; 0.07
50 <sup>th</sup>	0.53	0.60±0.31; 0.10	0.60±0.31; 0.10
70 <sup>th</sup>	0.76	0.76±0.39; 0.16	0.76±0.39; 0.15
90 <sup>th</sup>	1.41	1.07±0.60; 0.48	1.07±0.60; 0.48

For each model, the parameters with group distributions are reported:  $a$  is the response threshold,  $\nu$  the drift rate,  $zr$  the relative bias and  $Ter$  the non-decision time. The deviance information criterion is reported for each model. Posterior predictive check summary statistics for the data simulated with the full and parsimonious models are also reported. For models, [mean  $\pm$ standard deviation; mean square error] are reported for the mean response time and the 10<sup>th</sup>, 30<sup>th</sup>, 50<sup>th</sup>, 70<sup>th</sup> and 90<sup>th</sup> percentiles of the response time distributions for each type of response (“same” and “different”), for comparison with the values reported for the observed data.