

Vignettes					Ada app results			Gold standard matching condition suggestion is coloured green (the first matching condition only is counted and annotated by colouring), reasonable condition suggestions are coloured blue (but not are not counted as matches) and inaccurate condition suggestions are coloured orange.					matches in top-1	matches in top-3	matches in top-5 (and top-10)	
Hill et al. (2020) vignette number	Gold standard diagnosis	Vignette in Semigran study	Vignette in lay terminology, as used in Hill et al. (2020)	Common condition	Is it likely the diagnosis will appear in top 3 results?	Gold standard triage (E) - EMERGENCY (U) - URGENT (NU) - NON-URGENT (SC) - SELF-CARE	OVERALL Ada Advice level (gold standard matching advice is coloured blue, over-conservative advice green, under-conservative advice orange)	Advice match score	Ada condition suggestion 1	Ada condition suggestion 2	Ada condition suggestion 3	Ada condition suggestion 4	Ada condition suggestion 5	matches in top-1	matches in top-3	matches in top-5 (and top-10)
1	Acute liver failure (acetaminophen poisoning acceptable). Triage could be emergency or urgent.	A 48-year-old woman with a history of migraine headaches presents to the emergency room with altered mental status over the last several hours. She was found by her husband, earlier in the day, to be acutely disoriented and increasingly somnolent. On physical examination, she has scleral icterus, mild right upper quadrant tenderness, and asterix. Preliminary laboratory studies are notable for a serum ALT of 6498 units/L, total bilirubin of 5.6 mg/dL, and INR of 6.8. Her husband reports that she has consistently been taking pain medications and started taking additional 500 mg acetaminophen pills several days ago for lower back pain. Further history reveals a medication list with multiple acetaminophen-containing preparations.	48-year-old female with history of migraines. Confused. Disoriented. Increasingly sleepy. Mild right upper abdomen tenderness. Has been on various pain medications and has been taking more paracetamol over the last few days because of lower back pain. Chief complaint = confusion	Yes	No	Requires emergency care (E)	call ambulance	1	Hepatic encephalopathy	Delerium	Acute Liver failure	Brief psychotic disorder	Focal seizure	0	1	1
2	Appendicitis	A 12-year-old girl presents with sudden-onset severe generalised abdominal pain associated with nausea, vomiting, and diarrhoea. On exam she appears ill and has a temperature of 104°F (40°C). Her abdomen is tense with generalised tenderness and guarding. No bowel sounds are present.	12-year-old female. Sudden, severe abdominal pain. Feels sick (nausea). Had vomiting and diarrhoea. Temperature 40°C. Chief complaint = abdominal pain	Yes	Yes	Requires emergency care (E)	emergency care	1	Acute pancreatitis	Acute appendicitis	viral gastroenteritis (less likely cause)	none-given	none-given	0	1	1
3	Asthma (or acute asthma, status asthmaticus, exacerbation of asthma)	A 27-year-old woman with a history of moderate persistent asthma presents to the emergency room with progressive worsening of shortness of breath, wheezing, and cough over 3 days. She reports prior exposure to a person who had a runny nose and a hacking cough. She did not receive significant relief from her rescue inhaler with worsening symptoms, despite increased use. She has been compliant with her maintenance asthma regimen, which consists of an inhaled corticosteroid and a leukotriene receptor antagonist for maintenance therapy and albuterol as rescue therapy. Her cough is disrupting her sleep pattern and as a consequence she is experiencing daytime somnolence, which is affecting her job performance.	27-year-old female. History of asthma. Progressively worsening shortness of breath, wheezing and coughing over 3 days. Not responding to inhalers. Cough disturbing her sleep and is sleepy in the daytime. Chief complaint = shortness of breath/ breathing problem	Yes	Yes	Requires emergency care (E)	call ambulance	1	Acute respiratory failure	Asthma	Acute respiratory distress syndrome	Foreign body inhalation	Hyperventilation syndrome	0	1	1
4	COPD exacerbation (severe) (diagnosis may include acute bronchitis) Triage could be emergency or urgent	A 67-year-old woman with a history of COPD presents with 3 days of worsening dyspnoea and increased frequency of coughing. Her cough is now productive of green, purulent sputum. The patient has a 100-pack-year history of smoking. She has had intermittent, low-grade fever of 100°F (37.7°C) for the past 3 days and her appetite is poor. She has required increased use of rescue bronchodilator therapy in addition to her maintenance medications to control symptoms.	67-year-old female. History of chronic obstructive pulmonary disease (COPD). 3 days of worsening shortness of breath and cough with green phlegm. Mild fever. (37.7°C) Poor appetite. Increased use of bronchodilator/salbutamol in addition to normal treatment. Smoker (if asked). Chief complaint = shortness of breath/ breathing problem	Yes	Yes	Requires emergency care (E)	emergency care	1	COPD	Pneumonia	Myocardial infarction (less likely cause)	none-given	none-given	1	1	1
5	Haemolytic uremic syndrome	A 4-year-old boy presents with a 7-day history of abdominal pain and watery diarrhoea that became bloody after the first day. Three days before the onset of symptoms, he had visited the county fair with his family and had eaten a hamburger. Physical examination reveals a mild anaemia	4-year-old male. 7 days of stomach pain. Blood in diarrhoea. (Only if asked) 3. Ate a hamburger at a fair 3 days before stomach-ache began. Chief complaint = diarrhoea	No	No	Requires emergency care (E)	primary care 4 hours	0	Amebiasis	Ulcerative colitis	Crohn's disease	Ascariis lumbricoides (roundworm) infection	Meckel's diverticulum	0	0	0
6	Myocardial infarction (heart attack)	Mr. Y is a 64-year-old Chinese male who presents with chest pain for 24 hours. One day before presentation, the patient began to experience 8/10, non-radiating substernal chest pressure associated with diaphoresis and shortness of breath. The pain initially improved with Tylenol, however over the following 24 hours, his symptoms worsened. The patient went to his primary physician, where an EKG was performed which showed ST elevation in leads V2-V6.	64-year-old male. 1 day of chest pain (8/10 pain). Pain does not move elsewhere. Sweating. Breathless. Feels tightness in mid chest (include if asked, as this was an added symptom in Semigran article). Chief complaint = chest pain	Yes	Yes	Requires emergency care (E)	call ambulance	1	Heart attack	Collapsed lung	broken rib	unstable angina pectoris	acute respiratory failure	1	1	1
7	Ureteric stones (kidney stones)	A 45-year-old white man presents to the emergency department with a 1-hour history of sudden onset of left-sided flank pain radiating down toward his groin. The patient is writhing in pain, which is unrelieved by position. He also complains of nausea and vomiting.	45-year-old male. 1 hour of severe left-sided lower back pain radiating to groin. Feels sick. Vomiting. Pain unrelieved by position. Chief complaint = Back pain	Yes	Yes	Requires emergency care (E)	emergency care	1	Kidney stones	Acute sciatica	Ruptured abdominal aortic aneurism	none-given	none-given	1	1	1
8	Malaria	A 28-year-old man presents to his physician with a 5-day history of fever, chills, and rigors, not improving with acetaminophen (paracetamol), along with diarrhoea. He had been traveling in Central America for 3 months, returning 8 weeks ago. He had been bitten by mosquitoes on multiple occasions, and although he initially took malaria prophylaxis, he discontinued it due to mild nausea. He does not know the specifics of his prophylactic therapy. On examination he has a temperature of 100.4°F (38°C) and is mildly tachycardic with a BP of 126/82 mmHg. The remainder of the examination is normal.	28-year-old male. 5 days of chills, shivering, diarrhoea. (Only if asked by symptom checker - America) Recently been overseas to New Guinea. Was bitten by mosquitoes. Didn't regularly take anti-malaria medication). Chief complaint = fever	No	No	Requires emergency care (E)	call ambulance	1	Campylobacter gastroenteritis	Salmonella gastroenteritis	Thyrotoxic storm	Viral stomach bug in adults	Kidney infection	0	0	0
9	Meningitis	An 18-year-old male student presents with severe headache and fever that he has had for 3 days. Examination reveals fever, photophobia, and neck stiffness.	18-year-old male. 3 days of severe headache. Fever, sore neck and light sensitivity. Chief complaint = headache	Yes	Yes	Requires emergency care (E)	emergency care	1	Viral meningitis	Bacterial meningitis	Acute encephalitis	Subarachnoid hemorrhage	Brain abscess	1	1	1
10	Pulmonary embolism	A 65-year-old man presents to the emergency department with acute onset of short of breath of 30 minutes' duration. Initially, he felt faint but did not lose consciousness. He is complaining of left-sided chest pain that worsens on deep inspiration. He has no history of cardiopulmonary disease. A week ago, he underwent a total left hip replacement and, following discharge, was on bed rest for 3 days due to poorly controlled pain. He subsequently noticed swelling in his left calf, which is tender on examination. His current vital signs reveal a fever of 100.4°F (38.0°C), heart rate 112 bpm, BP 95/65, and an O2 saturation on room air of 91%.	65-year-old male. Breathless for last 30 minutes. Chest pain on left side which is worse when breathing in. Had recent surgery, with bedrest. Has a swollen left calf which is painful. Has a fever. No history of heart disease. Chief complaint = shortness of breath/ breathing problem	Yes	Yes	Requires emergency care (E)	call ambulance	1	Pulmonary embolism	Myocardial infarction (less likely)	Sudden severe inflammation of the lungs (less likely)	none-given	none-given	1	1	1
11	Stroke	A 70-year-old man with a history of chronic hypertension and atrial fibrillation is witnessed by a family member to have nausea, vomiting, and right-sided weakness, as well as difficulty speaking and comprehending language. The symptoms started with only mild slurred speech before progressing over several minutes to severe aphasia and right arm paralysis. The patient is taking warfarin.	70-year-old male. History of high blood pressure and atrial fibrillation. Feels sick. Vomiting. Weak down right side. Right arm paralysed. Has trouble speaking and is confused. Takes warfarin. Chief complaint = weak right arm	Yes	Yes	Requires emergency care (E)	call ambulance	1	Haemorrhagic stroke	Ischaemic stroke	Mini stroke	Brainstem stroke	none-given	1	1	1
12	Tetanus 1,9	A 63-year-old man sustained a cut on his hand while gardening. His immunisation history is significant for not having received a complete tetanus immunisation schedule. He presents with signs of generalised tetanus with trismus ('lock jaw'), which results in a grimace described as 'risus sardonius' (sardonic smile). Intermittent tonic contraction of his skeletal muscles causes intensely painful spasms, which last for minutes, during which he retains consciousness. The spasms are triggered by external (noise, light, drafts, physical contact) or internal stimuli, and as a result he is at the risk of sustaining fractures or developing rhabdomyolysis. The tetanic spasms also produce opisthotonos, board-like abdominal wall rigidity, dysphagia, and apnoeic periods due to contraction of the thoracic muscles and/or glottal or pharyngeal muscles. During a generalised spasm the patient arches his back, extends his legs, flexes his arms in abduction, and clenches his fists. Apnoea results during some of the spasms. Autonomic overactivity initially manifests as irritability, restlessness, sweating, and tachycardia. Several days later this may present as hyperpyrexia, cardiac arrhythmias, labile hypertension, or hypotension.	65-year-old male. Cannot open mouth. Muscles at a time. Sweating. Fast heart rate. Has cut his hand while gardening and did not get a tetanus injection. Chief complaint = muscle spasms	No	Yes	Requires emergency care (E)	call ambulance	1	Tetanus	Inflammation of the spinal cord (Less likely causes)	Volume depletion (Less likely causes)	none-given	none-given	1	1	1
13	Hendra virus	not provided	29-year-old female. High fever, cough, sore throat, headache and tiredness. Becoming increasingly drowsy. Finding it difficult to breathe. Lives in Queensland and works in stables. Chief complaint = fever	No	No	Requires emergency care (E)	emergency care	1	Flu	Pneumonia	Coronavirus disease 2019 (COVID-19)	Acute bronchitis	none-given	0	0	0

Vignettes					Ada app results			Gold standard matching condition suggestion is coloured green (the first matching condition only is counted and annotated by colouring), reasonable condition suggestions are coloured blue (but not are not counted as matches) and inaccurate condition suggestions are coloured orange.					matches in top-1	matches in top-3	matches in top-5 (and top-10)		
Hill et al. (2020) vignette number	Gold standard diagnosis	Vignette in Semigran study	Vignette in lay terminology, as used in Hill et al. (2020)	Common condition	Is it likely the diagnosis will appear in top 3 results?	Gold standard triage (E) - EMERGENCY (U) - URGENT (NU) - NON-URGENT (SC) - SELF-CARE	OVERALL Ada Advice level (gold standard matching advice is coloured blue, over-conservative advice green, under-conservative advice orange)	Advice match score	Ada condition suggestion 1	Ada condition suggestion 2	Ada condition suggestion 3	Ada condition suggestion 4	Ada condition suggestion 5				
14	Deep vein thrombosis	A 65-year-old woman presents with unilateral leg pain and swelling of 5 days' duration. There is a history of hypertension, mild CHF, and recent hospitalisation for pneumonia. She had been recuperating at home but on beginning to mobilise and walk, the right leg became painful, tender, and swollen. On examination, the right calf is 4 cm greater in circumference than the left when measured 10 cm below the tibial tuberosity. Superficial veins in the leg are more dilated on the right foot and the right leg is slightly redder than the left. There is some tenderness on palpation in the popliteal fossa behind the knee.	65-year-old female. History of high blood pressure and mild congestive heart failure. 5 days of swelling and pain in 1 leg. Recent hospitalisation. Leg is painful, sore, red, swollen. Chief complaint = Leg pain	Yes	Yes	Requires urgent care (U)	emergency care	0	Deep vein thrombosis of the lower extremity	Superficial vein thrombophlebitis	Bacterial skin infection of the leg or foot (Less likely causes)	none-given	none-given		1	1	1
15	Pneumonia (could be called chest infection) 1,2	A 65-year-old man with hypertension and degenerative joint disease presents to the emergency department with a three-day history of a productive cough and fever. He has a temperature of 38.3°C (101°F), a blood pressure of 144/92 mm Hg, a respiratory rate of 22 breaths per minute, a heart rate of 90 beats per minute, and oxygen saturation of 92 percent while breathing room air. Physical examination reveals only crackles and egophony in the right lower lung field. The white-cell count is 14,000 per cubic millimetre, and the results of routine chemical tests are normal. A chest radiograph shows an infiltrate in the right lower lobe.	65-year-old male. History of high blood pressure and degenerative joint disease. Had 3 days of coughing up phlegm with a fever. Temperature 38.3°C. Chief complaint = cough	Yes	Yes	Requires urgent care (U)	call ambulance	0	Acute bronchitis	Pneumonia	Common cold	Sepsis	Coronavirus disease 2019 (COVID-19)		0	1	1
16	Acute bronchitis (bronchitis or URTI also acceptable)	A 34-year-old woman with no known underlying lung disease 12-day history of cough. She initially had nasal congestion and a mild sore throat, but now her symptoms are all related to a productive cough without paroxysms. She denies any sick contacts. On physical examination she is not in respiratory distress and is afebrile with normal vital signs. No signs of URI are noted. Scattered wheezes are present diffusely on lung auscultation.	34-year-old female. 12 days of coughing. Initially had blocked nose and sore throat. Now has cough which brings up phlegm, but no fever. Chief complaint = cough	Yes	Yes	Requires urgent care (U)	self care pharma	0	Acute bronchitis	Common cold	Acute laryngitis	none-given	none-given		1	1	1
17	Acute otitis media (URTI or viral infection also acceptable)1,4	An 18-month-old toddler presents with 1 week of rhinorrhoea, cough, and congestion. Her parents report she is irritable, sleeping restlessly, and not eating well. Overnight she developed a fever. She attends day care and both parents smoke. On examination signs are found consistent with a viral respiratory infection including rhinorrhoea and congestion. The toddler appears irritable and apprehensive and has a fever. Otoloscopy reveals a bulging, erythematous tympanic membrane and absent landmarks.	18-month-old female. 1 week of runny nose, cough, feels chesty, irritable. No appetite. Fever. Goes to day care. Chief complaint = runny nose	Yes	Yes	Requires urgent care (U)	primary care 4 hours	1	Common cold	Flu	Acute bronchitis	Lung infection	Whooping cough		1	1	1
18	Acute sinusitis (or sinusitis, chronic sinusitis, acute on chronic sinusitis)	Mrs. S is a 35-year-old woman who presents with 15 days of nasal congestion. She has had facial pain and green nasal discharge for the last 12 days. She has had no fever. On physical examination, she has no fever and the only abnormal finding is maxillary tenderness on palpation. She is otherwise healthy, except for mild obesity. She is on no medications, except for an over-the-counter decongestant. She has no drug allergies	35-year-old female. Unwell for 15 days. Has blocked nose with green mucous and facial pain for last 12 days. No fever. Chief complaint = nasal congestion	Yes	Yes	Requires urgent care (U)	primary care same day	1	Bacterial sinusitis	Viral infection of the sinuses (Less likely causes)	Chronic sinusitis (Less likely causes)		none-given		1	1	1
19	Back strain (or acute back sprain, acute lumbar sprain, lumbar sprain, lumbar injury, disc prolapse, sciatica)	Consider a 35-year-old man who developed low back pain after shovelling snow 3 weeks ago. He presents to the office for an evaluation. On examination there is a new left foot drop. In study 82% physicians recommend MRI (sciatica/sprain)	35-year-old male. Back pain following shovelling 3 weeks ago. (Only if asked - Left foot has gone numb and is weak. This was an added symptom in Semigran article). Chief complaint = back pain	Yes	No	Requires urgent care (U)	primary care 4 hours	1	Mechanical low back pain	Acute sciatica	Chronic lumbosacral radiculopathy	Mononeuritis complex	Sacroiliac joint dysfunction		1	1	1
20	Bowel cancer (potential diagnoses are bowel cancer, haemorrhoids, diverticular disease, other inflammatory bowel disease)	not provided	56-year-old female with bleeding noticed when opening bowels. Has had some diarrhoea and constipation in the past 6 months. Chief complaint = bleeding from the bowels	Yes	Yes	Requires urgent care (U)	emergency care	0	Large bowel bleeding	Bowel polyps	Haemorrhoids	Colonic ischaemia	Symptomatic uncomplicated diverticular disease		0	1	1
21	Cellulitis	A 45-year-old man presents with acute onset of pain and redness of the skin of his lower extremity. Low-grade fever is present, and the pretibial area is erythematous, oedematous, and tender.	45-year-old male. Pain, swollen, sore and redness of skin in lower leg. Mild fever. Chief complaint = leg pain	Yes	No	Requires urgent care (U)	emergency care	0	Cellulitis of the lower extremity	Deep vein thrombosis of the lower extremity	Superficial vein thrombophlebitis		none-given		1	1	1
22	Infectious mononucleosis (glandular fever) (URTI, tonsillitis, pharyngitis, viral infection acceptable)	A 16-year-old female high school student presents with complaints of fever, sore throat, and fatigue. She started feeling sick 1 week ago. Her symptoms are gradually getting worse, and she has difficulty swallowing. She has had a fever every day, and she could hardly get out of bed this morning. She does not remember being exposed to anybody with a similar illness recently. On physical examination she is febrile and looks sick. Enlarged cervical lymph nodes, exudative pharyngitis with soft palate petechiae and faint erythematous macular rash on the trunk and arms are found.	16-year-old female. 1-week history of fever, sore throat, fatigue, difficulty swallowing, unable to get out of bed. Chief complaint = fever	Yes	Yes	Requires urgent care (U)	emergency care	0	Glandular fever	Quinsy	Tonsillitis	Scarlet fever	none-given		1	1	1
23	Migraine	not provided	44-year-old female. 2-day severe throbbing headache. Feels nauseated when she moves. Wants to stay in bed with curtains closed. Family has history of migraines. Chief complaint = headache	Yes	Yes	Requires urgent care (U)	call ambulance	0	Migrane	Subarachnoid haemorrhage	Nonpyrogenic thrombosis of the intracranial venous system	Acute encephalitis	none-given		1	1	1
24	Queensland tick typhus	not provided	25-year-old female. Been unwell for 9 days. Fever (38.5°C), headache, dry cough, widespread rash. Muscle weakness. Painful upper left abdomen, with nausea and vomiting. Painful joints. Has been camping and gone on bush walks. Chief complaint = fever	No	No	Requires urgent care (U)	primary care same day	1	Stapped cheek disease	Tick-borne relapsing fever (Borreliosis)	Legionnaire's disease	Systemic lupus erythematous	West Nile Virus		0	0	0
25	Ross River virus	not provided	19-year-old male. 2 weeks of fever with chills, muscle aches and joint pain with swelling and stiffness at joints. Rash. Fatigue. Swollen glands. Headache behind the eyes. Chief complaint = fever	No	No	Requires urgent care (U)	primary care 2 to 3 days	0	Systemic lupus erythematous	Adul-onset Still's disease	Rheumatic fever	none-given	none-given		0	0	0
26	Shingles	A 77-year-old man reports a 5-day history of burning and aching pain on the right side of his chest. This is followed by the development of erythema and a maculopapular rash in this painful area, accompanied by headache and malaise. The rash progressed to develop clusters of clear vesicles for 3 to 5 days, evolving through stages of pustulation, ulceration, and crusting.	77-year-old male. 5 days of burning and pain on right side of chest. Chest is red with a rash, some spots are clear raised bumps, while some are red and flat. Has a headache and feels tired and unwell. Chief complaint = chest pain	Yes	No	Requires urgent care (U)	primary care same day	1	Shingles on the trunk	Contact dermatitis of the trunk and neck	Cutaneous abscess of the trunk (Less likely causes)	none-given	none-given		1	1	1
27	Tonsillitis (or acute pharyngitis, throat infection, URTI)	A 7-year-old girl presents with abrupt onset of fever, nausea, vomiting, and sore throat. The child denies cough, rhinorrhoea, or nasal congestion. On physical exam, oral temperature is 101°F (38.5°C) and there is an exudative pharyngitis, with enlarged cervical lymph nodes. A rapid antigen test is positive for group A streptococcus (GAS).	7-year-old female. Fever (38.5°C). Feels sick. Vomiting. Sore throat, swollen neck glands. Tonsils have visible pus. No cough, no runny nose nor blocked nose. Chief complaint = fever	Yes	Yes	Requires urgent care (U)	primary care same day	1	Tonsillitis	Flu	Acute throat infection	Cytomegalovirus infection	Common cold		1	1	1

Vignettes				Ada app results			Gold standard matching condition suggestion is coloured green (the first matching condition only is counted and annotated by colouring), reasonable condition suggestions are coloured blue (but not are not counted as matches) and inaccurate condition suggestions are coloured orange.					matches in top-1	matches in top-3	matches in top-5 (and top-10)			
Hill et al. (2020) vignette number	Gold standard diagnosis	Vignette in Semigran study	Vignette in lay terminology, as used in Hill et al. (2020)	Common condition	Is it likely the diagnosis will appear in top 3 results?	Gold standard triage (E) - EMERGENCY (U) - URGENT (NU) - NON-URGENT (SC) - SELF-CARE	OVERALL Ada Advice level (gold standard matching advice is coloured blue, over-conservative advice green, under-conservative advice orange)	Advice match score	Ada condition suggestion 1	Ada condition suggestion 2	Ada condition suggestion 3	Ada condition suggestion 4	Ada condition suggestion 5				
28	Peptic ulcer disease (or GORD, duodenal ulcer, gastric ulcer)	A 40-year-old man presents to his primary care physician with a 2-month history of intermittent upper abdominal pain. He describes the pain as a dull, gnawing ache. The pain sometimes wakes him at night, is relieved by food and drinking milk, and is helped partially by ranitidine. He had a similar but milder episode about 5 years ago, which was treated with omeprazole. Physical examination reveals a fit, apparently healthy man in no distress. The only abnormal finding is mild epigastric tenderness on palpation of the abdomen.	40-year-old male. 2-month history of intermittent upper abdominal pain. (Dull and gnawing ache). Wakes at night and feels better with food, drink, milk or antacid/Gaviscon. Had a similar experience 5 years ago. Chief complaint = abdominal pain	Yes	Yes	Requires non-urgent care (NU)	primary care 2 to 3 days	1	Chronic gastritis	Gastroesophageal reflux disease	Chronic abdominal pain	Epigastric pain syndrome	Hiatal hernia		0	1	1
29	Allergic rhinitis	A 22-year-old student presents with a 5-year history of worsening nasal congestion, sneezing, and nasal itching. Symptoms are year-round but worse during the spring season. On further questioning it is revealed that he has significant eye itching, redness, and tearing as well as palate and throat itching during the spring season. He remembers that his mother told him at some point that he used to have eczema in infancy.	22-year-old male. 5-year history of blocked nose, sneezing, nasal itching which is worse in spring. Has itchy eyes which are red and watery. Throat and palate are also itchy. Has a history of eczema in early childhood. Chief complaint = blocked nose	Yes	Yes	Requires non-urgent care (NU)	self care pharma	0	Hay fever (Allergic rhinitis)	Food allergy (Less likely causes)	Common cold (Less likely causes)	none-given	none-given		1	1	1
30	Aphthous ulcers (canker sore)	A 17-year-old male student presents with recurrent mouth ulceration since his early schooldays. He has no respiratory, anogenital, gastrointestinal, eye, or skin lesions. His mother had a similar history as a teenager. The social history includes no tobacco use and virtually no alcohol consumption. He has no history of recent drug or medication ingestion. Extra-oral exam reveals no significant abnormalities and specifically no pyrexia, no cervical lymph node enlargement, nor cranial nerve, salivary, or temporomandibular joint abnormalities. Oral exam reveals a well-restored dentition and there is no clinical evidence of periodontal-attachment loss or pocketing. He has five 4 mm round ulcers with inflammatory haloes in his buccal mucosae.	17-year-old male. Recurrent mouth ulcers for a year. No respiratory, anal or genital, gastrointestinal, eye or skin lesions. Mother has similar history. No history of drugs or medications. Chief complaint = mouth ulcers	Yes	Yes	Requires non-urgent care (NU)	self care pharma	0	Mouth ulcers	Inflammation of the blood vessels (Less likely causes)	Dental caries (Less likely causes)	none-given	none-given		1	1	1
31	Back pain (not a diagnosis)	A 38-year-old man with no significant history of back pain developed acute lower back pain when lifting boxes 2 weeks ago. The pain is aching in nature, located in the left lumbar area, and associated with spasms. He describes previous similar episodes several years ago, which resolved without seeing a doctor. He denies any leg pain or weakness. He also denies fevers, chills, weight loss, and recent infections. Over-the-counter ibuprofen has helped somewhat, but he has taken it only twice a day for the past 3 days because he does not want to become dependent on painkillers. On examination, there is decreased lumbar flexion and extension secondary to pain, but a neurologic exam is unremarkable.	38-year-old male. Sudden lower back pain after lifting boxes in nature, located in the left lumbar area, and associated with spasms, no weight loss or recent infections. Chief complaint = back pain	Yes	Yes	Requires non-urgent care (NU)	primary care 2 to 3 days	1	Mechanical low back pain	Sacroiliac joint dysfunction	Osteoporosis (Less likely causes)	none-given	none-given		1	1	1
32	Bee sting without anaphylaxis	A 9-year-old boy is brought to the ER after being stung by a bee at a picnic. He is crying hysterically. After 15 minutes of calming him down, exam reveals a swollen tender upper lip but no tongue swelling, no drooling, no stridor, no rash, and no other complaints.	9-year-old male. Stung by a bee, swollen and sore upper lip. No tongue swelling, drooling, noisy breathing, rash or other complaints. Chief complaint = bee sting	Yes	Yes	Requires non-urgent care (NU)	self care pharma	0	Insect bites or stings (including bee stings)	Beg bug bites	Scabies	Non-specific mark from bug bite	none-given		1	1	1
33	Bursitis (trochanteric bursitis)20	not provided	60-year-old woman. Developed pain in L hip, hurts to sleep on that side. Otherwise well. Chief complaint = hip pain	Yes	Yes	Requires non-urgent care (NU)	primary care 2 to 3 days	1	Greater trochanteric pain syndrome (trochanteric bursitis)	Septic arthritis of the hip (Less likely causes)	A disease affecting the bone (Less likely causes)	none-given	none-given		1	1	1
34	Eczema	A 12-year-old female presents with dry, itchy skin that involves the flexures in front of her elbows, behind her knees, and in front of her ankles. Her cheeks also have patches of dry, scaly skin. She has symptoms of hay fever and has recently been diagnosed with egg and milk allergy. She has a brother with asthma and an uncle and several cousins who have been diagnosed with eczema.	12-year-old female. Dry, itchy skin in front of elbows, behind her knees, and in front of her ankles. Her cheeks also have patches of dry, scaly skin. Symptoms of hay fever. Has egg and milk allergy. Brother has asthma and Uncle and cousins have eczema. Chief complaint = rash	Yes	Yes	Requires non-urgent care (NU)	primary care same day	0	Atopic eczema	Skin irritation due to contact with a particular substance (Less likely causes)	Dry, scaly skin (Less likely causes)	none-given	none-given		1	1	1
35	Molluscum contagiosum	not provided	7-year-old male. Has small raised shiny pearly spots on his stomach and back with a dot in the middle. They are not painful. (If asked, no fever or other illness. Not itchy.) Chief complaint = rash	Yes	Yes	Requires non-urgent care (NU)	primary care same day	0	Fungal skin infection	Molluscum contagiosum	Prickly heat	Demodicosis	Infected hair follicles of the trunk		0	1	1
36	Solar keratosis	not provided	43-year-old female. She has fair skin. Has a small scab (3 mm) on top of head which grows back if knocked off. Dry and rough to touch. Chief complaint = skin lesion or skin mark	Yes	Yes	Requires non-urgent care (NU)	primary care 2 to 3 days	1	Miliaria crystallina	Psoriasis vulgaris	Fungal infection of the scalp	Demodicosis	none-given		0	0	0
37	Sprained ankle	not provided	10-year-old female. Fell and twisted ankle. Slightly swollen and bruised ankle. Limping, and ankle is sore. No deformity, no sound of broken bones. Chief complaint = Twisted ankle	Yes	Yes	Requires non-urgent care (NU)	primary care same day	1	Sprained ankle without ligament rupture	Lateral ligament rupture of the ankle	A break in one or several bones of the ankle (Less likely causes)	none-given	none-given		1	1	1
38	Viral upper respiratory	Mr. R. is a 56-year-old man who presents to you with 6 days of non-productive cough, nasal congestion, and green nasal discharge. He has had intermittent fevers as high as 100.8. His physical examination is normal except for rhinorrhoea. He is otherwise healthy, except for chronic osteoarthritis of the right knee. He has no drug allergies.	56-year-old male. 6-day cough, nasal congestion, green nasal discharge. Fever (38.2°C) and runny nose. Chief complaint = cough	Yes	Yes	Requires non-urgent care (NU)	primary care same day	1	Acute bronchitis	Common cold	Flu	Coronavirus disease 2019 (COVID-19)	none-given		0	1	1
39	Blue bottle Jellyfish sting (Portuguese man-of-war, will accept jellyfish sting)	not provided	16-year-old female. Swimming at beach. Stung by a jellyfish on arm. Immediate pain, slowly fading. Has some redness and swelling on arm, itchy. No trouble breathing, no abdominal pain. No nausea or vomiting. If asked- jellyfish was blue. Chief complaint = jellyfish sting	Yes	Yes	Self-care appropriate (SC)	primary care same day	0	Acute upper limb wound	Forearm strain	Cellulitis of the upper extremity	none-given	none-given		0	0	0
40	Conjunctivitis	A 14-year-old boy with no significant past medical history presents 3 days after developing a red, irritated right eye that spread to the left eye today. He has watery discharge from both eyes, and they are stuck shut in the morning. He reports recent upper respiratory symptoms and that several children at his day camp recently had pink eye. He denies significant pain or light sensitivity and does not wear contact lenses. On examination, his pupils are equal and reactive, and he has a right-sided, tender pre-auricular lymph node. Penlight examination does not reveal any corneal opacity.	14-year-old male. 3 days with red irritated eye (spread from right to left eye). Eyes have pus from ducts. Has recently had cold like symptoms. No pain or light sensitivity. Chief complaint = red eye	Yes	Yes	Self-care appropriate (SC)	self care or pharmacist	1	Viral conjunctivitis	Bacterial conjunctivitis	Pink eye because of allergies (Less likely causes)	none-given	none-given		1	1	1
41	Cradle cap	not provided	4-week-old male. Crusty yellowish skin appearing on head and behind ears, which looks waxy. Chief complaint = rash	Yes	Yes	Self-care appropriate (SC)	self care	1	Cradle cap	A rash caused by excess sweating (Less likely causes)	Tinea capitis	none-given	none-given		1	1	1
42	Dysmenorrhoea	not provided	15-year-old female. Monthly mid-abdominal pain appears with period. Pain radiates to back. Headache. Chief complaint = period pain	Yes	Yes	Self-care appropriate (SC)	primary care 2 to 3 weeks	0	Primary dysmenorrhoea	non-specific dysmenorrhoea	Development of the female hormonal axis	Chronic pelvic pain	Endometriosis		1	1	1

