

## Supplement

### **Firearm Purchasing and Firearm Violence in the First Months of the Coronavirus Pandemic in the United States**

Julia P. Schleimer, MPH, Christopher D. McCort, MS, Veronica A. Pear, MPH, Aaron Shev, PhD,  
Elizabeth Tomsich, PhD, Rameesha Asif-Sattar, BS, Shani Buggs, PhD, MPH, Hannah S. Laqueur,  
PhD, MA, MPA, Garen J. Wintemute, MD, MPH

Supplementary Table 1. Gun Violence Archive Event Characteristics

Supplementary Figure 1. Directed Acyclic Graph

Supplementary Table 2. Additional Information, Data Sources and Variables

Supplementary Figure 2. Map of excess purchases by US state

Supplementary Figure 3. Ranked baseline and excess purchases by US state

Supplementary Table 3. Association between 1-month lagged changes in firearm purchasing  
and interpersonal firearm violence

Supplementary Table 4. Association between changes in firearm purchasing and interpersonal  
firearm violence events

Supplementary Table 5. Association between changes in firearm purchasing and firearm injuries  
per events

Supplementary Table 6. Robustness check 1, firearm purchasing defined as percentage change  
from expected

Supplementary Table 7. Robustness check 2, DC and events in which a child injured or killed  
someone else excluded

Supplementary Table 8. Robustness check 3, state-specific linear trends

Supplementary Table 9. Robustness check 4, adjust for all-cause mortality

Supplementary Table 10. Robustness check 5, leading values of the exposure

Supplementary Table 11. STROBE Statement—Checklist of items that should be included in  
reports of *cross-sectional studies*

**Supplementary Table 1. Gun Violence Archive Event Characteristics**

Suicide*
Suicide – Attempt*
Non-Shooting Incident*
Shots Fired - No Injuries*
Accidental Shooting*
Accidental Shooting – Death*
Accidental Shooting – Injury*
Accidental Shooting at a Business*
Accidental Negligent Discharge*
Mistaken ID*
Self-Inflicted*
Stray bullet*
Hunting accident*
Cleaning gun*
Thought gun was unloaded*
Playing with gun*
Child with gun - no shots fired*
Child killed self*
Child injured self*
Home Invasion - No death or injury*
Officer Involved Incident - Weapon involved but no shots fired*
Officer Involved Shooting - Accidental discharge - no injury required*
Officer Involved Shooting - Shots fired no injury*
Officer Involved Shooting – subject suspect perpetrator suicide by cop*
Officer Involved Shooting - subject suspect perpetrator suicide at standoff*
Defensive Use - Shots fired no injury death*
Defensive use - No shots fired*
Defensive Use - WITHOUT a gun*
Gun at school no death injury – elementary secondary school*
Gun at school no death injury – university college*
LOCKDOWNALERT ONLY - No GV Incident Occurred Onsite*
Shot – Wounded Injured
Shot - Dead
Murder Suicide
Attempted Murder Suicide
Child Involved Incident
Child picked up & fired gun**
Child killed by child**
Child injured by child**
Child killed
Child injured

Home Invasion
Home Invasion - Resident killed
Home Invasion - Resident injured
Home Invasion – subject suspect perpetrator killed
Home Invasion – subject suspect perpetrator injured
Officer Involved Incident
Officer Involved Shooting - Officer shot
Officer Involved Shooting - Officer killed
Officer Involved Shooting – subject suspect perpetrator shot
Officer Involved Shooting - subject suspect perpetrator killed
Officer Involved Shooting – subject suspect perpetrator surrender at standoff
Officer Involved Shooting - Bystander shot
Officer Involved Shooting - Bystander killed
Officer Involved Shooting - K9Mounted injured
Officer Involved Shooting - K9Mounted killed
Officer Involved Shooting – subject suspect perpetrator unarmed
Police Targeted
Red Flag Extreme Risk Protection Orders
ATFLE Confiscation Raid Arrest
Defensive Use
Defensive Use - subject suspect perpetrator unarmed
Defensive Use - Crime occurs victim shoots subject suspect perpetrator
Defensive Use - Stand Your Ground Castle Doctrine established
Defensive Use - Good Samaritan Third Party
School Incident
School Shooting - elementary secondary school
School Shooting – university college
Drive-by
Spree Shooting
Mass Murder
Mass Shooting
Shootout
Bar club incident - in or around establishment
Gun range gun shop gun show shooting
House party Block Party Park Party
Road rage
Hate crime
CV (coronavirus)
Political Violence
Terrorism Involvement
Gang involvement
Drug involvement
Workplace shooting


Domestic Violence
Sex crime involving firearm
Armed robbery with injury death and or evidence of DGU found
Kidnapping abductions hostage
Car-jacking
Under the influence of alcohol or drugs
TSA Action
Criminal act with stolen gun
Possession
Possession of gun by felon or prohibited person
Unlawful purchase sale
Ghost gun
BB Pellet Replica gun
Brandishing flourishing open carry lost found
Gun stolen from owner
Guns stolen from law enforcement
Gun shop robbery or burglary
Stolen Illegally owned gun{s} recovered during arrest warrant
Concealed Carry License - Victim
Concealed Carry License - Perpetrator
Gun buy back action
Assault weapon

Note. Table reproduced from Gun Violence Archive.<sup>1</sup> Incident characteristics are not mutually exclusive.

\*Excluded from current study. Also excluded were incidents in which no one was injured or killed and those without any incident characteristics.

\*\*Excluded in sensitivity analysis

Supplementary Figure 1. Directed Acyclic Graph



Note. Shaded boxes indicate variables needed to control for confounding. Relationships are conditional on state fixed effects.  
LE = law enforcement.

**Supplementary Table 2. Additional Information, Data Sources and Variables**

Variable	Source	Description	Notes
COVID cases and deaths	Johns Hopkins University <a href="#">Center for Systems Science and Engineering</a> , time series of <a href="#">cases</a> and <a href="#">deaths</a>	Cumulative number of monthly confirmed COVID cases and deaths	Accessed June 4, 2020
Temperature and precipitation	<a href="#">PRISM Climate Group</a> , Oregon State University	Average monthly temperature (degrees Fahrenheit) and precipitation (inches)	Accessed June 5, 2020. Bulk download requires latitude and longitude; we used the lat/long of state capitals.
State stay-home orders	New York Times, <a href="#">Mervosh et al., 2020a</a> <sup>2</sup> (version April 20, 2020) and <a href="#">Mervosh et al., 2020b</a> <sup>3</sup> (version June 4, 2020)	Proportion of month state-wide stay-home order was in place	Accessed June 4, 2020
Movement	<a href="#">Apple mobility trends</a> <sup>4</sup>	Monthly average of daily changes in requests for directions for all transportation types (driving, transit, and walking) since January 13, 2020	Accessed June 11, 2020 via the covdata R package <sup>5</sup>
Socioeconomic disadvantage index		Index reflects the first principal component of the following 6 variables; higher values indicate greater disadvantage	
High school graduation	2020 County Health Rankings (CHR); <sup>6</sup> State-specific sources (years vary)	Percentage of ninth-grade cohort that graduates in four years	State average of counties weighted by size of freshman cohort <sup>a</sup>
Some college	2020 CHR; <sup>6</sup> American Community Survey, 5-year estimates (2014-2018)	Percentage of adults ages 25-44 with some post-secondary education	State average of counties weighted by adult population aged 25-44 <sup>a</sup>
Unemployment	2020 CHR; <sup>6</sup> Bureau of Labor Statistics (2018)	Percentage of population ages 16 and older unemployed but seeking work	State average of counties weighted by population in labor force <sup>a</sup>
Children in poverty	2020 CHR; <sup>6</sup> Small Area Income and Poverty Estimates (2018)	Percentage of people under age 18 in poverty	State average of counties weighted by population <18 <sup>a</sup>
Income inequality	2020 CHR; <sup>6</sup> American Community Survey, 5-year estimates (2014-2018)	Ratio of household income at the 80th percentile to income at the 20th percentile	State average of counties weighted by number of households <sup>a</sup>
Children in single-parent households	2020 CHR; <sup>6</sup> American Community Survey, 5-	Percentage of children that live in a household headed by single parent	State average of counties weighted by number of households <sup>a</sup>


	year estimates (2014-2018)		
Violent crime rate	<a href="#">Uniform Crime Reporting</a> – FBI (2014-2018)	Number of reported violent crime offenses per 100,000 population	Violent crimes include murder and nonnegligent manslaughter, rape, robbery, and aggravated assault
% Rural	2020 CHR; <sup>6</sup> Census Population Estimates (2010)	Percentage of population living in a rural area	State average of counties weighted by 2018 resident population <sup>a</sup>
Residential segregation - Black/White	2020 CHR; <sup>6</sup> American Community Survey, 5-year estimates (2014-2018)	Index of dissimilarity <sup>7</sup> where higher values indicate greater residential segregation between Black and White county residents	State average of counties weighted by 2018 population <sup>a</sup>
Firearm ownership prevalence	WISQARS <sup>8</sup> 2014-2018	Proportion of suicides completed with a firearm <sup>9</sup>	
All-cause mortality	Centers for Disease Control and Prevention	Weekly Counts of Deaths by State and Select Causes, <a href="#">2019-2020</a> and <a href="#">2014-2018</a>	
Population estimates for rate calculations over time	<a href="#">US Census</a>	Annual Estimates of the Resident Population for the United States, Regions, States, and Puerto Rico: April 1, 2010 to July 1, 2019 (NST-EST2019-01)	Data for 2020 extrapolated with cubic regression

<sup>a</sup> If weights missing, we used the analogous CHR state values.





Supplementary Figure 3. Ranked baseline and excess purchases by US state



Correlation 0.72

Note. States are ranked according to their relative number of baseline purchases per 100,000 population (averaged from January 2018 to February 2020) and excess purchases per 100,000 population, cumulated from March through May 2020.

**Supplementary Table 3. Association between 1-month lagged changes in firearm purchasing and interpersonal firearm violence**

	RR	95% CI	
March, 2020	0.973	0.901	1.050
Cumulative excess purchases	1.013 <sup>a</sup>	1.005	1.021
COVID cases and deaths	1.017 <sup>a</sup>	1.007	1.027
Stay-at-home order	1.032	0.905	1.178
Movement	1.002	0.999	1.005
Average precipitation	0.998	0.994	1.003
Average temperature	1.011 <sup>b</sup>	1.006	1.016

Note. Results are from negative binomial regression model with indicators for state, year, and month, and the log of the population as an offset. The outcome is counts of firearm injuries (non-fatal and fatal).

<sup>a</sup> P<0.05

<sup>b</sup> P<0.001

**Supplementary Table 4. Association between changes in firearm purchasing and interpersonal firearm violence events**

	RR	95% CI	
March, 2020	0.934	0.853	1.023
Cumulative excess purchases	1.014 <sup>a</sup>	1.002	1.026
COVID cases and deaths	1.015 <sup>a</sup>	1.006	1.025
Stay-at-home order	1.125	0.997	1.296
Movement	1.003	1.000	1.005
Average precipitation	0.999	0.995	1.003
Average temperature	1.011 <sup>b</sup>	1.006	1.015

Note. Results are from negative binomial regression model with indicators for state, year, and month, and the log of the population as an offset. The outcome is counts of events resulting in any injury or death.

<sup>a</sup> P<0.05

<sup>b</sup> P<0.001

**Supplementary Table 5. Association between changes in firearm purchasing and firearm injuries per events**

	Estimate	95% CI	
March, 2020	0.056	-0.032	0.144
Cumulative excess purchases	-0.002	-0.017	0.013
COVID cases and deaths	0.001	-0.008	0.010
Stay-at-home order	-0.070	-0.169	0.030
Movement	-0.001	-0.003	0.002
Average precipitation	-0.002	-0.006	0.001
Average temperature	0.003 <sup>a</sup>	0.001	0.006

Note. Results are from linear regression model with indicators for state, year, and month. The outcome is the ratio of injuries to events.

<sup>a</sup> P<0.05

<sup>b</sup> P<0.001

**Supplementary Table 6. Robustness check 1, firearm purchasing defined as percentage change from expected**

	RR	95% CI	
March, 2020	0.956	0.883	1.036
Cumulative % change in purchasing <sup>c</sup>	1.049 <sup>a</sup>	1.010	1.091
COVID cases and deaths	1.016 <sup>a</sup>	1.006	1.026
Stay-at-home order	1.047	0.917	1.196
Movement	1.002	0.999	1.005
Average precipitation	0.998	0.993	1.003
Average temperature	1.011 <sup>b</sup>	1.006	1.016

Note. Results are from negative binomial regression model with indicators for state, year, and month, and the log of the population as an offset. The outcome is counts of firearm injuries (non-fatal and fatal).

<sup>a</sup> P<0.05

<sup>b</sup> P<0.001

<sup>c</sup> (Observed rate – expected rate)/expected rate

**Supplementary Table 7. Robustness check 2, District of Columbia and events in which a child injured or killed someone else excluded**

	Excluding DC			Excluding child-perpetrated events		
	RR	95% CI		RR	95% CI	
March, 2020	0.938	0.856	1.028	0.940	0.861	1.026
Cumulative excess purchases	1.017 <sup>a</sup>	1.006	1.027	1.015 <sup>a</sup>	1.005	1.025
COVID cases and deaths	1.014 <sup>b</sup>	1.007	1.022	1.018 <sup>b</sup>	1.008	1.027
Stay-at-home order	1.102	0.987	1.231	1.052	0.923	1.200
Movement	1.003 <sup>b</sup>	1.002	1.005	1.002	0.999	1.005
Average precipitation	0.999	0.994	1.004	0.998	0.994	1.003
Average temperature	1.012 <sup>b</sup>	1.008	1.016	1.011 <sup>b</sup>	1.006	1.016

Note. Results are from negative binomial regression models with indicators for state, year, and month, and the log of the population as an offset. The outcome is counts of firearm injuries (non-fatal and fatal).

<sup>a</sup> P<0.05

<sup>b</sup> P<0.001

**Supplementary Table 8. Robustness check 3, state-specific linear trends**

	RR	95% CI	
March, 2020	0.856 <sup>a</sup>	0.781	0.938
Cumulative excess purchases	1.030 <sup>b</sup>	1.016	1.043
COVID cases and deaths	1.023 <sup>b</sup>	1.014	1.032
Stay-at-home order	0.963	0.876	1.060
Movement	1.000	0.999	1.000
Average precipitation	0.998	0.993	1.003
Average temperature	1.011 <sup>b</sup>	1.006	1.015

Note. Results are from negative binomial regression model with indicators for state, year, and month, and the log of the population as an offset. The outcome is counts of firearm injuries (non-fatal and fatal).

<sup>a</sup> P<0.05

<sup>b</sup> P<0.001

**Supplementary Table 9. Robustness check 4, adjust for all-cause mortality**

	RR	95% CI	
	March, 2020	1.000	0.917
Cumulative excess purchases	1.011 <sup>a</sup>	1.000	1.021
All-cause mortality	1.293 <sup>b</sup>	1.136	1.472
COVID cases and deaths	1.014 <sup>a</sup>	1.005	1.023
Stay-at-home order	1.032	0.906	1.175
Movement	1.002	0.999	1.005
Average precipitation	0.998	0.994	1.003
Average temperature	1.011 <sup>b</sup>	1.006	1.016

Note. Results are from negative binomial regression model with indicators for state, year, and month, and the log of the population as an offset. The outcome is counts of firearm injuries (non-fatal and fatal).

<sup>a</sup> P<0.05

<sup>b</sup> P<0.001

**Supplementary Table 10. Robustness check 5, leading values of the exposure**

	3-month lead			6-month lead		
	RR	95% CI		RR	95% CI	
March, 2020	1.114 <sup>a</sup>	1.001	1.241	1.031	0.962	1.105
Cumulative excess purchases	1.013 <sup>a</sup>	1.000	1.025	1.006	0.998	1.015
COVID cases and deaths	1.014 <sup>a</sup>	1.003	1.024	1.014 <sup>a</sup>	1.004	1.024
Stay-at-home order	1.081	0.949	1.232	1.085	0.951	1.238
Movement	1.003	1.000	1.006	1.003	1.000	1.006
Average precipitation	0.999	0.994	1.003	0.999	0.994	1.003
Average temperature	1.010 <sup>b</sup>	1.006	1.015	1.010 <sup>b</sup>	1.005	1.015

Note. Results are from negative binomial regression models with indicators for state, year, and month, and the log of the population as an offset. The outcome is counts of firearm injuries (non-fatal and fatal).

<sup>a</sup> P<0.05

<sup>b</sup> P<0.001

Supplementary Table 11. STROBE Statement—Checklist of items that should be included in reports of *cross-sectional studies*

	Item No	Recommendation	Page No
<b>Title and abstract</b>	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	2-3
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	3-4
<b>Introduction</b>			
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported	5
Objectives	3	State specific objectives, including any prespecified hypotheses	6
<b>Methods</b>			
Study design	4	Present key elements of study design early in the paper	6-11
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	6
Participants	6	(a) Give the eligibility criteria, and the sources and methods of selection of participants	6
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	6-10
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	6-10
Bias	9	Describe any efforts to address potential sources of bias	7, 9-11
Study size	10	Explain how the study size was arrived at	6
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	8-10
Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	8-11
		(b) Describe any methods used to examine subgroups and interactions	9-10
		(c) Explain how missing data were addressed	6
		(d) If applicable, describe analytical methods taking account of sampling strategy	N/A
		(e) Describe any sensitivity analyses	10-11
<b>Results</b>			
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	6
		(b) Give reasons for non-participation at each stage	N/A
		(c) Consider use of a flow diagram	N/A
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	11
		(b) Indicate number of participants with missing data for each variable of interest	N/A
Outcome data	15*	Report numbers of outcome events or summary measures	11

Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	7, 11-12, 21
		(b) Report category boundaries when continuous variables were categorized	N/A
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	12
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	12
<b>Discussion</b>			
Key results	18	Summarise key results with reference to study objectives	13
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	14-15
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	13-16
Generalisability	21	Discuss the generalisability (external validity) of the study results	13
<b>Other information</b>			
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	1

\*Give information separately for exposed and unexposed groups.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at <http://www.plosmedicine.org/>, Annals of Internal Medicine at <http://www.annals.org/>, and Epidemiology at <http://www.epidem.com/>). Information on the STROBE Initiative is available at [www.strobe-statement.org](http://www.strobe-statement.org). Page numbers reference the main text.

## REFERENCES

1. Gun Violence Archive. Accessed June 3, 2020. <https://www.gunviolencearchive.org/>
2. Mervosh S, Lu D, Swales V. See Which States and Cities Have Told Residents to Stay at Home. *The New York Times*. <https://www.nytimes.com/interactive/2020/us/coronavirus-stay-at-home-order.html>. Published April 20, 2020. Accessed June 14, 2020.
3. Mervosh S, Lee JC, Gamio L, Popovich N. See How All 50 States Are Reopening. *The New York Times*. <https://www.nytimes.com/interactive/2020/us/states-reopen-map-coronavirus.html>. Published June 12, 2020. Accessed June 14, 2020.
4. COVID-19 - Mobility Trends Reports. Apple. Accessed June 14, 2020. <https://www.apple.com/covid19/mobility>
5. Healy K. *Covdata: COVID-19 Case and Mortality Time Series*.; 2020. Accessed June 10, 2020. <http://kjhealy.github.io/covdata>
6. Robert Wood Johnson Foundation, University of Wisconsin Population Health Institute. Rankings & Data Documentation. County Health Rankings & Roadmaps. Accessed June 14, 2020. <https://www.countyhealthrankings.org/explore-health-rankings/rankings-data-documentation>
7. Massey DS, Denton NA. The dimensions of residential segregation. *Soc Forces*. 1988;67(2):281-315.
8. Centers for Disease Control and Prevention. Fatal Injury Data. Web-based Injury Statistics Query and Reporting System (WISQARS). <https://www.cdc.gov/injury/wisqars/fatal.html>
9. Azrael D, Cook PJ, Miller M. State and local prevalence of firearms ownership measurement, structure, and trends. *J Quant Criminol*. 2004;20(1):43-62.
10. Barton C, Nass D, Johnson K. Gun Shops Flouted State Closures, Fueling Coronavirus Sales Boom. *The Trace*. <https://www.thetrace.org/2020/05/coronavirus-gun-sales-state-closures-background-checks/>. Published May 14, 2020. Accessed June 3, 2020.