

Title of Manuscript: Outcomes and factors influencing care decisions in life-threatening fetal and neonatal anomalies

Table 1 – Life-threatening anomalies

Genetic	Trisomy 13, 18 (excluding mosaicism), triploidy, thanatophoric dysplasia or life-threatening forms of osteogenesis imperfecta
Kidney/Lung	Potter sequence/renal agenesis, polycystic kidneys
Central Nervous System	Anencephaly/acrania, severe forms of holoprosencephaly, large encephaloceles, hydranencephaly
Cardiac	Acardia, inoperable heart abnormalities
Other Structural Abnormalities	Severe congenital diaphragmatic hernia with hypoplastic lungs, inoperable conjoined twins

Table 2 – Prenatal and postnatal diagnoses

	Prenatal		Postnatal	
	n	%	n	%
<i>Genetic</i>	76	43	88	50
Trisomy 13	9	5	14	8
Trisomy 18	40	23	49	28
Triploidy	5	3	7	4
Thanatophoric dysplasia	4	2	5	3
Life-threatening forms of osteogenesis imperfecta	5	3	7	4
<i>Kidney/Lung</i>	7	4	9	5
Potter sequence/renal agenesis	3	2	4	2
Polycystic kidneys	4	2	5	4
<i>Central Nervous System</i>	58	33	49	28
Anencephaly/acrania	22	13	18	10
Severe forms of holoprosencephaly	10	6	8	5
Large encephaloceles	17	10	16	9
Hydranencephaly	10	6	8	5
<i>Heart</i>	17	10	17	10
Acardia	2	1	2	1
Inoperable heart abnormalities	14	8	14	8
<i>Other Structural</i>	9	5	9	5
Severe congenital diaphragmatic hernia with hypoplastic lungs	2	1	2	1
Inoperable conjoined twins	1	1	1	1
Limb-body wall syndrome	2		5	3
Not diagnosed prenatally	8	5		
Total known specific diagnoses	147		167	
Missing data in specific diagnoses	18	10	10	6
Total known general diagnoses	167		172	
Missing data in general diagnoses	1	1	4	2

Table 3 - General Decision Outcomes (n=176)

	Terminated	Continued Pregnancy	Missing data	
	103 (58%)	71 (41%)	2 (1%)	

Table 4 - Specific Outcomes When Pregnancy Was Continued (n=71)

Outcome	n	Percent (%)
Decided to carry and had live birth	39	22.2
Decided to carry to term, but stillbirth	9	5.1
Intrauterine death (IUD)	6	3.4
Decided to carry to term, but IUD	6	3.4
Not diagnosed prenatally, live birth	6	3.4
Not diagnosed prenatally, IUD	2	1.1
Decided to carry but unknown outcome	2	1.1
Unsure of outcome but not terminated	1	0.6

Table 5 - Factors in Decision Making – Urban or Rural Residence

Residence	Terminated	Continued Pregnancy	
Urban	n=54 (83%)	n=11 (17%)	LR 3.4 CI 1.5 – 7.4, p=0.002
Rural	n=48 (59%)	n=33 (41%)	LR 0.35 CI 0.17 – 0.71 p=0.004
Missing info	n=5 (3%)		

Table 6 - Factors in Decision Making - Ethnicity

	Terminated	Continued Pregnancy	Total
Mother's Ethnicity p=0.007			
Caucasian	30 (91%) CI: 76 – 98%	3 (9%) CI: 3-23%	33
First Nations	28 (56%) CI: 42-69%	22 (44%) CI: 31-58%	50
Asian	15 (79%) CI: 56-91%	4 (21%) CI: 9-44%	19
Hutterite + Mennonite	3 (27%) CI: 10-57%	8 (73%) CI: 43-90%	11
Other	5 (56%) CI: 26-81%	4 (44%) CI: 19-74%	9
Missing info	28 (21%)		

Father's Ethnicity p=0.02			
Caucasian	6 (75%) CI: 40-95%	2 (25%) 7-60%	8
First Nations, Métis and Inuit	18 (56%) CI: 40-72%	14 (44%) CI: 7-60%	
Asian	12 (80%) CI: 54-93%	3 (20%) CI: 7-47%	15
Hutterite + Mennonite	2 (14%) CI: 4-40%	12 (86%) CI: 60-96%	14
Other	5 (62%) CI: 30-86%	3 (38%) CI: 14-70%	8
Missing info	88 (50%)		
Details of ethnicity groups Caucasian – Caucasian, European, Mixed all European, French-Canadian, Ukrainian, Italian Asian – Asian, East Indian, Bengali Other – African, Libyan, South American, Mixed			