



1 **Supplementary data**



2
3 **Figure S1 Meta-regression by mean age, proportion of male participants and sample size**
4 **to the effects of interventions**



1 **Figure S2 Risk of bias summary for all studies that met the inclusion criteria**
 2

1 **Table S1 Summary of key symptoms and outcomes**

Symptom	Outcomes	
<ul style="list-style-type: none"> • Diarrhoea • Stool consistency 	Number of events	Incidence of events Mean/median number of events
	Severity	Incidence of specific severity grade(s) Mean/median grade
<ul style="list-style-type: none"> • Constipation • Need for anti-diarrhoeal medication • Bowel movements 	Time	Mean/median time of onset Mean/median time of duration
	<ul style="list-style-type: none"> • Nausea • Vomiting • Abdominal pain • Appetite loss • Flatulence /bloating 	

2
3

1 **Table S2 Comparison of this review with precedent meta-analyses that investigate the**
 2 **effect of biotic supplements on acute symptoms of gastrointestinal toxicity**

Meta-analysis	Number of studies (patients no.)	Data overlap*	Differences in scope	Selected key findings
This review (biotics only)	14 (1,432)	-	Includes probiotics, prebiotics and synbiotics	Probiotics and synbiotics reduce the risk of radiation induced diarrhoea. Synbiotics had greater efficacy. Biotics as a whole reduce the risk of severity diarrhoea.
Qiu <i>et al</i> ⁷²	9 (1,508)	8 out of 9	Probiotics, focus on cervical cancer	Probiotics reduce the risk of radiation induced diarrhoea and the risk of severe diarrhoea.
Wei <i>et al</i> ⁷³	12 (1,554)	8 out of 12	Probiotics, also looks at chemotherapy	Researchers could neither demonstrate nor refute a beneficial effect of probiotics on symptoms of GI toxicity.
Liu <i>et al</i> ⁷⁴	6 (917)	6 out of 6	Probiotics	Probiotics reduce the risk of radiation induced diarrhoea.
Hamad <i>et al</i> ⁷⁵	6 (904)	6 out of 6	Probiotics	Probiotics reduce the odds of developing radiation induced diarrhoea.
Fuccio <i>et al</i> ⁷⁶	4 (632)	4 out of 4	Probiotics	Probiotics reduce the odds of developing radiation induced diarrhoea.

3 *Proportion of studies overlapping with trials used in our meta-analysis. For example,
 4 among nine trials used in the study of Qiu *et al*, eight of them had been included in our
 5 meta-analysis.

6

1 Appendices

2

3 Appendix 1. MEDLINE search strategy

4

5 1 Pelvic Neoplasms/

6 2 exp Uterine Neoplasms/

7 3 Urinary Bladder Neoplasms/

8 4 Prostatic Neoplasms/

9 5 exp Rectal Neoplasms/

10 6 ((pelvi* or cervi* or uter* or endometr* or bladder* or prostat* or rect* or anal or anus or
11 genitourin* or genito-urin* or colorect* or gynaeco* or gyneco*) adj5 (cancer* or tumor* or
12 tumour* or neoplas* or malignan* or carcinoma* or adenocarcinoma*)).mp.

13 7 1 or 2 or 3 or 4 or 5 or 6

14 8 exp radiotherapy/

15 9 radiotherapy.fs.

16 10 (radiotherap* or brachytherap* or radiat* or irradiat* or chemoradiotherap* or
17 chemoradiat*).mp.

18 11 8 or 9 or 10

19 12 exp Probiotic/

20 13 exp Synbiotic/

21 14 exp Bacteria/

22 15 exp Prebiotics/

23 16 exp Diet/

24 17 Food Habits/

25 18 exp Food/

26 19 exp Nutrition Therapy/

27 20 exp Nutrition Disorders/

28 21 exp Feeding Methods/

29 22 exp Polysaccharides/ or exp Starch/

30 23 exp Amino Acids/

31 24 exp Peptides/

32 25 exp Antioxidants/

33 26 exp Fish Oils/

34 27 (nutrition* or nutrient* or malnutrition or diet* or food* or feed* or drink* or supplement* or
35 formula* or vitamin* or mineral* or fat* or carbohydrate* or protein* or probiotic* or synbiotic* or
36 bacteria* or prebiotic* or "amino acid*" or peptide*).mp.

37 28 (lactose or fibre or fiber or bran or psyllium or plantago ovata or ispaghula or polysaccharide*
38 or polymeric* or peptide* or amino-acid* or glutamine* or fish oil* or arginine* or antioxidant* or
39 anti-oxidant* or Metamucil or Inulin* or fructose-oligosaccharide* or fructo-oligosaccharide* or
40 oligosaccharide* or starch or saccharide*).mp.

41 29 (enteral* or nasogastric* or gastrostomy of jejunostomy or oral* or tube* or sip*).mp.

42 30 12 or 13 or 14 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27
43 or 28 or 29

44 31 randomized controlled trial.pt.

45 32 controlled clinical trial.pt.

46 33 randomized.ab.

47 34 placebo.ab.

48 35 clinical trials as topic.sh.

49 36 randomly.ab.

50 37 trial.ti.

51 38 exp Cohort Studies/

1 39 (cohort* or prospective* or retrospective*).mp.
2 40 Comparative Study/
3 41 (observational or comparative).mp.
4 42 (case* adj5 series).mp.
5 43 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42
6 44 7 and 11 and 30 and 43
7 45 exp animals/ not humans.sh.
8 46 44 not 45
9

1 **Appendix 2. EMBASE search strategy**
2
3 1 pelvis tumor/
4 2 exp uterus cancer/
5 3 bladder tumor/
6 4 exp prostate tumor/
7 5 rectum tumor/
8 6 ((pelvi* or cervi* or uter* or endometr* or bladder* or prostat* or rect* or anal or anus or
9 genitourin* or genito-urin* or colorect* or gynaeco* or gyneco*) adj5 (cancer* or tumor* or
10 tumour* or neoplas* or malignan* or carcinoma* or adenocarcinoma*)).mp.
11 7 1 or 2 or 3 or 4 or 5 or 6
12 8 exp radiotherapy/
13 9 rt.fs.
14 10 (radiotherap* or brachytherap* or radiat* or irradiat* or chemoradiotherap* or
15 chemoradiat*).mp.
16 11 8 or 9 or 10
17 12 exp Probiotic/
18 13 exp Synbiotic/
19 14 exp Bacteria/
20 15 exp Prebiotic/
21 16 exp nutrition/
22 17 exp nutritional disorder/
23 18 exp polysaccharide/ or exp starch/
24 19 exp amino acid/
25 20 peptide/
26 21 exp antioxidant/
27 22 fish oil/
28 23 (nutrition* or nutrient* or malnutrition or diet* or food* or feed* or drink* or supplement* or
29 formula* or vitamin* or mineral* or fat* or carbohydrate* or protein* or probiotic* or synbiotic* or
30 bacteria* or prebiotic* or "amino acid*" or peptide*).mp.
31 24 (lactose or fibre or fiber or bran or psyllium or plantago ovata or ispaghula or polysaccharide*
32 or polymeric* or peptide* or amino-acid* or glutamine* or fish oil* or arginine* or antioxidant* or
33 anti-oxidant* or Metamucil or Inulin* or fructose-oligosaccharide* or fructo-oligosaccharide* or
34 oligosaccharide* or starch or saccharide*).mp.
35 25 (enteral* or nasogastric* or gastrostomy of jejunostomy or oral* or tube* or sip*).mp.
36 26 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25
37 27 7 and 11 and 26
38 28 crossover procedure/
39 29 double-blind procedure/
40 30 randomized controlled trial/
41 31 single-blind procedure/
42 32 random*.mp.
43 33 factorial*.mp.
44 34 (crossover* or cross over* or cross-over*).mp.
45 35 placebo*.mp.
46 36 (double* adj blind*).mp.
47 37 (singl* adj blind*).mp.
48 38 assign*.mp.
49 39 allocat*.mp.
50 40 volunteer*.mp.
51 41 controlled clinical trial/

1 42 cohort analysis/
2 43 prospective study/
3 44 retrospective study/
4 45 exp comparative study/
5 46 observational study/
6 47 case study/
7 48 (cohort* or prospective* or retrospective* or observational or comparative or (case* adj5
8 series)).mp.
9 49 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 or 43 or 44
10 or 45 or 46 or 47 or 48
11 50 27 and 49
12 51 (exp Animal/ or Nonhuman/ or exp animal Experiment/) not Human/
13 52 50 not 51
14

1 **Appendix 3. CENTRAL search strategy**

2

- 3 #1 MeSH descriptor: [Pelvic Neoplasms] this term only
4 #2 MeSH descriptor: [Uterine Neoplasms] explode all trees
5 #3 MeSH descriptor: [Urinary Bladder Neoplasms] this term only
6 #4 MeSH descriptor: [Prostatic Neoplasms] this term only
7 #5 MeSH descriptor: [Rectal Neoplasms] explode all trees
8 #6 ((pelvi* or cervi* or uter* or endometr* or bladder* or prostat* or rect* or anal or anus or
9 genitourin* or genito-urin* or colorect* or gynaeco* or gyneco*) near/5 (cancer* or tumor* or
10 tumour* or neoplas* or malignan* or carcinoma* or adenocarcinoma*))
11 #7 #1 OR #2 OR #3 OR #4 OR #5 OR #6
12 #8 MeSH descriptor: [Radiotherapy] explode all trees
13 #9 MeSH descriptor: [] explode all trees and with qualifier(s): [radiotherapy - RT]
14 #10 radiotherap* or brachytherap* or radiat* or irradiat* or chemoradiotherap* or
15 chemoradiat*
16 #11 #8 or #9 or #10
17 #12 MeSH descriptor: [Diet] explode all trees
18 #13 MeSH descriptor: [Feeding Behavior] this term only
19 #14 MeSH descriptor: [Food] explode all trees
20 #15 MeSH descriptor: [Nutrition Therapy] explode all trees
21 #16 MeSH descriptor: [Nutrition Disorders] explode all trees
22 #17 MeSH descriptor: [Feeding Methods] explode all trees
23 #18 MeSH descriptor: [Polysaccharides] explode all trees
24 #19 MeSH descriptor: [Starch] explode all trees
25 #20 MeSH descriptor: [Amino Acids] explode all trees
26 #21 MeSH descriptor: [Peptides] explode all trees
27 #22 MeSH descriptor: [Antioxidants] explode all trees
28 #23 MeSH descriptor: [Fish Oils] explode all trees
29 #24 nutrition* or nutrient* or malnutrition or diet* or food* or feed* or drink* or supplement*
30 or formula* or vitamin* or mineral* or fat* or carbohydrate* or protein* or probiotic* or synbiotic*
31 or bacteria* or prebiotic* or "amino acid*" or peptide*
32 #25 lactose or fibre or fiber or bran or psyllium or plantago ovata or ispaghula or
33 polysaccharide* or polymeric* or peptide* or amino-acid* or glutamine* or fish oil* or arginine* or
34 antioxidant* or anti-oxidant* or Metamucil or Inulin* or fructose-oligosaccharide* or fructo-
35 oligosaccharide* or oligosaccharide* or starch or saccharide*
36 #26 enteral* or nasogastric* or gastrostomy or jejunostomy or oral* or tube* or sip*
37 #27 MeSH descriptor: [Probiotics] explode all trees
38 #28 MeSH descriptor: [Prebiotics] explode all trees
39 #29 MeSH descriptor: [Synbiotics] explode all trees
40 #30 MeSH descriptor: [Bacteria] explode all trees
41 #31 #12 OR #13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23
42 OR #24 OR #25 OR #26 OR #27 OR #28 OR #29 OR #30
43 #32 #7 AND #11 AND #31