


Modeling Dynamic Network Strategies for SARS-CoV-2 Control on a Cruise Ship

Samuel M. Jenness, PhD Kathryn S. Willebrand,
Aryn A. Malik, PhD, Benjamin A. Lopman, PhD, Saad B. Omer, PhD

Supplemental Appendix

SUPPLEMENTAL FIGURES

Supplemental Figure 1. COVID-19 transmission and disease progression is represented as transitions from an exposed latent state to either a symptomatic (clinical) or asymptomatic (subclinical) pathway. Transmissibility is reduced within the asymptomatic pathway. Disease-induced mortality occurs within the infectious, symptomatic state only.



SUPPLEMENTAL TABLES

Supplemental Table 1. Impact of Network Isolation Timing, With and Without Personal Protective Equipment (PPE), on COVID-19 Incidence and Mortality at 1 Month

Scenario	Cumulative Incidence			Cumulative Mortality		
	Total	NIA ¹	PIA ²	Total	NDA ³	PDA ⁴
	Median (95% SI)	Median (95% SI)	Median (95% SI)	Median (95% SI)	Median (95% SI)	Median (95% SI)
<i>Base Isolation Scenario</i>						
Day 15 (with PPE)	948.0 (388.0, 1534.2)	–	–	10.0 (3.0, 20.0)	–	–
<i>Varying Network Isolation Time (with PPE)</i>						
Day 1	15.0 (5.0, 32.0)	931.5 (928.0, 935.0)	98.4 (98.3, 98.4)	0.0 (0.0, 1.0)	10.0 (10.0, 10.0)	100.0 (100.0, 100.0)
Day 5	38.0 (12.0, 80.0)	909.0 (903.5, 914.0)	96.0 (95.9, 96.1)	0.0 (0.0, 2.0)	10.0 (10.0, 10.0)	100.0 (100.0, 100.0)
Day 10	221.0 (91.0, 418.1)	715.0 (704.0, 726.0)	76.0 (75.4, 76.5)	2.0 (0.0, 7.0)	8.0 (8.0, 8.0)	77.8 (77.8, 78.6)
Day 20	2225.5 (1328.0, 2866.1)	-1265.2 (-1287.5, -1243.0)	-132.2 (-135.6, -128.6)	23.0 (11.0, 36.0)	-13.0 (-13.0, -13.0)	-127.3 (-133.3, -122.2)
Day 25	3205.5 (2410.6, 3465.0)	-2224.0 (-2239.0, -2208.0)	-232.6 (-235.9, -228.8)	31.0 (18.0, 43.0)	-20.0 (-21.0, -20.0)	-200.0 (-209.1, -196.4)
None	3522.0 (3298.0, 3600.0)	-2557.0 (-2567.5, -2547.0)	-269.4 (-271.6, -267.3)	32.0 (19.0, 45.0)	-22.0 (-22.0, -21.0)	-212.5 (-220.0, -208.3)
<i>Varying Network Isolation Time (no PPE)</i>						
Day 1	28.0 (8.0, 67.0)	918.0 (912.5, 923.0)	97.0 (96.9, 97.1)	0.0 (0.0, 2.0)	10.0 (10.0, 10.0)	100.0 (100.0, 100.0)
Day 5	62.0 (19.0, 136.1)	881.0 (874.5, 887.5)	93.3 (93.2, 93.5)	0.0 (0.0, 3.0)	9.0 (9.0, 10.0)	100.0 (100.0, 100.0)
Day 10	315.5 (121.0, 560.1)	625.5 (614.0, 638.0)	66.5 (65.8, 67.2)	3.0 (0.0, 8.0)	7.0 (7.0, 7.0)	72.7 (71.4, 75.0)
Day 15	1112.5 (490.0, 1755.1)	-151.5 (-171.5, -132.5)	-16.0 (-18.4, -13.8)	11.0 (3.0, 22.0)	-1.0 (-1.0, 0.0)	-6.7 (-9.1, 0.0)
Day 20	2336.0 (1402.0, 2928.1)	-1380.5 (-1400.5, -1358.5)	-144.0 (-147.4, -140.5)	23.0 (11.0, 37.0)	-13.0 (-13.0, -13.0)	-129.7 (-133.4, -124.0)
Day 25	3228.0 (2520.6, 3481.0)	-2254.5 (-2271.0, -2240.0)	-236.0 (-239.4, -232.7)	31.0 (17.0, 45.0)	-21.0 (-22.0, -21.0)	-209.5 (-216.7, -200.0)
None	3520.0 (3255.9, 3603.0)	-2556.5 (-2566.0, -2547.5)	-269.5 (-271.8, -267.0)	32.0 (19.0, 45.0)	-22.0 (-22.0, -21.0)	-214.8 (-222.2, -210.0)

1 Number of infections averted relative to base scenario

2 Percent of infections averted relative to base scenario

3 Number of COVID-related deaths averted relative to base scenario

4 Percent of COVID-related deaths averted relative to base scenario

Supplemental Table 2. Directionality of Transmission and Contact Intensity Reductions, with Day 15 Network Lockdown and PPE, on COVID-19 Incidence at 1 Month

	Total	Passenger to Passenger	Passenger to Crew	Crew to Passenger	Crew to Crew
Scenario	Cumulative Incidence	Cuml. Incid.	Cuml. Incid.	Cuml. Incid.	Cuml. Incid.
	<i>Median (95% SI)</i>	<i>Median (95% SI)</i>	<i>Median (95% SI)</i>	<i>Median (95% SI)</i>	<i>Median (95% SI)</i>
With Contact Intensity Reductions, Network Lockdown, and PPE at Day 15					
<i>Base Scenario</i>					
No Intensity Reduction	933.5 (366.0, 1556.2)	551.0 (213.9, 941.0)	163.0 (66.0, 265.0)	124.0 (46.0, 211.0)	93.0 (33.0, 175.0)
<i>Varying Passenger-Passenger Contact Intensity</i>					
50% Reduction	862.5 (353.9, 1454.0)	488.0 (203.9, 843.0)	155.0 (67.0, 257.0)	124.5 (47.0, 216.0)	93.5 (29.0, 174.0)
90% Reduction	765.5 (316.9, 1348.0)	401.0 (164.9, 727.0)	145.5 (63.0, 248.0)	122.0 (44.0, 214.0)	90.0 (31.0, 173.0)
100% Reduction	749.0 (297.9, 1255.1)	381.0 (155.9, 677.0)	147.5 (61.0, 241.0)	126.0 (44.0, 208.0)	93.0 (32.0, 168.0)
<i>Varying Passenger-Crew Contact Intensity</i>					
50% Reduction	849.0 (352.9, 1379.1)	545.0 (230.0, 868.0)	125.5 (54.0, 203.0)	87.0 (31.0, 158.1)	90.0 (31.0, 168.0)
90% Reduction	787.0 (332.9, 1346.1)	535.5 (227.0, 899.0)	96.0 (41.0, 173.0)	62.0 (17.0, 130.0)	87.0 (30.0, 170.0)
100% Reduction	744.0 (325.0, 1274.1)	519.5 (225.9, 865.0)	86.0 (37.0, 152.0)	55.0 (17.0, 117.0)	84.0 (29.0, 167.0)
<i>Varying Crew-Crew Contact Intensity</i>					
50% Reduction	897.0 (379.9, 1471.2)	542.0 (220.8, 904.0)	161.0 (70.0, 254.0)	120.0 (48.0, 203.1)	74.0 (23.0, 142.0)
90% Reduction	899.0 (404.0, 1529.2)	558.0 (255.0, 943.2)	165.0 (78.0, 274.0)	118.0 (47.0, 206.0)	61.0 (17.0, 132.0)
100% Reduction	895.5 (362.9, 1459.1)	558.0 (218.0, 909.1)	162.0 (68.0, 263.0)	115.0 (44.0, 200.0)	55.0 (15.0, 119.0)
With Contact Intensity Reductions and PPE at Day 1, and No Network Lockdown					
<i>Base Scenario</i>					
No Intensity Reduction	3222.0 (2839.9, 3385.0)	2311.0 (2091.0, 2402.0)	472.0 (387.9, 526.0)	151.0 (116.0, 191.0)	280.0 (205.0, 335.0)
<i>Varying Passenger-Passenger Contact Intensity</i>					
50% Reduction	1623.5 (783.9, 2241.0)	1012.0 (489.9, 1389.0)	232.5 (110.0, 322.0)	186.5 (85.0, 273.0)	194.0 (81.0, 288.0)
90% Reduction	206.0 (44.0, 471.0)	38.0 (9.0, 85.0)	35.0 (8.0, 75.0)	68.5 (12.0, 170.0)	63.0 (11.0, 150.0)
100% Reduction	109.0 (14.0, 301.1)	0.0 (0.0, 0.0)	19.0 (3.0, 48.0)	46.0 (4.0, 133.0)	42.0 (3.0, 125.0)

Varying Passenger-Crew Contact Intensity

50% Reduction	2925.0 (2454.8, 3144.1)	2358.0 (2047.9, 2470.0)	298.0 (216.0, 352.0)	48.0 (30.0, 69.0)	218.0 (131.0, 292.0)
90% Reduction	2526.0 (2092.9, 2709.0)	2375.0 (1995.9, 2507.0)	75.0 (46.0, 99.0)	2.0 (0.0, 7.0)	68.5 (23.0, 126.0)
100% Reduction	2375.5 (2042.9, 2498.0)	2375.5 (2042.9, 2498.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)

Varying Crew-Crew Contact Intensity

50% Reduction	3111.5 (2658.0, 3295.0)	2319.0 (2059.8, 2414.0)	518.0 (397.0, 584.0)	131.0 (97.0, 166.0)	139.0 (90.0, 178.0)
90% Reduction	3030.0 (2580.8, 3203.0)	2331.0 (2040.8, 2423.0)	555.0 (403.9, 632.0)	116.0 (87.0, 148.0)	26.0 (14.0, 40.0)
100% Reduction	3000.5 (2621.9, 3192.0)	2324.0 (2077.8, 2428.1)	558.5 (429.9, 650.0)	114.0 (86.0, 143.0)	0.0 (0.0, 0.0)

Supplemental Table 3. Impact of Varying Intensity of Diagnosis-Based Case Isolation, with Asymptomatic Screening Starting at Day 15, Stratified by Network Lockdown and PPE Use, on COVID-19 Incidence and Mortality at 1 Month

Scenario	Cumulative Incidence			Cumulative Mortality		
	Total	NIA ¹	PIA ²	Total	NDA ³	PDA ⁴
	<i>Median (95% SI)</i>	<i>Median (95% SI)</i>	<i>Median (95% SI)</i>	<i>Median (95% SI)</i>	<i>Median (95% SI)</i>	<i>Median (95% SI)</i>
<i>Network Lockdown and PPE at Day 15</i>						
100% Isolation	928.0 (416.9, 1545.1)	10.0 (-8.5, 30.5)	1.1 (-0.9, 3.3)	10.0 (3.0, 21.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)
90% Isolation (Base)	943.0 (411.8, 1556.0)	0.0 (-20.5, 19.5)	0.0 (-2.2, 2.1)	10.0 (3.0, 21.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)
75% Isolation	958.5 (431.0, 1525.1)	-5.5 (-23.5, 14.0)	-0.6 (-2.6, 1.4)	10.0 (3.0, 20.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)
50% Isolation	953.0 (414.9, 1548.0)	-16.5 (-35.5, 2.0)	-1.8 (-3.8, 0.2)	10.0 (2.0, 21.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)
25% Isolation	974.5 (410.0, 1583.0)	-30.0 (-49.5, -9.0)	-3.2 (-5.3, -0.9)	10.0 (3.0, 21.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)
No Isolation	960.5 (426.9, 1588.0)	-28.0 (-45.5, -8.0)	-3.0 (-4.9, -0.9)	10.0 (3.0, 21.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)
<i>No Network Lockdown or PPE</i>						
100% Isolation	3499.0 (3251.0, 3591.0)	18.0 (14.0, 22.0)	0.5 (0.4, 0.6)	32.0 (19.0, 46.0)	0.0 (-1.0, 0.0)	0.0 (-2.9, 0.0)
90% Isolation (Base)	3516.0 (3288.9, 3603.0)	–	–	31.0 (19.0, 44.0)	–	–
75% Isolation	3544.0 (3373.0, 3617.0)	-27.0 (-30.5, -23.0)	-0.8 (-0.9, -0.7)	32.0 (21.0, 46.0)	-1.0 (-1.0, 0.0)	-2.9 (-3.4, 0.0)
50% Isolation	3578.0 (3420.0, 3632.0)	-59.0 (-62.5, -56.0)	-1.7 (-1.8, -1.6)	33.0 (20.0, 46.0)	-1.0 (-1.0, -1.0)	-3.2 (-3.9, -2.7)
25% Isolation	3601.0 (3492.9, 3644.0)	-81.0 (-84.0, -79.0)	-2.3 (-2.4, -2.2)	32.0 (19.0, 46.0)	-1.0 (-2.0, -1.0)	-3.3 (-5.1, -2.9)
No Isolation	3621.0 (3514.9, 3656.0)	-100.0 (-103.0, -97.0)	-2.8 (-2.9, -2.8)	33.0 (20.0, 45.0)	-1.0 (-2.0, -1.0)	-3.3 (-5.3, -2.8)

1 Number of infections averted relative to base scenario

2 Percent of infections averted relative to base scenario

3 Number of COVID-related deaths averted relative to base scenario

4 Percent of COVID-related deaths averted relative to base scenario

Supplemental Table 4. Impact of Timing of Mass Asymptomatic Screening and Diagnosis-Based Case Isolation, with No Network Lockdown and Stratified by PPE Use, on COVID-19 Incidence and Mortality at 1 Month

Scenario	Cumulative Incidence			Cumulative Mortality		
	Total	NIA ¹	PIA ²	Total	NDA ³	PDA ⁴
	Median (95% SI)	Median (95% SI)	Median (95% SI)	Median (95% SI)	Median (95% SI)	Median (95% SI)
<i>Varying Timing of Mass Screening (Never PPE)</i>						
Day 1	2286.0 (0.0, 3421.0)	1403.5 (1396.0, 1409.0)	38.0 (37.9, 38.1)	7.0 (0.0, 24.0)	29.0 (28.0, 29.0)	81.2 (80.6, 81.8)
Day 5	2621.5 (16.0, 3353.1)	1070.5 (1067.0, 1074.0)	29.0 (28.9, 29.1)	9.0 (0.0, 23.0)	27.0 (27.0, 27.0)	75.6 (75.0, 76.0)
Day 10	2917.0 (1787.8, 3310.1)	775.0 (772.5, 777.5)	21.0 (20.9, 21.1)	13.0 (4.0, 25.0)	23.0 (22.0, 23.0)	63.6 (62.9, 64.1)
Day 15	2944.5 (2256.8, 3176.1)	746.0 (744.0, 748.0)	20.2 (20.2, 20.3)	18.0 (8.0, 32.0)	18.0 (17.0, 18.0)	50.0 (48.6, 50.0)
Day 20	3102.5 (2588.8, 3360.1)	590.0 (588.0, 591.5)	16.0 (15.9, 16.0)	30.0 (16.0, 45.0)	6.0 (6.0, 7.0)	17.1 (16.1, 18.4)
Day 25	3607.0 (3360.9, 3668.0)	85.0 (84.0, 86.0)	2.3 (2.3, 2.3)	36.0 (24.0, 50.0)	0.0 (-1.0, 0.0)	0.0 (-2.5, 0.0)
Never (Reference)	3692.0 (3679.0, 3699.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)	36.0 (25.0, 49.0)	0.0 (0.0, 0.0)	0.0 (0.0, 0.0)
<i>Varying Timing of Mass Screening (Always PPE)</i>						
Day 1	1629.5 (0.0, 3013.0)	2012.0 (1998.0, 2023.0)	55.3 (55.0, 55.4)	5.0 (0.0, 20.0)	27.0 (27.0, 28.0)	85.2 (84.5, 85.7)
Day 5	1856.5 (12.0, 2837.4)	1776.0 (1766.0, 1784.5)	48.8 (48.6, 49.0)	6.0 (0.0, 19.0)	26.0 (26.0, 27.0)	81.0 (80.5, 81.5)
Day 10	2240.5 (1058.0, 2815.1)	1395.0 (1387.0, 1402.0)	38.3 (38.2, 38.5)	10.0 (2.0, 20.0)	23.0 (23.0, 23.0)	70.6 (70.0, 71.1)
Day 15	2372.0 (1585.6, 2755.0)	1267.5 (1262.0, 1273.0)	34.8 (34.7, 34.9)	15.0 (5.0, 27.0)	18.0 (17.0, 18.0)	54.3 (53.5, 55.0)
Day 20	2656.0 (1980.9, 3033.0)	983.5 (977.5, 988.5)	27.0 (26.9, 27.2)	26.0 (12.0, 40.0)	7.0 (7.0, 8.0)	22.2 (20.9, 23.3)
Day 25	3354.0 (2831.8, 3537.1)	285.5 (282.0, 290.0)	7.8 (7.8, 7.9)	33.0 (20.0, 47.0)	0.0 (0.0, 1.0)	0.0 (0.0, 2.5)
Never (Reference)	3643.0 (3563.0, 3669.0)	–	–	33.0 (20.0, 45.0)	–	–

1 Number of infections averted relative to base scenario

2 Percent of infections averted relative to base scenario

3 Number of COVID-related deaths averted relative to base scenario

4 Percent of COVID-related deaths averted relative to base scenario