

1 **Supplementary Table 1**

2 *Overview of participants' demographic and general characteristics.*

3

		N	
Age Category	65-69	248	
	70-74	187	
	75-79	87	
	80-84	58	
	85-89	38	
	≥90	22	
Gender	Male	262	
	Female	377	
	Other	1	
Nationality	Belgian	632	
	Dutch	5	
	German	1	
	Moroccan	2	
Living situation	Own or partner's home	518	
	Care facility	Nursing home	53
		Assisted living facility	67
	With family	1	
	Other	1	
Number of cohabitants	0	179	
	1	345	
	2 or more	116	
Number of contacts during the past week (excluding cohabitants)	In real life outside	0	108
		1	55
		2	81
		3 or 4	185
		5 to 8	142
		+9	62
	In real life inside	0	259
		1	106
		2	106
		3 or 4	110
		5 to 8	33
		+9	20
	By telephone	0	39
		1	42
		2	71
		3 or 4	203
		5 to 8	167
		+9	113
	By internet	0	104
		1	43
		2	56
3 or 4		145	
5 to 8		128	
+9		157	
Highest educational level	No secondary school diploma	81	

	Secondary school diploma	181
	University or high school degree	331
	Other	47
Work situation	Retired	610
	Employed	14
	Other (e.g., disabled or retired with part-time job)	16
Monthly individual net income (in €)	0-500	31
	501-1000	22
	1001-1500	161
	1501-2000	189
	2001-2500	109
	2501-3000	36
	3001-3500	9
	3501-4000	6
	Above 4000	8
	I can't or do not want to answer this question	69
Medical history	Parkinson's disease	7
	Dementia	7
	Stroke	9
	Diabetes	53
	Epilepsy	3
	None of the above	563
COVID-19 contagion of participant	No	613
	Yes, confirmed with test	7
	Yes, but not confirmed with test	20
COVID-19 contagion of at least one close relative or friend	No	542
	Yes, confirmed with test	43
	Yes, but not confirmed with test	55
Week when survey was completed	19/5/2020 until 25/5/2020	285
	26/5/2020 until 1/6/2020	106
	2/6/2020 until 8/6/2020	140
	9/6/2020 until 15/6/2020	70
	16/6/2020 until 22/6/2020	39

5 **Supplementary Table 2**

6 *Pearson correlations between the continuous predictors (age, income, CFQ, GDS-15, LSNS-6 and BRS total scores) and the difference scores between the*
 7 *reports during and before the COVID-19 period for the PWI-A items and total score, activity level and sleep quality. Means (SD) for the difference scores for*
 8 *each level of the categorical predictors (i.e., gender, whether the participant lived alone or not and whether the participant lived in a care facility or not).*
 9

	Difference scores with regards to										
	PWI-A1	PWI-A2	PWI-A3	PWI-A4	PWI-A5	PWI-A6	PWI-A7	PWI-A8	PWI-A_total	Activity	Sleep
Age	.041	-.11**	-.005	.044	.038	.14***	.068	.17***	.080*	-.005	.005
Income	.000	-.019	-.010	-.038	-.011	.063	.012	.056	.018	.054	.040
CFQ	-.058	-.011	-.069	-.12**	-.091*	-.15***	-.075	-.14**	-.13**	-.053	-.083*
GDS-15	-.47***	-.31***	-.30***	-.37***	-.32***	-.35***	-.38***	-.38***	-.50***	-.38***	-.31***
LSNS-6	.13**	.20***	.14***	.12**	.096*	.077	.088*	.076	.15***	.084*	.098*
BRS	.11**	.089*	.14***	.13**	.055	.18***	.11**	.16***	.17***	.13**	.18***
Male	-7,21 (12.01)	-3,86 (12.07)	-1,53 (8.16)	-3,21 (10.15)	-4,58 (11.33)	-7,60 (13.89)	-8,17 (15.48)	-7,82 (12.33)	-5,50 (8.43)	-0,63 (1.58)	-0,29 (1.09)
Female	-11,32 (17.10)	-4,08 (10.95)	-3,79 (10.06)	-4,35 (11.70)	-8,86 (17.03)	-12,31 (17.24)	-12,81 (18.89)	-12,15 (15.91)	-8,71 (10.82)	-1,15 (1.61)	-0,26 (1.25)
Not living alone	-8,55 (14.17)	-3,69 (10.87)	-2,06 (8.18)	-3,06 (10.53)	-5,66 (13.46)	-10,54 (15.86)	-9,78 (16.38)	-10,17 (14.31)	-6,69 (9.40)	-0,82 (1.60)	-0,20 (1.14)
Living alone	-12,40 (17.75)	-4,75 (12.69)	-4,97 (11.73)	-5,98 (12.20)	-10,79 (18.18)	-10,00 (16.73)	-13,74 (20.50)	-10,95 (15.64)	-9,19 (11.30)	-1,23 (1.63)	-0,46 (1.27)
Not Living in a care facility	-9,50 (14.66)	-2,71 (8.83)	-2,73 (9.24)	-3,60 (10.46)	-6,67 (14.35)	-11,31 (16.45)	-11,10 (17.67)	-11,19 (14.73)	-7,35 (9.73)	-0,92 (1.57)	-0,26 (1.20)
Living in a care facility	-10,17 (18.06)	-9,50 (17.91)	-3,50 (10.01)	-5,08 (13.47)	-8,91 (17.89)	-6,42 (13.83)	-10,00 (17.87)	-6,92 (14.01)	-7,55 (11.24)	-1,01 (1.78)	-0,34 (1.10)

10 *Note.* Income = monthly individual net income; CFQ = Cognitive Failures Questionnaire total score; GDS-15 = Geriatric Depression Scale-15 total score; LSNS-
 11 6 = Lubben Social Network Scale-6 total score; BRS = Brief Resilience Scale mean score; PWI-A = Personal Wellbeing Index – Adults; PWI-A1 to PWI-A8 =
 12 difference scores between the reports on the individual PWI-A items (respectively, general life satisfaction, standard of living, health, achieving in life,
 13 relationships, safety, community connectedness and future security) during and before the COVID-19 period; PWI-A_total = difference scores between the
 14 PWI-A total scores (i.e., subjective wellbeing) during and before the COVID-19 period; Activity and Sleep = difference scores between the reports for activity
 15 level and sleep quality during and before the COVID-19 period; *** $p < .001$; ** $p < .01$; * $p < .05$.

16 **Supplementary Table 3**

17 *Pearson correlations between the continuous predictors (age, income, CFQ, GDS-15, LSNS-6 and BRS total scores) and the subjective cognitive change*
 18 *questions. Means (SD) for the subjective cognitive change questions for each level of the categorical predictors (i.e., gender, whether the participant lived*
 19 *alone or not and whether the participant lived in a care facility or not).*
 20

	Problems with					
	cognitive functioning	remembering	concentration	doing two things at the same time	recalling	forgetfulness
Age	-0.014	-.034	.11**	.047	.038	-.030
Income	.054	.066	.087*	.050	.078	.067
CFQ	-.29***	-.32***	-.29***	-.21***	-.32***	-.31***
GDS-15	-.35***	-.26***	-.33***	-.18***	-.26***	-.31***
LSNS-6	.11**	.033	.061	.015	.080*	.10*
BRS	.17***	.13**	.13**	.08	.17***	.17***
Male	1,95 (0.30)	2,94 (0.35)	2,94 (0.35)	2,96 (0.33)	2,94 (0.38)	2,94 (0.39)
Female	1,94 (0.32)	2,92 (0.44)	2,88 (0.50)	2,98 (0.36)	2,91 (0.42)	2,92 (0.41)
Not living alone	1,95 (0.30)	2,93 (0.37)	2,92 (0.41)	2,97 (0.32)	2,93 (0.37)	2,93 (0.38)
Living alone	1,92 (0.34)	2,94 (0.49)	2,87 (0.52)	2,99 (0.40)	2,89 (0.50)	2,91 (0.46)
Not living in a care facility	1,95 (0.32)	2,93 (0.41)	2,89 (0.46)	2,96 (0.33)	2,91 (0.41)	2,93 (0.40)
Living in a care facility	1,92 (0.28)	2,93 (0.38)	2,98 (0.35)	3,04 (0.40)	2,95 (0.41)	2,89 (0.43)

21 *Note.* Income = monthly individual net income; CFQ = Cognitive Failures Questionnaire total score; GDS-15 = Geriatric Depression Scale-15 total score; LSNS-
 22 *6 = Lubben Social Network Scale-6 total score; BRS = Brief Resilience Scale mean score; *** $p < .001$; ** $p < .01$; * $p < .05$.*

