


Appendix Figure S1. (A) Upset plot of first symptoms recalled noted during COVID-19 infection at enrollment.

*All symptoms except those with asterisks are in the current interim April 2020 CDC COVID-19 CDC definition.



Appendix Figure S2. Scatter plots with linear fitted line and confidence interval for (A) resting oxygen saturation (%) and (B) ambulatory oxygen saturation (%) with the lower threshold of normal indicated by the red dashed line (92%). (C) Bland-Altman plot demonstrates that the difference between oxygen saturations at rest and during walking widens as the oxygenation decreases.

Appendix Table S2. Clinical characteristics of individuals that were subsequently hospitalized

Age and sex	Comorbidities	Last SaO ₂ Resting/ Ambulatory prior to ED (%)	Reason for ED Referral (by whom)	Inflammatory markers	Admission Length/ outcome	Pulse oximetry Informed ED Referral?
69 yo male	DVT, Hypertension, Pulmonary Embolism, Colon Polyp, G6PD Deficiency	96 / 92	Dyspnea (PCP)	CRP 22.9 peak, IL- 6 73.6	7 day admission (hydroxychloroquine azithromycin randomized clinical trial)	No
54 yo male	Hypertension	95 / 96	Chest pain (Pt)	WBC 12.6K, ferritin 164, LDH 256, D-dimer <0.19	3 day admission	No
69 yo male	Former smoker, Asthma, COPD	84 / -	Dyspnea (Team)	WBC 5.7K, ferritin 751, LDH 272	Hospitalized ² (randomized clinical study)	Yes
66 yo female	Former smoker, Hypertension, Hyperlipidemia, Asthma, Neuropathy	91 / 84 (in the ED)	Dyspnea (Team)	WBC 3.8K, CRP 11.7, ferritin 411, LDH 256	17 day admission (>4L O ₂ , remdesivir)	No
48 yo female	Pneumonia, Pre-diabetic	89 / -	Cough, fever, body aches, dyspnea (Team)	WBC 9.2K, ferritin 668, LDH 339, D- dimer 0.51, IL-6 7.1	7 day admission (4L O ₂ , remdesivir)	Yes

63 yo female	Former smoker, CA Disease, Hypertension, Hyperlipidemia, Valvular Heart Disease, Diabetes, Hypothyroid	93; 82 / 88	Cough, dyspnea (Pt)	WBC 4K, d-dimer 0.74, CRP 26.8, Ferritin 1539, LDH 330	12 day admission (intubated, dexamethasone)	No
69 yo male	CA Disease, Hypertension, MI, Stroke, Carotid Artery Disease, Chronic Sinusitis, Barrett's Esophagus, Esophagitis, Diabetes, Depression	95 / 95	Diarrhea, (Pt, PCP)	WBC 3.7K, CRP 1.2 mg/dL	3 day admission	No
65 yo female	Hypertension, GERD	85 / -	Dyspnea, fever (Pt)	WBC 4.39K, d-dimer 0.8, CRP 9.4, Ferritin 847, LDH 307	5 day admission (5L O2, remdesivir, dexamethasone); convalescent plasma prior to admission	No
54 yo female	Pneumonia due to COVID-19, Hypoxia, Morbid Obesity	92 / 80	Dyspnea, fatigue, fever (Team)	WBC 6.7K, d-dimer 0.69	5 day admission (2L O2, remdesivir, dexamethasone)	Yes


ED: emergency department, Pt: patient; WBC: white blood count; yo: years of age

Appendix Table S3. Performance characteristics of lowest resting oxygen saturation within the first week of symptoms (N=42) for predicting subsequent hospitalization.

SaO ₂ Cut Point (%)	Sensitivity (%)	Specificity (%)	Correctly Classified (%)	LR+	LR-
≤ 100	100	0.0	9.5	1.0	
≤ 98	100	2.6	11.9	1.0	0.0
≤ 97	100	10.5	19.1	1.1	0.0
≤ 96	100	34.2	40.5	1.5	0.0
≤ 95	100	65.8	69.1	2.9	0.0
≤ 94	50	76.3	73.8	2.1	0.7
≤ 93	50	92.1	88.1	6.3	0.5
≤ 91	25	97.4	90.5	9.5	0.8
≤ 85	25	100.0	92.9		0.8

LR+: Positive likelihood ratio

LR-: Negative likelihood ratio



Appendix Figure S3. Incidence rate ratios of subsequent hospitalization by baseline demographics and comorbid conditions.