

## Supplementary materials

### **Estimating the extent of asymptomatic COVID-19 and its potential for community transmission: systematic review and meta-analysis**

Oyungerel Byambasuren, Magnolia Cardona, Katy Bell, Justin Clark, Mary-Louise McLaws, Paul Glasziou. doi: <https://doi.org/10.1101/2020.05.10.20097543>

1. Full search strategy
2. Excluded studies table with reasons
3. Signalling questions for risk of bias assessment

#### **Supplement 1. Full search strategy for all databases run on 08/04/2020 and updated on 14/05/2020**

##### **PubMed search**

```
((("COVID-19"[Supplementary Concept] OR "COVID-19"[tiab] OR COVID19[tiab] OR "COVID 19"[tiab] OR "SARS-CoV-2"[tiab] OR "2019-nCoV"[tiab] OR "Novel coronavirus"[tiab] OR "Coronavirus 2019"[tiab] OR "Coronavirus 19"[tiab] OR "COVID 2019"[tiab] OR "2019 ncov"[tiab] OR "Wuhan coronavirus"[tiab]) AND ("Asymptomatic Diseases"[Mesh] OR Asymptomatic[tiab] OR Presymptomatic[tiab] OR "Pre-Symptomatic"[tiab] OR "No symptoms"[tiab] OR "No symptom"[tiab] OR "Silent transmission"[tiab] OR "Silent carrier"[tiab] OR "Silent carriers"[tiab]) AND (Letter[pt] OR "Epidemiologic Studies"[Mesh] OR "Case-control studies"[Mesh] OR "Cohort Studies"[Mesh] OR "Case control"[tiab] OR Longitudinal[tiab] OR Prospective[tiab] OR Retrospective[tiab] OR "Cross sectional"[tiab] OR "Cross-Sectional Studies"[Mesh] OR Investigated[tiab] OR Analysis[tiab] OR Data[tiab] OR Cases[tiab] OR Ratio[tiab] OR "statistics and numerical data"[sh] OR "epidemiology"[sh])) OR ((("COVID-19"[ti] OR COVID19[ti] OR "COVID 19"[ti] OR "SARS-CoV-2"[ti] OR "2019-nCoV"[ti] OR "Novel coronavirus"[ti] OR "Coronavirus 2019"[ti] OR "Coronavirus 19"[ti] OR "COVID 2019"[ti] OR "2019 ncov"[ti] OR "Wuhan coronavirus"[ti]) AND (Asymptomatic[ti] OR Presymptomatic[ti] OR "Pre-Symptomatic"[ti])) AND ("2019/01/01"[PDat] : "2020/12/31"[PDat]))
```

##### **Embase search**

```
((COVID-19:ti,ab OR COVID19:ti,ab OR "COVID 19":ti,ab OR SARS-CoV-2:ti,ab OR 2019-nCoV:ti,ab OR "Novel coronavirus":ti,ab OR "Coronavirus 2019":ti,ab OR "Coronavirus 19":ti,ab OR "COVID 2019":ti,ab OR "2019 ncov":ti,ab OR "Wuhan coronavirus":ti,ab) AND ('asymptomatic disease'/exp OR Asymptomatic:ti,ab OR Presymptomatic:ti,ab OR Pre-Symptomatic:ti,ab OR "No symptoms":ti,ab OR "No symptom":ti,ab OR "Silent transmission":ti,ab OR "Silent carrier":ti,ab OR "Silent carriers":ti,ab) AND ('letter'/exp OR 'epidemiology'/exp OR 'case control study'/exp OR 'cohort analysis'/exp OR "Case control":ti,ab OR Longitudinal:ti,ab OR Prospective:ti,ab OR Retrospective:ti,ab OR "Cross sectional":ti,ab OR 'cross-sectional study'/exp OR Investigated:ti,ab OR Analysis:ti,ab OR Data:ti,ab OR Cases:ti,ab OR Ratio:ti,ab)) OR ((COVID-19:ti OR COVID19:ti OR "COVID 19":ti OR SARS-CoV-2:ti OR 2019-nCoV:ti OR "Novel coronavirus":ti OR "Coronavirus 2019":ti OR "Coronavirus 19":ti OR "COVID 2019":ti OR "2019 ncov":ti OR "Wuhan coronavirus":ti) AND (Asymptomatic:ti OR Presymptomatic:ti OR Pre-Symptomatic:ti)) AND [2019-2020]/py
```

##### **Cochrane Covid-19 study register**

```
"Asymptomatic Diseases" OR "Viral Load" OR Asymptomatic OR Presymptomatic OR Pre-Symptomatic OR "No symptoms" OR "No symptom" OR "Silent transmission" OR "Silent carrier" OR "Silent carriers"
```

**MedRxiv (pre-print servers) search via Europe PMC**

(COVID-19 OR COVID19 OR "COVID 19" OR SARS-CoV-2 OR 2019-nCoV OR "Novel coronavirus" OR "Coronavirus 2019" OR "Coronavirus 19" OR "COVID 2019" OR "2019 ncov" OR "Wuhan coronavirus")

AND

(Asymptomatic OR Presymptomatic OR "No symptoms" OR "No symptom" OR "Silent transmission" OR "Silent carrier" OR "Silent carriers")

**Supplement 2. Excluded studies after full text assessment with reasons**

| #  | Reference  | Reason for exclusion   |
|----|--|------------------------|
| 1  | Tian S, et al., Characteristics of COVID-29 infection in Beijing, J Infect 80, 401-406   | Unclear sampling frame |
| 2  | Chen, P., et al., Epidemiological and clinical characteristics of 136 cases of COVID-19 in main district of Chongqing. J Formos Med Assoc, 2020.   | Unclear sampling frame |
| 3  | Feng, T., et al., A study on the clinical characteristics and management of patients with mild cases of COVID-19 in shelter hospitals from China. 2020, Research Square.   | Unclear sampling frame |
| 4  | He, G., et al., The clinical feature of silent infections of novel coronavirus infection (COVID-19) in Wenzhou. J Med Virol, 2020.   | Unclear sampling frame |
| 5  | Mandić-Rajčević, S., et al., Contact tracing and isolation of asymptomatic spreaders to successfully control the COVID-19 epidemic among healthcare workers in Milan (Italy). 2020, medRxiv  | Unclear sampling frame |
| 6  | Du W. Clinical characteristics of COVID-19 in children compared with adults in Shandong Province, China. Infection, 2020   | Unclear sampling frame |
| 7  | Ben-Ami, R., et al., Large-scale implementation of pooled RNA-extraction and RT-PCR for SARS-CoV-2 detection. 2020, medRxiv.   | Unclear sampling frame |
| 8  | An, P., et al., Asymptomatic Patients with Novel Coronavirus Disease (COVID-19). Balkan Med J, 2020.   | Unclear sampling frame |
| 9  | Chau, N.V.V., et al., The natural history and transmission potential of asymptomatic SARS-CoV-2 infection. 2020, medRxiv.  | Unclear sampling frame |
| 10 | Breslin, N., et al., Coronavirus disease 2019 infection among asymptomatic and symptomatic pregnant women: two weeks of confirmed presentations to an affiliated pair of New York City hospitals. American Journal of Obstetrics and Gynecology MFM, 2020. | Unclear sampling frame |
| 11 | Wang Z, M.W.Z.X.W.G.Z.R., Household Transmission of SARS-CoV-2. Journal of infection, 2020.  | Unclear sampling frame |
| 12 | Wong J, et a., High proportion of asymptomatic and presymptomatic COVID-19 infections in travelers and returning residents to Brunei. Journal of travel medicine, 2020   | Unclear sampling frame |
| 13 | Kim Se, et al., Viral kinetics of SARS-CoV-2 in asymptomatic carriers and presymptomatic patients. International journal of infectious diseases, 2020.   | Unclear sampling frame |
| 14 | Liao J, et al., Epidemiological and clinical characteristics of COVID-19 in adolescents and young adults   | Unclear sampling frame |
| 15 | Corman, V., et al., SARS-CoV-2 asymptomatic and symptomatic patients and risk for transfusion transmission. 2020, medRxiv.   | Unclear sampling frame |
| 16 | Day, M., Covid-19: four fifths of cases are asymptomatic, China figures indicate. Bmj, 2020. 369: p. m1375.  | Unclear sampling frame |
| 17 | Day, M., Covid-19: identifying and isolating asymptomatic people helped eliminate virus in Italian village. Bmj, 2020. 368: p. m1165.  | Unclear sampling frame |
| 18 | Mizumoto, K., et al., Estimating the asymptomatic proportion of coronavirus disease 2019 (COVID-19) cases on board the Diamond Princess cruise ship, Yokohama, Japan, 2020. Euro Surveill, 2020. 25(10).   | Unclear sampling frame |
| 19 | Qiu, C., et al., Transmission and clinical characteristics of coronavirus disease 2019 in 104 outside-Wuhan patients, China. 2020, medRxiv.  | Unclear sampling frame |
| 20 | Tao, Y., et al., High incidence of asymptomatic SARS-CoV-2 infection, Chongqing, China. 2020, medRxiv.   | Unclear sampling frame |
| 21 | Tian, S., et al., Characteristics of COVID-19 infection in Beijing. J Infect, 2020. 80(4): p. 401-406.   | Unclear sampling frame |
| 22 | Zhang, Z., et al., Clinical characteristics of COVID-19 in children compared with adults in Shandong, China. 2020, Research Square.  | Unclear sampling frame |
| 23 | Feng, K., et al., [Analysis of CT features of 15 children with 2019 novel coronavirus infection]. Zhonghua Er Ke Za Zhi, 2020. 58(4): p. 275-278.  | Unclear sampling frame |
| 24 | Nishiura H, Kobayashi T, Suzuki A, et al. Estimation of the asymptomatic ratio of novel coronavirus infections (COVID-19). International Journal of Infectious Diseases 2020.  | Unclear sampling frame |

|    |  |                             |
|----|--|-----------------------------|
| 25 | Lytras T, Dellis G, Flountzi A, et al. High prevalence of SARS-CoV-2 infection in repatriation flights to Greece from three European countries. <i>Journal of Travel Medicine</i> 2020.                            | Unclear sampling frame      |
| 26 | Zhou, X., et al., Follow-up of the asymptomatic patients with SARS-CoV-2 infection. <i>Clin Microbiol Infect</i> , 2020.   | Unclear sampling frame      |
| 27 |  |                             |
| 28 | Fontanet, A., et al., Cluster of COVID-19 in northern France: A retrospective closed cohort study. 2020, medRxiv.  | No/Unclear follow-up period |
| 29 | Jing, Q.L., et al., [Contagiousness and secondary attack rate of 2019 novel coronavirus based on cluster epidemics of COVID-19 in Guangzhou]. <i>Zhonghua Liu Xing Bing Xue Za Zhi</i> , 2020. 41(0): p. E058      | No/Unclear follow-up period |
| 30 | Lao, X., et al., Epidemiological characteristics and the effectiveness of countermeasures to control coronavirus disease 2019 in Ningbo City, China. 2020, Research Square.  | No/Unclear follow-up period |
| 31 | Streeck, H., et al., Infection fatality rate of SARS-CoV-2 infection in a German community with a super-spreading event. 2020, medRxiv.  | No/Unclear follow-up period |
| 32 | Just, J., et al., Distinguishing between COVID-19 and the common cold in a primary care setting - comparison of patients with positive and negative SARS-CoV-2 PCR results. 2020, medRxiv.                         | No/Unclear follow-up period |
| 33 | Kim, H., H. Hong, and S.H. Yoon, Diagnostic Performance of CT and Reverse Transcriptase-Polymerase Chain Reaction for Coronavirus Disease 2019: A Meta-Analysis. <i>Radiology</i> , 2020: p. 201343.               | No/Unclear follow-up period |
| 34 | Kim Gu, et al., Clinical characteristics of asymptomatic and symptomatic patients with mild COVID-19. <i>Clinical microbiology and infection</i> , 2020.   | No/Unclear follow-up period |
| 35 | Tabata, S., et al., The clinical characteristics of COVID-19: a retrospective analysis of 104 patients from the outbreak on board the Diamond Princess cruise ship in Japan. 2020, medRxiv.                        | No/Unclear follow-up period |
| 36 | Dong, Y., et al., Epidemiology of COVID-19 Among Children in China. <i>Pediatrics</i> , 2020.  | No/Unclear follow-up period |
| 37 | Day M, COVID-19: Four fifths of cases are asymptomatic, China figures indicate   | No/Unclear follow-up period |
| 38 | Rivett, L., et al., Screening of healthcare workers for SARS-CoV-2 highlights the role of asymptomatic carriage in COVID-19 transmission. <i>Elife</i> , 2020. 9.  | No/Unclear follow-up period |
| 39 | McMichael T, et al., Epidemiology of Covid-19 in a Long-Term Care Facility in King County, Washington  | No/Unclear follow-up period |
| 40 | Zhonghua, L., B. Xing, and Z.Z. Xue, [The epidemiological characteristics of an outbreak of 2019 novel coronavirus diseases (COVID-19) in China]. 2020. 41(2): p. 145-151.   | No/Unclear follow-up period |
| 41 | Hu, Z., et al., Clinical characteristics of 24 asymptomatic infections with COVID-19 screened among close contacts in Nanjing, China. <i>Sci China Life Sci</i> , 2020.  | No/Unclear follow-up period |
| 42 | Liao, J., et al., Epidemiological and clinical characteristics of COVID-19 in adolescents and young adults. 2020, medRxiv.   | No/Unclear follow-up period |
| 43 | Ling, Z., et al., Asymptomatic SARS-CoV-2 infected patients with persistent negative CT findings. <i>Eur J Radiol</i> , 2020. 126: p. 108956.  | No/Unclear follow-up period |
| 44 | Lu, J., et al., A New Features of SARS-CoV-2 Infection in Wenzhou, China. 2020, Research Square.   | No/Unclear follow-up period |
| 45 | Ma, S., et al., Epidemiological parameters of coronavirus disease 2019: a pooled analysis of publicly reported individual data of 1155 cases from seven countries. 2020, medRxiv.                                  | No/Unclear follow-up period |
| 46 | Park, S.W., et al., The time scale of asymptomatic transmission affects estimates of epidemic potential in the COVID-19 outbreak. 2020, medRxiv.   | No/Unclear follow-up period |
| 47 | Qiu, H., et al., Clinical and epidemiological features of 36 children with coronavirus disease 2019 (COVID-19) in Zhejiang, China: an observational cohort study. <i>Lancet Infect Dis</i> , 2020.                 | No/Unclear follow-up period |
| 48 | Shi, H., et al., Radiological findings from 81 patients with COVID-19 pneumonia in Wuhan, China: a descriptive study. <i>The Lancet Infectious Diseases</i> , 2020. 20(4): p. 425-434.                             | No/Unclear follow-up period |
| 49 | Sun, W.W., et al., [Epidemiological characteristics of 2019 novel coronavirus family clustering in Zhejiang Province]. <i>Zhonghua Yu Fang Yi Xue Za Zhi</i> , 2020. 54(0): p. E027.                               | No/Unclear follow-up period |
| 50 | Wang, Y., et al., Clinical Implications of 37 Childhood Cases with 2019-nCoV Infection in Shenzhen, China. 2020, Research Square.  | No/Unclear follow-up period |
| 51 | Chen, J., et al., Clinical progression of patients with COVID-19 in Shanghai, China. <i>Journal of infection</i> , 2020.   | No/Unclear follow-up period |
| 52 | Nakazawa, E., H. Ino, and A. Akabayashi, Chronology of COVID-19 cases on the Diamond Princess cruise ship and ethical considerations: a report from Japan. <i>Disaster Med Public Health Prep</i> , 2020: p. 1-27. | No/Unclear follow-up period |

|    |   |                                  |
|----|---|----------------------------------|
| 53 | Su, L., et al., The different clinical characteristics of corona virus disease cases between children and their families in China - the character of children with COVID-19. <i>Emerg Microbes Infect</i> , 2020. 9(1): p. 707-713. | No/Unclear follow-up period      |
| 54 | Xu, Y., et al., Clinical Characteristics of SARS-CoV-2 Pneumonia Compared to Controls in Chinese Han Population. 2020, medRxiv.   | No/Unclear follow-up period      |
| 55 | Zhang, J., et al., Epidemiological and clinical characteristics of imported cases with COVID-19 infection: a multicentre study. 2020, Research Square.  | No/Unclear follow-up period      |
| 56 | Gudbjartsson, D.F., et al., Spread of SARS-CoV-2 in the Icelandic Population. <i>N Engl J Med</i> , 2020.   | No/Unclear follow-up period      |
| 57 | Sutton, D., et al., Universal Screening for SARS-CoV-2 in Women Admitted for Delivery. <i>New England Journal of Medicine</i> , 2020.   | No/Unclear follow-up period      |
| 58 | Dong Y, et al. Epidemiology of COVID-19 among children in China. <i>Pediatrics</i> . 2020;145(6):e20200702  | No/Unclear follow-up period      |
| 59 | Gao, Y., et al., A cluster of the Corona Virus Disease 2019 caused by incubation period transmission in Wuxi, China. <i>Journal of Infection</i> , 2020.  | small cluster, only 1 index case |
| 60 | Bai, Y., et al., Presumed Asymptomatic Carrier Transmission of COVID-19. <i>Jama</i> , 2020.  | Small cluster, only 1 index case |
| 61 | Ki, M., Epidemiologic characteristics of early cases with 2019 novel coronavirus (2019-nCoV) disease in Korea. <i>Epidemiol Health</i> , 2020. 42: p. e2020007.   | Small cluster, only 1 index case |
| 62 | Qian G, et al., COVID-19 transmission within a family cluster by presymptomatic infectors in China  | Small cluster                    |
| 63 | Danis K, et al., Cluster of coronavirus disease 2019 (Covid-19) in the French Alps, 2020. <i>Clinical infectious diseases</i> , 2020.   | Small cluster                    |
| 64 | Ye X Delivery of infection from asymptomatic carriers of COVID-19 in a familial cluster   | Small cluster                    |
| 65 | Bai, S.L., et al., [Analysis of the first cluster of cases in a family of COVID-19 in Gansu Province]. <i>Zhonghua Yu Fang Yi Xue Za Zhi</i> , 2020. 54(5): p. 491-493.   | Small cluster                    |
| 66 | Le, T.Q.M., et al., Severe Acute Respiratory Syndrome Coronavirus 2 Shedding by Travelers, Vietnam, 2020. <i>Emerg Infect Dis</i> , 2020. 26(7).  | Small cluster                    |
| 67 | Zhao, D., et al., Clinical characteristics of 10 children with COVID-19 outside of Wuhan in Hubei Province. 2020, Research Square.  | Small cluster                    |
| 68 | Pan, X., et al., Asymptomatic cases in a family cluster with SARS-CoV-2 infection. <i>The Lancet Infectious Diseases</i> , 2020. 20(4): p. 410-411  | Small cluster                    |
| 69 | de Souza, T.H., et al., Clinical Manifestations of Children with COVID-19: a Systematic Review. 2020, medRxiv.  | Review                           |
| 70 | Wang, X.F., et al., [Retracted: Clinical and epidemiological characteristics of 34 children with 2019 novel coronavirus infection in Shenzhen]. <i>Zhonghua Er Ke Za Zhi</i> , 2020. 58(0): p. E008.                                | Retracted                        |
| 71 | Wang, Z., et al., Clinical Characteristics of Children with COVID-19: A Rapid Review and Meta-Analysis. 2020, medRxiv.  | No primary study/review          |
| 72 | Castagnoli, R., et al., Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) Infection in Children and Adolescents: A Systematic Review. <i>JAMA Pediatrics</i> , 2020.   | No primary study/review          |
| 73 | Buitrago-Garcia, D., et al., The role of asymptomatic SARS-CoV-2 infections: rapid living systematic review and meta-analysis. 2020, medRxiv.   | No primary study/review          |
| 74 | Abduljalil, J.M. and B.M. Abduljalil, Epidemiology, genome, and clinical features of the pandemic SARS-CoV-2: a recent view. <i>New Microbes and New Infections</i> , 2020. 35.   | No primary study/review          |
| 75 | Aguirre-Duarte, N., Can people with asymptomatic or pre-symptomatic COVID-19 infect others: a systematic review of primary data. 2020, medRxiv  | No primary study/review          |
| 76 | The Economist . What's gone wrong with COVID-19 testing in Britain  | No primary study/review          |
| 77 | Gilroy R, already stretched care homes 'must prepare to go beyond' for COVID-19   | No primary study/review          |
| 78 | Hu, Z.B. and C. Song, [Screening and management of asymptomatic infection of 2019-novel coronavirus]. <i>Zhonghua Yu Fang Yi Xue Za Zhi</i> , 2020. 54(5): p. 484-485.  | No primary study/review          |
| 79 | Li, H., Z. Liu, and J. Ge, Scientific research progress of COVID-19/SARS-CoV-2 in the first five months. <i>J Cell Mol Med</i> , 2020.  | No primary study/review          |
| 80 | He, W., G. Yi, and Y. Zhu, Estimation of the basic reproduction number, average incubation time, asymptomatic infection rate, and case fatality rate for COVID-19: Meta-analysis and sensitivity analysis. 2020, medRxiv.           | No primary study/review          |
| 81 | Woodcock A, Coronavirus: fewer than one in 50 NHS frontline staff forced to stay home have been tested  | No primary study/review          |
| 82 | Yamahata Y, S.A., Preparation for the Quarantine of The Diamond Princess Cruise Ship for COVID-19 in Japan: study Design. <i>JMIR public health and surveillance</i> , 2020.  | No primary study/review          |
| 83 | Wang, Y., et al., Asymptomatic Cases with SARS-CoV-2 Infection. <i>J Med Virol</i> , 2020.  | No primary study/review          |

|     |  |   |
|-----|--|---|
| 84  | Hu, Z.B. and C. Ci, [Screening and management of asymptomatic infection of corona virus disease 2019 (COVID-19)]. <i>Zhonghua Yu Fang Yi Xue Za Zhi</i> , 2020. 54(0): p. E025.  | No primary data                                   |
| 85  | Dipesh Navsaria, M. and M. MSLIS, Epidemiology of Pediatric Patients With COVID-19 in China  | No primary data                                   |
| 86  | Song, H., et al., A considerable proportion of individuals with asymptomatic SARS-CoV-2 infection in Tibetan population. 2020, medRxiv.  | No contact tracing & Asymptomatic on antiviral Rx |
| 87  | Wang, D., et al., [Clinical analysis of 31 cases of 2019 novel coronavirus infection in children from six provinces (autonomous region) of northern China]. <i>Zhonghua Er Ke Za Zhi</i> , 2020. 58(4): p. E011.   | No contact tracing & Asymptomatic on antiviral Rx |
| 88  | Donida, B.M., Report on the new coronavirus Covid-19 pandemic in Italy. 2020, Research Square.   | No asymptomatic data                              |
| 89  | Li Q, et al., Early transmission dynamics in Wuhan, China, of Novel Coronavirus - Infected pneumonia   | No asymptomatic data                              |
| 90  | Chen Cm, et al., Containing COVID-19 among 627,386 Persons Contacting with Diamond Princess Cruise Ship Passengers Disembarked in Taiwan: big Data Analytics. <i>Journal of medical Internet research</i> , 2020   | No asymptomatic data                              |
| 91  | Forouzes, M., et al., Clinical display, diagnostics and genetic implication of novel Coronavirus (COVID-19) epidemic. <i>Eur Rev Med Pharmacol Sci</i> , 2020. 24(8): p. 4607-4615.  | No asymptomatic data                              |
| 92  | He, D., et al., The relative transmissibility of asymptomatic COVID-19 infections among close contacts. <i>International Journal of Infectious Diseases</i> , 2020. 94: p. 145-147.  | No asymptomatic data                              |
| 93  | Garcia-Basteiro, A., et al., Seroprevalence of antibodies against SARS-CoV-2 among health care workers in a large Spanish reference hospital. 2020, medRxiv.   | No asymptomatic data                              |
| 94  | Philip P et al., Testing of NHS staff and household members  | No asymptomatic data                              |
| 95  | Ji, T., et al., Lockdown contained the spread of 2019 novel coronavirus disease in Huangshi city, China: Early epidemiological findings. <i>Clin Infect Dis</i> , 2020   | No asymptomatic data                              |
| 96  | WHO Coronavirus Disease Situation Report 84, April 13, 2020  | No asymptomatic data                              |
| 97  | Rothe C., et al. Transmission of 2019-nCoV Infection from an Asymptomatic Contact in Germany   | No asymptomatic data                              |
| 98  | Korea CDC, COVID-19 National Emergency Response Center, E.a.C.M.T., Korea Centers for Disease Control and Prevention., Early Epidemiological and Clinical Characteristics of 28 Cases of Coronavirus Disease in South Korea. <i>Osong Public Health Res Perspect</i> , 2020. 11(1): p. 8-14. | No asymptomatic data                              |
| 99  | Du, Z., et al., Serial Interval of COVID-19 among Publicly Reported Confirmed Cases. <i>Emerg Infect Dis</i> , 2020. 26(6).  | No asymptomatic data                              |
| 100 | Ghinai, I., et al., First known person-to-person transmission of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) in the USA. <i>Lancet</i> , 2020. 395(10230): p. 1137-1144.  | No asymptomatic data                              |
| 101 | Ping, K., Epidemiologic Characteristics of COVID-19 in Guizhou, China. 2020, medRxiv.  | No asymptomatic data                              |
| 102 | Scott, S.E., et al., First Mildly Ill, Non-Hospitalized Case of Coronavirus Disease 2019 (COVID-19) Without Viral Transmission in the United States - Maricopa County, Arizona, 2020. <i>Clin Infect Dis</i> , 2020.   | No asymptomatic data                              |
| 103 | Qian, G., et al., A COVID-19 Transmission within a family cluster by presymptomatic infectors in China. <i>Clin Infect Dis</i> , 2020.   | No asymptomatic data                              |
| 104 | Wei, W. Report, Presymptomatic Transmission of SARS-CoV-2—Singapore, January 23–March 16, 2020. 2020. 69.  | No asymptomatic data                              |
| 105 | Liu, Y., S. Funk, and S. Flasche, The contribution of pre-symptomatic infection to the transmission dynamics of COVID-2019. 2020. 5(58): p. 58.  | No asymptomatic data                              |
| 106 | Aguilar, J., et al., Investigating the Impact of Asymptomatic Carriers on COVID-19 Transmission. 2020, medRxiv.  | Modelling study                                   |
| 107 | Aleta, A. and Y. Moreno, Evaluation of the potential incidence of COVID-19 and effectiveness of contention measures in Spain: a data-driven approach. 2020, medRxiv.   | Modelling study                                   |
| 108 | Jing, Q., et al., Estimation of incubation period distribution of COVID-19 using disease onset forward time: a novel cross-sectional and forward follow-up study. 2020, medRxiv.   | Modelling study                                   |
| 109 | Stock, J.H., et al., Estimates of the Undetected Rate among the SARS-CoV-2 Infected using Testing Data from Iceland. medRxiv, 2020: p. 2020.04.06.20055582.  | Modelling study                                   |
| 110 | Serra M, Case studies of blood donors  | insufficient data, Newspaper source,              |
| 111 | Kimball A, et al., Asymptomatic and pre-symptomatic SARS-CoV-2 infections in residents of a Long-term care skilled nursing facility, Washington  | Insufficient asymptomatic results                 |

|     |  |                                       |
|-----|--|---------------------------------------|
| 112 | Kim, E.S., et al., Clinical Course and Outcomes of Patients with Severe Acute Respiratory Syndrome Coronavirus 2 Infection: a Preliminary Report of the First 28 Patients from the Korean Cohort Study on COVID-19. <i>J Korean Med Sci</i> , 2020. 35(13): p. e142.                                 | Insufficient asymptomatic results     |
| 113 | Roxby, A et al. Report, Detection of SARS-CoV-2 Among Residents and Staff Members of an Independent and Assisted Living Community for Older Adults—Seattle, Washington, 2020. 2020. 69.  | Insufficient asymptomatic results     |
| 114 | L'Huillier, A., et al., Shedding of infectious SARS-CoV-2 in symptomatic neonates, children and adolescents. 2020, medRxiv   | Editorial                             |
| 115 | Black, J.R.M., et al., COVID-19: the case for health-care worker screening to prevent hospital transmission. <i>Lancet</i> , 2020. 395(10234): p. 1418-1420.   | Editorial                             |
| 116 | Gandhi, M., D.S. Yokoe, and D.V. Havlir, Asymptomatic Transmission, the Achilles' Heel of Current Strategies to Control Covid-19. <i>N Engl J Med</i> , 2020.  | Editorial                             |
| 117 | Gautret, P., et al., Hydroxychloroquine and azithromycin as a treatment of COVID-19: results of an open-label non-randomized clinical trial. <i>Int J Antimicrob Agents</i> , 2020: p. 105949.   | Asymptomatic results reported with sx |
| 118 | HaEmek Medical Center, I., Chloroquine for Mild Symptomatic and Asymptomatic COVID-19. <i>ClinicalTrials.gov</i> , 2020.   | Trial protocol, no data               |
| 119 | Centre Hospitalier Intercommunal, C., Prevalence of SARS -Cov2 Carriage in Asymptomatic and Mildly-symptomatic Children. <i>ClinicalTrials.gov</i> , 2020.   | Trial protocol, no data               |
| 120 | Centre Hospitalier Intercommunal, C., Prevalence of SARS -Cov2 Carriage in Asymptomatic and Mildly-symptomatic Children. <i>ClinicalTrials.gov</i> , 2020.   | Trial protocol, no data               |
| 121 | Mullins, E., et al., Coronavirus in pregnancy and delivery: rapid review. <i>Ultrasound Obstet Gynecol</i> , 2020.   | Rapid review of case studies          |
| 122 | Al-Tawfiq, J.A., Asymptomatic coronavirus infection: MERS-CoV and SARS-CoV-2 (COVID-19). <i>Travel Med Infect Dis</i> , 2020: p. 101608.   | MERS-CoV, no COVID-19                 |
| 123 | Shaman, J. and M. Galanti, Direct Measurement of Rates of Asymptomatic Infection and Clinical Care-Seeking for Seasonal Coronavirus. 2020, medRxiv.  | Flu 2018, no COVID-19                 |
| 124 | Abu-Raddad L, Chemaitelly H, Ayoub H, Al Kanaani Z, Al Khal A, Al Kuwari E, et al. Characterizing the Qatar advanced-phase SARS-CoV-2 epidemic. medRxiv; 2020.   | No follow up                          |
| 125 | Antonio-Villa NE, Bello-Chavolla OY, Vargas-Vazquez A, Fermin-Martinez C, Marquez-Salinas A, Bahena-Lopez JP. Health-care workers with COVID-19 living in Mexico City: clinical characterization and related outcomes. medRxiv; 2020.  | No follow up                          |
| 126 | Balestrini S, Koepf MJ, Gandhi S, Rickman H, Shin GY, Houlihan C, et al. Clinical outcomes of SARS-CoV-2 pandemic in long-term care facilities for people with epilepsy: observational study. Medrxiv. 2020:2020.06.10.20123281.   | Unclear follow up                     |
| 127 | Bello-Chavolla OY, Antonio-Villa NE, Vargas-Vázquez A, Fermín-Martínez C, Márquez-Salinas A, Bahena-López JP. Profiling pre-symptomatic and asymptomatic cases with confirmed SARS-CoV-2 infection in Mexico City. medRxiv; 2020.  | Unclear sampling frame                |
| 128 | Borras-Bermejo B, Martínez-Gómez X, San Miguel MG, Esperalba J, Antón A, Martín E, et al. Asymptomatic SARS-CoV-2 Infection in Nursing Homes, Barcelona, Spain, April 2020. <i>Emerg Infect Dis</i> . 2020 Jun 23;26(9).   | No follow up                          |
| 129 | Choe PG, Kang EK, Lee SY, Oh B, Im D, Lee HY, et al. Selecting coronavirus disease 2019 patients with negligible risk of progression: early experience from non-hospital isolation facility in Korea. <i>The Korean journal of internal medicine</i> . 2020.   | Unclear sampling frame                |
| 130 | Choi WS, Kim HS, Kim B, Nam S, Sohn JW. Community Treatment Centers for Isolation of Asymptomatic and Mildly Symptomatic Patients with Coronavirus Disease, South Korea. <i>Emerg Infect Dis</i> . 2020 Jun 22;26(10).   | Unclear sampling frame                |
| 131 | Daniells JK, MacCallum HL, Durrheim DN. Asymptomatic COVID-19 or are we missing something? <i>Commun Dis Intell</i> (2018). 2020 Jul 9;44.   | Unclear sampling frame                |
| 132 | Dioscoridi L, Carrisi C. COVID-19 Exposure Risk of Healthcare Personnel in Digestive Endoscopy: A Prospective Study. <i>Research Square</i> ; 2020.  | Unclear follow up                     |
| 133 | Echeverría P, Mas-Bergas MA, Puig J, Isnard M, Massot M, Vedia MC, et al. COVIDApp: A Health Application as an Innovative Strategy for the Management and Follow-Up of the COVID-19 Pandemic in Long-Term Care Facilities in Catalonia. <i>JMIR Public Health Surveill</i> . 2020 Jul 6.             | Unclear follow up                     |
| 134 | Feaster M, Goh YY. High Proportion of Asymptomatic SARS-CoV-2 Infections in 9 Long-Term Care Facilities, Pasadena, California, USA, April 2020. <i>Emerg Infect Dis</i> . 2020 Jul 2;26(10).   | No follow up                          |
| 135 | Furuse Y, Sando E, Tsuchiya N, Miyahara R, Yasuda I, Ko YK, et al. Clusters of Coronavirus Disease in Communities, Japan, January-April 2020. <i>Emerg Infect Dis</i> . 2020 Jun 10;26(9).   | No follow up                          |
| 136 | Fusco FM, Pisaturo M, Iodice V, Bellopede R, Tambaro O, Parrella G, et al. COVID-19 infections among Healthcare Workers in an Infectious Diseases specialized setting in Naples, Southern Italy: results of a cross-sectional surveillance study. <i>J Hosp Infect</i> . 2020 Jun 18;105(4):596-600. | Unclear sampling frame                |

|     |  |                        |
|-----|--|------------------------|
| 137 | Goldberg SA, Lennerz J, Klompas M, Mark E, Pierce VM, Thompson RW, et al. Presymptomatic Transmission of SARS-CoV-2 Amongst Residents and Staff at a Skilled Nursing Facility: Results of Real-Time PCR and Serologic Testing. <i>Clin Infect Dis</i> . 2020 Jul 15.                             | No follow up           |
| 138 | Goldberg SA, Pu CT, Thompson RW, Mark E, Sequist TD, Grabowski DC. Asymptomatic Spread of COVID-19 in 97 Patients at a Skilled Nursing Facility. <i>J Am Med Dir Assoc</i> . 2020 Jul;21(7):980-1.   | No follow up           |
| 139 | Graham NSN, Junghans C, Downes R, Sendall C, Lai H, McKirdy A, et al. SARS-CoV-2 infection, clinical features and outcome of COVID-19 in United Kingdom nursing homes. <i>Journal of Infection</i> . 2020.   | No follow up           |
| 140 | Jatt LP, Winnett A, Graber CJ, Vallone J, Beenhouwer DO, Goetz MB. Widespread SARS-CoV-2 laboratory surveillance program to minimize asymptomatic transmission in high-risk inpatient and congregate living settings. <i>Infection Control and Hospital Epidemiology</i> . 2020.                 | No follow up           |
| 141 | Lewis M, Sanchez R, Auerbach S, Nam D, Lanier B, Taylor J, et al. COVID-19 Outbreak Among College Students After a Spring Break Trip to Mexico - Austin, Texas, March 26-April 5, 2020. <i>MMWR Morb Mortal Wkly Rep</i> . 2020 Jul 3;69(26):830-5.  | No follow up           |
| 142 | Lombardi A CDCMBGMDMACVPECPACFTBPAC. Characteristics of 1,573 healthcare workers who underwent nasopharyngeal swab for SARS-CoV-2 in Milano, Lombardy, Italy. <i>Medrxiv</i> . 2020:2020.05.07.20094276.   | No follow up           |
| 143 | Payne DC, Smith-Jeffcoat SE, Nowak G, Chukwuma U, Geibe JR, Hawkins RJ, et al. SARS-CoV-2 Infections and Serologic Responses from a Sample of U.S. Navy Service Members - USS Theodore Roosevelt, April 2020. <i>MMWR Morb Mortal Wkly Rep</i> . 2020 Jun 12;69(23):714-21.                      | No follow up           |
| 144 | Quicke K, Gallichote E, Sexton N, Young M, Janich A, Gahm G, et al. Longitudinal Surveillance for SARS-CoV-2 RNA Among Asymptomatic Staff in Five Colorado Skilled Nursing Facilities: Epidemiologic, Virologic and Sequence Analysis. <i>medRxiv</i> . 2020 Jun 9.                              | No follow up           |
| 145 | Sharov KS. Adaptation of Russian population to SARS-CoV-2: Asymptomatic course, comorbidities, mortality, and other respiratory viruses - A reply to Fear versus Data: Short Communication to International Journal of Antimicrobial Agents. <i>Int J Antimicrob Agents</i> . 2020 Jul 9:106093. | No follow up           |
| 146 | Son H, Lee H, Lee M, Eun Y, Park K, Kim S, et al. Epidemiological characteristics of and containment measures for coronavirus disease 2019 in Busan Metropolitan City, South Korea. <i>Epidemiology and health</i> . 2020:e2020035.  | No follow up           |
| 147 | Treibel TA, Manisty C, Burton M, McKnight A, Lambourne J, Augusto JB, et al. COVID-19: PCR screening of asymptomatic health-care workers at London hospital. <i>Lancet</i> . 2020 May 23;395(10237):1608-10.   | Unclear sampling frame |
| 148 | Wang Y, Tong J, Qin Y, Xie T, Li J, Li J, et al. Characterization of an asymptomatic cohort of SARS-COV-2 infected individuals outside of Wuhan, China. <i>Clin Infect Dis</i> . 2020 May 22.  | Unclear sampling frame |

### Supplement 3. Risk of bias assessment signalling questions

1. Was the sampling frame a true or close representation of the target population (all at risk of SARS-CoV-2 infection)?
  - 1a. What method of sampling was used? Complete sampling (census), Random selection, Other?
  - 1b. Is there likely to be bias from selection of a study population that doesn't match the target population (all at risk of the infection)?
2. Was there incomplete ascertainment of infection status in the study population?
  - 2a. Was a reference standard applied to everyone (or a random sample) of the study population? Is the probability of having a reference standard applied different for people without symptoms/mild symptoms/with severe symptoms?
  - 2b. Is there likely to be bias from incomplete ascertainment of infection status in the study population?
3. Were acceptable methods used to identify individuals in the study population who had SARS-CoV-2 infection (denominator for research question)?
  - 3a. What reference standards were used to determine SARS-CoV-2 infection status, and what is the estimated diagnostic accuracy for these? Did the choice of reference standard differ depending on whether or not symptoms were present, and the severity of symptoms?
  - 3b. Is there likely to be bias from differential application of reference standards to define infection status?
4. Was an acceptable case definition used in the study (numerator for the research question)?
  - 4a. What was the definition of asymptomatic infection? Was there distinction between asymptomatic and minimally symptomatic?
  - 4b. Is there likely to be bias from the definition of asymptomatic infection?
5. Was the length of follow-up to define case definition (asymptomatic infection) appropriate?
  - 5a. Was the follow-up of people without symptoms sufficient to allow for the incubation period, to allow classification as asymptomatic vs pre-symptomatic?
  - 5b. Is there likely to be bias from insufficient follow-up?