

Supplementary Table 1. SNPs included in each polygenic risk score

SNP	Chr	Position	Gene	BMI-increasing allele	Effect size (β coefficient per effect allele, SD units of BMI)	Included in 69-SNP risk score	Included in 91-SNP risk score	Reason for exclusion ^{1,2}
rs1558902	16	52,361,075	<i>FTO</i>	A	0.0818	Yes	Yes	
rs17024393	1	109,956,211	<i>GNAT2</i>	C	0.0658	Yes	Yes	
rs13021737	2	622,348	<i>TMEM18</i>	G	0.0601	Yes	Yes	
rs6567160	18	55,980,115	<i>MC4R</i>	C	0.0556	Yes	Yes	
rs11847697	14	29,584,863	<i>PRKD1</i>	T	0.0492	Yes	Yes	
rs16851483	3	142,758,126	<i>RASA2</i>	T	0.0483	Yes	Yes	
rs543874	1	176,156,103	<i>SEC16B</i>	G	0.0482	Yes	Yes	
rs13107325	4	103,407,732	<i>SLC39A8</i>	T	0.0477	No	No	Possible pleiotropy
rs1516725	3	187,306,698	<i>ETV5</i>	C	0.0451	Yes	Yes	
rs2207139	6	50,953,449	<i>TFAP2B</i>	G	0.0447	Yes	Yes	
rs11030104	11	27,641,093	<i>BDNF</i>	A	0.0414	No	No	Possible pleiotropy
rs12446632	16	19,842,890	<i>GPRC5B</i>	G	0.0403	Yes	Yes	
rs10938397	4	44,877,284	<i>GNPDA2</i>	G	0.0402	Yes	Yes	
rs7899106	10	87,400,884	<i>GRID1</i>	G	0.0395	Yes	Yes	
rs2287019	19	50,894,012	<i>QPCTL</i>	C	0.0360	Yes	Yes	
rs11727676	4	145,878,514	<i>HHIP</i>	T	0.0358	Yes	Yes	
rs16907751	8	81,538,012	<i>ZBTB10</i>	C	0.0350	No	Yes	Identified in secondary meta-analyses only
rs12429545	13	53,000,207	<i>OLFM4</i>	A	0.0334	Yes	Yes	
rs3101336	1	72,523,773	<i>NEGR1</i>	C	0.0334	Yes	Yes	
rs2245368	7	76,446,079	<i>DTX2P1</i>	C	0.0317	Yes	Yes	
rs7138803	12	48,533,735	<i>BCDIN3D</i>	A	0.0315	Yes	Yes	
rs16951275	15	65,864,222	<i>MAP2K5</i>	T	0.0311	Yes	Yes	
rs3888190	16	28,796,987	<i>ATP2A1</i>	A	0.0309	No	No	Possible pleiotropy
rs11191560	10	104,859,028	<i>NT5C2</i>	C	0.0308	Yes	Yes	
rs10182181	2	25,003,800	<i>ADCY3</i>	G	0.0307	Yes	Yes	
rs11057405	12	121,347,850	<i>CLIP1</i>	G	0.0307	Yes	Yes	

SNP	Chr	Position	Gene	BMI-increasing allele	Effect size (β coefficient per effect allele, SD units of BMI)	Included in 69-SNP risk score	Included in 91-SNP risk score	Reason for exclusion ^{1,2}
rs17001654	4	77,348,592	SCARB2	G	0.0306	No	No	Linkage disequilibrium
rs9581854	13	26,915,782	MTIF3	T	0.0298	Yes	Yes	
rs13078960	3	85,890,280	CADM2	G	0.0297	Yes	Yes	
rs3810291	19	52,260,843	ZC3H4	A	0.0283	Yes	Yes	
rs13191362	6	162,953,340	PARK2	A	0.0277	Yes	Yes	
rs3817334	11	47,607,569	MTCH2	T	0.0262	Yes	Yes	
rs2112347	5	75,050,998	POC5	T	0.0261	Yes	Yes	
rs2075650	19	50,087,459	TOMM40	A	0.0258	No	No	Linkage disequilibrium
rs10968576	9	28,404,339	LINGO2	G	0.0249	Yes	Yes	
rs17094222	10	102,385,430	HIF1AN	C	0.0249	Yes	Yes	
rs2121279	2	142,759,755	LRP1B	T	0.0245	Yes	Yes	
rs12566985	1	74,774,781	FPGT	G	0.0242	Yes	Yes	
rs7141420	14	78,969,207	NRXN3	T	0.0235	Yes	Yes	
rs7903146	10	114,748,339	TCF7L2	C	0.0234	No	Yes	Not included in Tyrrell et al's GRS (reason unclear)
rs13201877	6	137,717,234	IFNGR1	G	0.0233	No	Yes	Identified in secondary meta-analyses only
rs10132280	14	24,998,019	STXBP6	C	0.0230	Yes	Yes	
rs1016287	2	59,159,129	LINC01122	T	0.0229	Yes	Yes	
rs657452	1	49,362,434	AGBL4	A	0.0227	Yes	Yes	
rs758747	16	3,567,359	NLRC3	T	0.0225	Yes	Yes	
rs17405819	8	76,969,139	HNF4G	T	0.0224	Yes	Yes	
rs205262	6	34,671,142	C6orf106	G	0.0221	Yes	Yes	
rs7599312	2	213,121,476	ERBB4	G	0.0220	Yes	Yes	
rs11165643	1	96,696,685	PTBP2	T	0.0218	Yes	Yes	
rs12286929	11	114,527,614	CADM1	G	0.0217	Yes	Yes	
rs7243357	18	55,034,299	GRP	T	0.0217	Yes	Yes	
rs12401738	1	78,219,349	FUBP1	A	0.0211	Yes	Yes	
rs17203016	2	207,963,763	CREB1	G	0.0210	No	Yes	Identified in secondary meta-analyses only

SNP	Chr	Position	Gene	BMI-increasing allele	Effect size (β coefficient per effect allele, SD units of BMI)	Included in 69-SNP risk score	Included in 91-SNP risk score	Reason for exclusion ^{1,2}
rs4256980	11	8,630,515	TRIM66	G	0.0209	Yes	Yes	
rs11126666	2	26,782,315	KCNK3	A	0.0207	Yes	Yes	
rs12885454	14	28,806,589	PRKD1	C	0.0207	Yes	Yes	
rs2650492	16	28,240,912	SBK1	A	0.0207	Yes	Yes	
rs1167827	7	75,001,105	HIP1	G	0.0202	Yes	Yes	
rs9914578	17	1,951,886	SMG6	G	0.0201	No	Yes	Identified in secondary meta-analyses only
rs2365389	3	61,211,502	FHIT	C	0.0200	Yes	Yes	
rs2176598	11	43,820,854	HSD17B12	T	0.0198	Yes	Yes	
rs1460676	2	164,275,935	FIGN	C	0.0197	No	Yes	Identified in secondary meta-analyses only
rs2820292	1	200,050,910	NAV1	C	0.0195	Yes	Yes	
rs17724992	19	18,315,825	PGPEP1	A	0.0194	Yes	Yes	
rs1000940	17	5,223,976	RABEP1	G	0.0192	Yes	Yes	
rs2033732	8	85,242,264	RALYL	C	0.0192	Yes	Yes	
rs9925964	16	31,037,396	KAT8	A	0.0192	No	No	Linkage disequilibrium
rs9641123	7	93,035,668	CALCR	C	0.0191	No	Yes	Identified in secondary meta-analyses only
rs2033529	6	40,456,631	TDRG1	G	0.0190	No	Yes	Not included in Tyrrell et al's GRS because unavailable
rs1928295	9	119,418,304	TLR4	T	0.0188	Yes	Yes	
rs3849570	3	81,874,802	GBE1	A	0.0188	Yes	Yes	
rs6091540	20	50,521,269	ZFP64	C	0.0188	No	Yes	Identified in secondary meta-analyses only
rs9400239	6	109,084,356	FOXO3	C	0.0188	Yes	Yes	
rs9374842	6	120,227,364	LOC285762	T	0.0187	No	Yes	Identified in secondary meta-analyses only
rs6804842	3	25,081,441	RARB	G	0.0185	Yes	Yes	
rs12940622	17	76,230,166	RPTOR	G	0.0182	Yes	Yes	
rs29941	19	39,001,372	KCTD15	G	0.0182	Yes	Yes	
rs7164727	15	70,881,044	LOC100287559	T	0.0180	No	Yes	Identified in secondary meta-analyses only
rs4740619	9	15,624,326	C9orf93	T	0.0179	Yes	Yes	
rs1528435	2	181,259,207	UBE2E3	T	0.0178	Yes	Yes	

SNP	Chr	Position	Gene	BMI-increasing allele	Effect size (β coefficient per effect allele, SD units of BMI)	Included in 69-SNP risk score	Included in 91-SNP risk score	Reason for exclusion ^{1,2}
rs11583200	1	50,332,407	ELAVL4	C	0.0177	Yes	Yes	
rs3736485	15	49,535,902	DMXL2	A	0.0176	Yes	Yes	
rs1441264	13	78,478,920	MIR548A2	A	0.0175	No	Yes	Identified in secondary meta-analyses only
rs10733682	9	128,500,735	LMX1B	A	0.0174	Yes	Yes	
rs6477694	9	110,972,163	EPB41L4B	C	0.0174	Yes	Yes	
rs11688816	2	62,906,552	EHBP1	G	0.0172	Yes	Yes	
rs9540493	13	65,103,705	MIR548X2	A	0.0172	No	Yes	Identified in secondary meta-analyses only
rs2080454	16	47,620,091	CBLN1	C	0.0168	No	Yes	Identified in secondary meta-analyses only
rs1808579	18	19,358,886	C18orf8	C	0.0167	Yes	Yes	
rs977747	1	47,457,264	TAL1	T	0.0167	No	Yes	Identified in secondary meta-analyses only
rs6465468	7	95,007,450	ASB4	T	0.0166	No	Yes	Identified in secondary meta-analyses only
rs2836754	21	39,213,610	ETS2	C	0.0164	No	Yes	Identified in secondary meta-analyses only
rs7239883	18	38,401,669	LOC284260	G	0.0164	No	Yes	Identified in secondary meta-analyses only
rs7715256	5	153,518,086	GALNT10	G	0.0163	No	Yes	Identified in secondary meta-analyses only
rs4787491	16	29,922,838	INO80E	G	0.0159	No	Yes	Identified in secondary meta-analyses only
rs492400	2	219,057,996	USP37	C	0.0158	No	Yes	Identified in secondary meta-analyses only
rs2176040	2	226,801,046	LOC646736	A	0.0141	No	Yes	Identified in secondary meta-analyses only

Note: This table is derived from Locke et al (2015), with additional information from Tyrrell et al (2017).

Supplementary Table 2. Results of sensitivity analyses using unweighted genetic risk scores

	<i>69-SNP unweighted imputed GRS (n=332,127)</i>			<i>91-SNP unweighted imputed GRS (n=326,604)</i>		
	Quintile of genetic risk	Mean BMI difference for unit increase in neighbourhood exposure	P-interaction	Quintile of genetic risk	Mean BMI difference for unit increase in neighbourhood exposure	P-interaction
Fast-food proximity (log (base 10) of distance (m) to nearest fast-food outlet)	Q1	-0.094 (-0.229, 0.042)		Q1	-0.103 (-0.237, 0.030)	
	Q2	-0.123 (-0.250, 0.004)		Q2	-0.130 (-0.254, -0.005)	
	Q3	-0.143 (-0.268, -0.017)	0.064	Q3	-0.146 (-0.269, -0.023)	0.116
	Q4	-0.162 (-0.289, -0.034)		Q4	-0.161 (-0.286, -0.037)	
	Q5	-0.191 (-0.327, -0.055)		Q5	-0.186 (-0.319, -0.053)	
Availability of PA facilities (number of formal PA facilities within 1km of home address)	Q1	-0.069 (-0.096, -0.042)		Q1	-0.069 (-0.096, -0.042)	
	Q2	-0.073 (-0.099, -0.047)		Q2	-0.073 (-0.099, -0.047)	
	Q3	-0.075 (-0.101, -0.050)	0.119	Q3	-0.076 (-0.102, -0.050)	0.110
	Q4	-0.078 (-0.104, -0.052)		Q4	-0.078 (-0.104, -0.052)	
	Q5	-0.081 (-0.108, -0.054)		Q5	-0.082 (-0.109, -0.055)	

Supplementary Table 3. Results of sensitivity analyses using an expanded sample including observations from UK Biobank participants of non-White ethnicities

<i>91-SNP weighted imputed GRS (N=374,339)</i>			
	Quintile of genetic risk	Mean BMI difference for unit increase in neighbourhood exposure	P-interaction
Fast-food proximity (log (base 10) of distance (m) to nearest fast-food outlet)	Q1	-0.086 (-0.208, 0.036)	0.026
	Q2	-0.119 (-0.233, -0.005)	
	Q3	-0.140 (-0.252, -0.028)	
	Q4	-0.161 (-0.274, -0.047)	
	Q5	-0.195 (-0.318, -0.073)	
Availability of PA facilities (number of formal PA facilities within 1km of home address)	Q1	-0.068 (-0.095, -0.041)	0.197
	Q2	-0.071 (-0.097, -0.046)	
	Q3	-0.072 (-0.098, -0.046)	
	Q4	-0.074 (-0.100, -0.048)	
	Q5	-0.077 (-0.104, -0.050)	

REFERENCES

1. Tyrrell J, Wood AR, Ames RM, et al. Gene–obesogenic environment interactions in the UK Biobank study. *Int J Epidemiol.* 2017:dyw337. doi:10.1093/ije/dyw337.
2. Locke AE, Kahali B, Berndt SI, et al. Genetic studies of body mass index yield new insights for obesity biology. *Nature.* 2015;518(7538):197-206. doi:10.1038/nature14177.