

Variable	Comments	Unit
<i>Age</i>	-	years
<i>Waist circumference</i>	-	cm
<i>Body mass index (BMI)</i>	-	kg/m ²
<i>Height</i>	-	cm
<i>Weight</i>	-	kg
<i>Years since hypertension diagnosis</i>	Until ambulatory measurements	years
<i>Office heart rate</i>	Average of 2 consecutive readings	bpm
<i>Office SBP</i>	Average of 2 consecutive readings	mmHg
<i>Office DBP</i>	Average of 2 consecutive readings	mmHg
<i>24-hour ambulatory heart rate</i>	Average over 24 hours	bpm
<i>Daytime heart rate</i>	Average over 24 hours	bpm
<i>Nighttime heart rate</i>	Average over 24 hours	bpm
<i>24-hour ambulatory SBP</i>	Average over 24 hours	mmHg
<i>24-hour ambulatory DBP</i>	Average over 24 hours	mmHg
<i>Daytime ambulatory SBP</i>	Average of daytime	mmHg
<i>Daytime ambulatory DBP</i>	Average of daytime	mmHg
<i>Nighttime ambulatory SBP</i>	Average of nighttime	mmHg
<i>Nighttime ambulatory DBP</i>	Average of nighttime	mmHg
<i>Sex</i>	(Men/Women)	-
<i>Diabetic</i>	(Yes/No)	-
<i>Smoker</i>	(Yes/No)	-
<i>Cardiovascular disease</i>	Antecedents (Yes/No)	-
<i>Renal damage</i>	Antecedents (Yes/No)	-
<i>Ischemic heart disease</i>	Antecedents (Yes/No)	-
<i>Dyslipidemia</i>	Antecedents (Yes/No)	-
<i>Left ventricular hypertrophy</i>	Antecedents (Yes/No)	-
<i>Heart failure</i>	Antecedents (Yes/No)	-
<i>Stroke</i>	Antecedents (Yes/No)	-
<i>Chronic kidney disease</i>	Antecedents (Yes/No)	-
<i>Target organ damage</i>	Antecedents (Yes/No)	-
<i>Atheroma plaque</i>	Antecedents (Yes/No)	-
<i>Number of medications</i>	Antihypertensive	n
<i>Total cholesterol</i>	-	mg/dL
<i>Triglycerides</i>	-	mg/dL
<i>Glucose</i>	-	mg/dL
<i>LDL cholesterol</i>	-	mg/dl
<i>HDL cholesterol</i>	-	mg/dL
<i>Diuretic</i>	Treatment (Yes/No)	-
<i>Calcium-channel blocker</i>	Treatment (Yes/No)	-
<i>ACE inhibitor</i>	Treatment (Yes/No)	-
<i>Beta blocker</i>	Treatment (Yes/No)	-

<i>Alpha blocker</i>	Treatment (Yes/No)	-
<i>Angiotensin receptor blocker</i>	Treatment (Yes/No)	-
<i>Statins</i>	Treatment (Yes/No)	-
<i>Other antihypertensives</i>	Treatment (Yes/No)	-
<i>Number of CV risk factors*</i>	-	n
<i>Groups of cardiovascular risk*</i>	(Basal, Low, Moderate, High, Very High)	-
<i>Binary cardiovascular risk*</i>	(Moderate vs. High)	-
<i>Antihypertensive treatment*</i>	(Yes/No)	-
<i>Circadian profile*</i>	(Dipper, Extreme Dipper, Non-Dipper, Reverse-Dipper)	-
<i>Antihypertensive treatment type*</i>	(No, Mono, Multi) Therapy	-
<i>Obesity based BMI*</i>	IMC above 30 (Yes/No)	-
<i>Albumin-creatinine ratio*</i>	-	-
<i>Creatinine*</i>	-	mg/dL
<i>BMI Grouping*</i>	(<20, 20-25, 25-30, >30)	-
<i>High Office BP*</i>	>140/90 mmHg (Yes/No)	-

BMI – Body Mass Index; BP – Blood Pressure; SBP – Systolic BP; DBP – Diastolic BP; ACE - Angiotensin-converting-enzyme; CV – Cardiovascular; LDL - Low-density lipoprotein; HDL - High-density lipoprotein.

*These variables were not considered for feature selection