

Table S2. 5T4- and MVA-specific antibody responses in plasma of vaccinated patients.

Patient ID	Group	Timepoint (week)	5T4 antibody (RU)	Response	MVA antibody (RU)	Response
VAN-001	4	0	27.23	N/A	7.39	N/A
VAN-001		2	29.05	Negative	10.15	Negative
VAN-001		4	25.01	Negative	13.03	Positive
VAN-001		5	51.88	Positive	125.99	Positive
VAN-001		8	44.90	Positive	116.84	Positive
VAN-001		9	48.14	Positive	125.77	Positive
VAN-001		12	47.41	Positive	108.15	Positive
VAN-001		24	35.21	Negative	52.70	Positive
VAN-002	3	0	20.33	N/A	8.56	N/A
VAN-002		2	17.91	Negative	65.44	Positive
VAN-002		4	25.12	Negative	57.50	Positive
VAN-002		5	37.28	Positive	70.88	Positive
VAN-002		8	36.18	Positive	64.30	Positive
VAN-002		9	30.35	Negative	50.63	Positive
VAN-002		12	29.31	Negative	43.20	Positive
VAN-002		24	14.09	Negative	34.55	Positive
VAN-003	2	0	19.22	N/A	5.22	N/A
VAN-003		2	30.90	Positive	8.23	Negative
VAN-003		4	31.77	Positive	8.53	Negative
VAN-003		5	32.10	Positive	42.79	Positive
VAN-003		8	25.89	Negative	72.23	Positive
VAN-003		9	30.14	Positive	79.45	Positive
VAN-003		12	47.49	Positive	79.91	Positive
VAN-003		24	24.22	Negative	55.76	Positive
VAN-004	1	0	43.21	N/A	6.48	N/A
VAN-004		2	44.39	Negative	6.23	Negative
VAN-004		4	48.02	Negative	9.23	Negative
VAN-004		5	46.49	Negative	27.11	Positive
VAN-004		8	48.14	Negative	62.50	Positive
VAN-004		9	85.00	Positive	98.95	Positive
VAN-004		12	81.46	Positive	71.63	Positive
VAN-004		24	35.25	Negative	40.24	Positive
VAN-005	6	0	28.52	N/A	11.70	N/A
VAN-005		1	28.94	Negative	10.23	Negative

VAN-005		2	40.82	Negative	70.87	Positive
VAN-005		4	42.11	Negative	223.65	Positive
VAN-005		17	61.56	Positive	122.79	Positive
VAN-006	8	0	22.20	N/A	<5	N/A
VAN-006		1	18.85	Negative	<5	Negative
VAN-006		2	20.27	Negative	<5	Negative
VAN-006		4	23.84	Negative	11.77	Positive
VAN-006		8	22.89	Negative	9.25	Positive
VAN-006		10	22.61	Negative	8.62	Negative
VAN-006		22	19.99	Negative	5.06	Negative
VAN-006		34	19.03	Negative	<5	Negative
VAN-006		48	34.31	Negative	<5	Negative
VAN-007	7	0	12.80	N/A	<5	N/A
VAN-007		1	12.80	Negative	<5	Negative
VAN-007		2	14.14	Negative	10.67	Positive
VAN-007		4	38.19	Positive	24.90	Positive
VAN-007		8	40.57	Positive	18.39	Positive
VAN-007		10	38.46	Positive	14.81	Positive
VAN-007		22	19.95	Positive	12.53	Positive
VAN-007		34	13.98	Negative	8.75	Negative
VAN-007		48	14.21	Negative	7.26	Negative
VAN-008	2	0	30.16	N/A	8.13	N/A
VAN-008		2	27.19	Negative	9.94	Negative
VAN-008		4	27.63	Negative	9.48	Negative
VAN-008		5	30.81	Negative	8.51	Negative
VAN-008		8	91.41	Positive	31.50	Positive
VAN-008		9	357.00	Positive	127.25	Positive
VAN-008		12	273.81	Positive	98.64	Positive
VAN-008		24	79.14	Positive	27.22	Positive
VAN-010	6	0	18.39	N/A	9.10	N/A
VAN-010		1	19.16	Negative	5.58	Negative
VAN-010		2	19.59	Negative	17.62	Positive
VAN-010		4	20.26	Negative	28.82	Positive
VAN-010		16	31.07	Positive	47.25	Positive
VAN-011	3	0	26.85	N/A	<5	N/A
VAN-011		2	27.39	Negative	70.36	Positive
VAN-011		4	36.81	Negative	61.80	Positive
VAN-011		5	143.44	Positive	46.99	Positive

VAN-011		8	136.85	Positive	89.78	Positive
VAN-011		9	175.45	Positive	95.62	Positive
VAN-011		12	164.23	Positive	133.75	Positive
VAN-011		24	64.25	Positive	76.67	Positive
VAN-012	5	0	14.61	N/A	<5	N/A
VAN-012		1	14.91	Negative	<5	Negative
VAN-012		2	16.23	Negative	9.32	Positive
VAN-012		4	18.09	Negative	105.44	Positive
VAN-012		16	22.49	Positive	35.44	Positive
VAN-013	7	0	47.48	N/A	<5	Negative
VAN-013		1	45.04	Negative	<5	N/A
VAN-013		2	44.96	Negative	<5	Negative
VAN-013		4	45.70	Negative	10.09	Positive
VAN-013		8	48.87	Negative	10.99	Positive
VAN-013		22	60.93	Negative	7.35	Negative
VAN-013		34	47.65	Negative	5.49	Negative
VAN-013		48	52.92	Negative	5.60	Negative
VAN-015	8	0	14.84	N/A	7.01	Negative
VAN-015		1	14.76	Negative	7.86	Negative
VAN-015		2	14.65	Negative	35.01	Positive
VAN-015		4	19.88	Negative	161.63	Positive
VAN-015		8	28.73	Positive	103.58	Positive
VAN-015		22	18.86	Negative	78.50	Positive
VAN-015		34	16.08	Negative	68.74	Positive
VAN-015		48	18.36	Negative	53.43	Positive
VAN-016	8	0	5.78	N/A	<5	N/A
VAN-016		1	5.78	Negative	<5	Negative
VAN-016		2	6.38	Negative	28.77	Positive
VAN-016		4	11.74	Positive	171.66	Positive
VAN-016		8	19.72	Positive	194.35	Positive
VAN-016		22	12.68	Positive	135.41	Positive
VAN-016		34	8.81	Negative	107.05	Positive
VAN-016		48	8.09	Negative	83.54	Positive
VAN-018	8	0	10.67	Negative	<5	Negative
VAN-018		1	11.36	Negative	<5	Negative
VAN-018		2	12.81	Negative	<5	Negative
VAN-018		4	11.17	Negative	<5	Negative
VAN-018		8	13.40	Negative	<5	Negative

VAN-018		22	20.73	Positive	<5	Negative
VAN-018		34	19.22	Positive	<5	Negative
VAN-018		48	34.63	Positive	<5	Negative
VAN-019	8	0	31.63	N/A	18.54	N/A
VAN-019		1	30.82	Negative	18.51	Negative
VAN-019		2	32.06	Negative	50.55	Positive
VAN-019		4	31.12	Negative	278.87	Positive
VAN-019		8	37.88	Negative	273.53	Positive
VAN-019		22	39.16	Negative	148.04	Positive
VAN-019		34	33.41	Negative	101.59	Positive
VAN-019		48	24.70	Negative	104.30	Positive
VAN-020	7	0	19.56	N/A	<5	Negative
VAN-020		1	21.48	Negative	<5	Negative
VAN-020		2	22.33	Negative	24.82	Positive
VAN-020		4	22.52	Negative	148.16	Positive
VAN-020		8	26.59	Negative	87.96	Positive
VAN-020		22	28.17	Negative	41.68	Positive
VAN-020		34	29.76	Negative	34.89	Positive
VAN-020		48	29.10	Negative	30.19	Positive
VAN-021	7	0	23.26	N/A	5.18	N/A
VAN-021		1	25.60	Negative	5.02	Negative
VAN-021		2	21.05	Negative	6.53	Negative
VAN-021		4	24.79	Negative	9.14	Positive
VAN-021		8	26.19	Negative	7.01	Negative
VAN-021		22	26.41	Negative	7.23	Negative
VAN-021		34	25.84	Negative	7.09	Negative
VAN-021		48	30.55	Negative	<5	Negative
VAN-022	8	0	60.50	N/A	25.25	N/A
VAN-022		1	56.15	Negative	22.57	Negative
VAN-022		2	60.83	Negative	115.22	Positive
VAN-022		4	63.04	Negative	481.99	Positive
VAN-022		8	66.52	Negative	367.45	Positive
VAN-022		22	59.50	Negative	229.51	Positive
VAN-022		34	58.68	Negative	198.55	Positive
VAN-022		48	81.67	Negative	155.49	Positive
VAN-023	2	0	16.15	N/A	<5	N/A
VAN-023		2	16.41	Negative	<5	Negative
VAN-023		4	15.68	Negative	<5	Negative

VAN-023		5	18.16	Negative	<5	Negative
VAN-023		8	29.90	Positive	73.92	Positive
VAN-023		9	153.87	Positive	84.42	Positive
VAN-023		12	89.75	Positive	80.31	Positive
VAN-023		24	27.82	Positive	51.90	Positive
VAN-024	7	0	12.59	N/A	5.58	N/A
VAN-024		1	12.96	Negative	5.60	Negative
VAN-024		2	19.30	Negative	7.93	Negative
VAN-024		4	24.94	Positive	52.00	Positive
VAN-024		8	22.15	Positive	40.49	Positive
VAN-024		22	17.08	Negative	24.59	Positive
VAN-024		34	27.41	Positive	21.69	Positive
VAN-024		48	35.62	Positive	17.68	Positive
VAN-026	7	0	15.22	N/A	<5	N/A
VAN-026		1	16.86	Negative	<5	Negative
VAN-026		2	17.69	Negative	12.81	Positive
VAN-026		4	20.62	Negative	89.02	Positive
VAN-026		8	22.80	Negative	61.33	Positive
VAN-026		22	16.04	Negative	29.47	Positive
VAN-026		34	19.13	Negative	27.18	Positive
VAN-026		48	22.12	Negative	22.00	Positive
VAN-029	5	0	47.84	N/A	<5	N/A
0011029		1	43.48	Negative	<5	Negative
0011029		2	44.78	Negative	<5	Negative
0011029		4	45.29	Negative	6.77	Negative
0011029		16	50.59	Negative	<5	Negative
VAN-031	4	0	18.18	N/A	9.57	N/A
VAN-031		2	18.69	Negative	48.68	Positive
VAN-031		4	22.37	Negative	40.62	Positive
VAN-031		5	129.69	Positive	99.15	Positive
VAN-031		8	135.30	Positive	168.39	Positive
VAN-031		9	139.82	Positive	175.58	Positive
VAN-031		12	164.86	Positive	182.18	Positive
VAN-031		24	190.61	Positive	128.02	Positive
VAN-034	6	0	12.92	N/A	18.21	Negative
VAN-034		1	12.37	Negative	19.42	Negative
VAN-034		2	14.52	Negative	33.10	Positive
VAN-034		4	14.45	Negative	99.26	Positive

VAN-034		16	17.09	Negative	67.78	Positive
VAN-801	5	0	20.14	N/A	<5	N/A
VAN-801		1	20.88	Negative	<5	Negative
VAN-801		2	21.07	Negative	<5	Negative
VAN-801		4	26.59	Negative	24.94	Positive
VAN-801		16	27.37	Negative	11.68	Positive
VAN-802	5	0	10.56	N/A	<5	N/A
VAN-802		1	10.88	Negative	<5	Negative
VAN-802		2	12.56	Negative	<5	Negative
VAN-802		4	15.93	Negative	43.80	Positive
VAN-802		16	13.62	Negative	9.77	Positive
VAN-803	3	0	16.22	N/A	8.65	N/A
VAN-803		1	17.27	Negative	8.81	Negative
VAN-803		2	47.15	Positive	15.63	Positive
VAN-803		4	38.14	Positive	178.03	Positive
VAN-803		16	35.89	Positive	159.01	Positive
VAN-804	3	0	19.52	N/A	<5	N/A
VAN-804		2	17.66	Negative	<5	Negative
VAN-804		4	19.39	Negative	<5	Negative
VAN-804		5	172.93	Positive	114.02	Positive
VAN-804		8	101.07	Positive	67.67	Positive
VAN-804		9	129.44	Positive	60.26	Positive
VAN-804		12	79.42	Positive	60.00	Positive
VAN-804		16	28.90	Negative	15.35	Positive
VAN-805	6	0	20.38	N/A	6.10	N/A
VAN-805		1	54.37	Positive	6.25	Negative
VAN-805		2	79.83	Positive	7.62	Negative
VAN-805		4	52.94	Positive	45.27	Positive
VAN-805		16	48.85	Positive	17.45	Positive
VAN-806	5	0	28.86	N/A	23.80	N/A
VAN-806		1	27.11	Negative	21.90	Negative
VAN-806		2	26.30	Negative	26.20	Negative
VAN-806		4	27.70	Negative	43.41	Positive
VAN-806		16	38.27	Negative	28.14	Negative
VAN-807	3	0	21.23	N/A	14.61	N/A
VAN-807		2	25.78	Negative	566.83	Positive
VAN-807		4	29.56	Negative	371.77	Positive
VAN-807		5	53.98	Positive	323.16	Positive

VAN-807		8	49.21	Positive	228.06	Positive
VAN-807		9	59.70	Positive	234.70	Positive
VAN-807		12	56.67	Positive	194.89	Positive
VAN-807		24	30.49	Negative	119.19	Positive
VAN-808	6	0	13.35	N/A	<5	N/A
VAN-808		1	13.78	Negative	<5	Negative
VAN-808		2	16.92	Negative	146.12	Positive
VAN-808		4	18.51	Negative	176.13	Positive
VAN-808		16	15.70	Negative	70.89	Positive
VAN-809	5	0	12.51	N/A	<5	N/A
VAN-809		1	12.51	Negative	<5	Negative
VAN-809		2	15.01	Negative	45.41	Positive
VAN-809		16	15.26	Negative	152.17	Positive
VAN-810	5	0	17.89	N/A	13.71	N/A
VAN-810		1	75.86	Positive	14.13	Negative
VAN-810		2	126.60	Positive	45.36	Positive
VAN-810		4	114.48	Positive	166.36	Positive
VAN-811	1	0	6.26	N/A	<5	N/A
VAN-811		2	6.53	Negative	<5	Negative
VAN-811		4	6.71	Negative	<5	Negative
VAN-811		5	6.93	Negative	<5	Negative
VAN-811		8	6.79	Negative	<5	Negative
VAN-811		9	8.30	Negative	6.64	Negative
VAN-811		12	7.64	Negative	5.02	Negative
VAN-811		24	10.47	Positive	<5	Negative
VAN-812	5	0	16.65	N/A	5.48	N/A
VAN-812		1	17.37	Negative	5.76	Negative
VAN-812		2	19.16	Negative	24.14	Positive
VAN-812		4	17.27	Negative	56.34	Positive
VAN-812		16	42.10	Positive	28.76	Positive
VAN-813	6	0	34.15	N/A	<5	N/A
VAN-813		1	34.33	Negative	<5	Negative
VAN-813		2	37.25	Negative	<5	Negative
VAN-813		4	63.52	Positive	28.08	Positive
VAN-813		16	54.13	Positive	9.78	Positive
VAN-814	6	0	24.24	N/A	<5	N/A
VAN-814		1	29.41	Negative	<5	Negative
VAN-814		2	29.78	Negative	<5	Negative

VAN-814		4	29.22	Negative	11.03	Positive
VAN-814		16	29.42	Negative	6.18	Negative