

## SUPPLEMENTAL MATERIALS

**Supplemental Table 1.** Inclusion table of patient subpopulation for analysis with at least one hour of mechanical ventilation.

Requirement	Offset			
	0	12	24	48
All MIMIC-III encounters	53432	53432	53432	53432
Age exists, age at least 18	53332	53332	53332	53332
Metavision	24048	24048	24048	24048
At least 1 observation of each required measurement	23502	23502	23502	23502
Mechanical ventilation	9494	9494	9494	9494
Qualifying stay duration	9404	9202	8136	6000

**Supplemental Table 2.** Clinical features included for analysis in patient subpopulations with no required mechanical ventilation, and with at least one hour of mechanical ventilation. GCS = Glasgow Coma Scale; HR = Heart Rate; INR = International Normalised Ratio; MAP = Mean Arterial Pressure; PP = Pulse Pressure; SpO2 = Peripheral Capillary Oxygen Saturation; WBC = White Blood Cell Count

Clinical Features
Age
Antibiotics
Bilirubin
Blood Culture
Creatinine
Diastolic BP
Fluid Bolus
GCS
HR
INR
Lactate
MAP
Organ Dysfunction
PP
Platelets
Resp. Rate
SpO2
Systolic BP
Temp.
Urine Output
WBC
pH


**Supplemental Table 3.** Model performance metrics at 0-, 12-, 24-, and 48-hour prediction windows, on the patient subpopulation test set with at least one hour of mechanical ventilation. AUROC: area under the receiving operator curve; DOR: diagnostic odds ratio; LR+ and LR-: positive and negative likelihood ratios, respectively. Values presented are means and standard deviations for the metrics across 10 folds.

	<b>Onset</b>	<b>12</b>	<b>24</b>	<b>48</b>
<b>AUROC</b>	0.843 (0.015)	0.858 (0.022)	0.810 (0.044)	0.796 (0.112)
<b>Sensitivity</b>	0.800 (0.000)	0.778 (0.000)	0.818 (0.000)	0.667 (0.000)
<b>Specificity</b>	0.733 (0.040)	0.810 (0.072)	0.671 (0.115)	0.910 (0.127)
<b>F1</b>	0.159 (0.019)	0.142 (0.040)	0.066 (0.029)	0.094 (0.098)
<b>DOR</b>	11.274 (2.169)	17.107 (6.838)	11.382 (7.924)	89.235 (117.989)
<b>LR+</b>	3.055 (0.434)	4.579 (1.520)	2.888 (1.441)	30.412 (39.330)
<b>LR-</b>	0.274 (0.016)	0.276 (0.027)	0.279 (0.049)	0.375 (0.073)
<b>Accuracy</b>	0.734 (0.039)	0.808 (0.070)	0.671 (0.113)	0.913 (0.129)
<b>Recall</b>	0.767 (0.000)	0.722 (0.000)	0.727 (0.000)	0.300 (0.105)

**Supplemental Table 4.** Feature importances. Most important features across prediction times on the patient subpopulation test set with no required mechanical ventilation, determined by the relative average information gain across all trees in the ensemble and scaled according to lookahead time. GCS = Glasgow Coma Scale; HR = Heart Rate; INR = International Normalised Ratio; MAP = Mean Arterial Pressure; PP = Pulse Pressure; SpO2 = Peripheral Capillary Oxygen Saturation; WBC = White Blood Cell Count

	<b>Onset</b>	<b>12</b>	<b>24</b>	<b>48</b>
<b>Age</b>	0.004115	0	0	0.053510
<b>Antibiotics</b>	0.261102	1	1	0.743631
<b>Bilirubin</b>	0.001402	0.008645	0	0.583681
<b>Blood cultures</b>	0	0	0	0
<b>Creatinine</b>	0.056243	0.00803	0	0.079805
<b>Diastolic BP</b>	0.04635	0.015093	0.022645	0.155653
<b>Fluid Bolus</b>	0.030919	0.009978	0.042103	0.103617
<b>GCS</b>	1	0.355869	0	0.418873
<b>HR</b>	0.018309	0.028341	0.117448	0.552735
<b>INR</b>	0.001856	0	0	0.316773
<b>Lactate</b>	0.045153	0.012959	0	0.417665
<b>MAP</b>	0.10657	0.022658	0	0.101288
<b>Organ Dysfunction</b>	0.001482	0.002276	0	0.603887
<b>PP</b>	0.024534	0.018626	0.068241	0.245032
<b>Platelets</b>	0.003704	0.004354	0.019733	0.327886
<b>Resp. Rate</b>	0.051007	0.056339	0.020247	0.413433
<b>SpO2</b>	0.053115	0.065467	0	1
<b>Systolic BP</b>	0.022387	0.039432	0.017186	0.162508
<b>Temp.</b>	0.005873	0.014421	0.02879	0.143157
<b>WBC</b>	0.016341	0.010967	0	0.221133
<b>Urine output</b>	0	0	0	0.003511
<b>pH</b>	0.10487	0.011362	0.040173	0.232714

Due to the data extraction process, features are represented in the MLA by multiple columns in the data matrices, each of which are treated as individual latent features. The importance scores presented here are the average importance across those latent features, scaled within lookahead times to give a relative average importance score.



**Supplemental Figure 1.** Area Under Receiver Operating Characteristic (AUROC) curves and values for ARDS onset detection and prediction at 12, 24, and 48 hours prior to onset, on the patient subpopulation test set with at least one hour of mechanical ventilation. Curves are averaged across 10 folds.