

Significantly Improved COVID-19 Outcomes in Countries with Higher BCG Vaccination Coverage: A Multivariable Analysis

Danielle Klinger¹, Ido Blass², Nadav Rappoport^{3,*} and Michal Linial^{1,*}

Supplemental Materials:

Supplemental Methods -S1-text

COVID-19 information by country: Information regarding COVID-19 was extracted between January 29th, and April 20th, 2020 on a daily basis from the Worldometers website (1). The data fields included the following: Country, Total Cases, New Cases, Total Deaths, New Deaths, Total Recovered, Active Cases, Serious and Critical. Normalization (values per 1M) was calculated directly from the country-based report on population size. Data normalization was performed for each country by accounting for the relevant population size. We included in the analysis death per million (DPM), cases of hospitalization with serious and critical (SPM). Other comparative measures include the recovered (RPM) and confirmed cases (CPM).

Demographic information by country: Demographic measures of countries were extracted from the Worldometers website on April 17th, 2020 (25). The parameters extracted were the median age, life expectancy, percentage of urban population, and population estimate as compiled by the United Nations (UN). Information regarding the share of population above >65 years and economic development indicators were extracted from the World Bank data (16, 26).

Comorbidities Information by country: Prevalence of smoking habits, health care capacity, handwashing facilities, extreme poverty and chronic diseases (e.g. obesity, type 2 diabetes, active Tuberculosis and the death rate from cardiovascular disorders and cancer) were extracted from Our World In Data website which collect data from numerous reliable resources including the World Health Organization (WHO), the United Nations Statistics Division and the Institute for Health Metrics and Evaluation. Supplemental **Table S2** provides the source for each of this country-related information.

BCG vaccination information: Information regarding past and present BCG administration practices in every country was extracted from the BCG world atlas (15) (see text). In order to establish the exact length and years of mandatory BCG administration, additional information was extracted from country-specific reports. The information is often shared by local health system authorities (often in local language). A detailed list of these resources are compiled in Supplemental **Table S3**. In addition, the estimates for BCG vaccination coverage between years 1980-2018 were extracted from the annual WHO reports (17). In countries known to have a national vaccination policy, though without a known start date (8 of 55 countries), a *minimally assumed start year* was defined as the first year with >50% BCG coverage to newborns according to the WHO BCG vaccination reports. A *minimally assumed administration period* was determined for all countries, either with a known or assumed start date for the national vaccination BCG policy. The results reported in this paper consider only the countries with a strictly known BCG administration period. Nevertheless, the results prove to be true also for the group including the “minimally assumed administration period”. Both sets are available for analysis using our interactive website, listed as “strict”- for the countries with the strictly known administration period, or “imputed”- for the countries with the minimally assumed administration period.

General data analysis: Accounting for the varying time of the diseases across countries, we define a unified aligned key date of a country as the first date when DPM reached for the first time the value 0.5 or higher. The following analysis was conducted across changing dates (e.g. 10-30 days) for the key aligned date as defined. For country-specific groups (binary or categorized, such as BCG administration), we applied the ranked Wilcoxon test as a nonparametric statistical test for comparing any of the paired groups. For the continuous (i.e. the number of years BCG was administered, the prevalence of TB in the population, median age) data we applied linear regression, reporting the regression fit and the calculated statistical significance (p-value) for the COVID-19 outcomes.

Note on Norway's BCG administration years- The official mandatory BCG vaccination policy ended in 1997, however, the country established an elective vaccination policy that maintained high population turnouts (above 88% of babies were vaccinated) until 2010. For this reason, we considered Norway's administration period to be between 1947 and 2010.

Analysis according to age group coverage: The country population distribution by age was extracted from Our World in Data based on the UN, Department of Economic and Social Affairs, Population Division reports (27). The data was grouped into three age groups divided as 24 years and younger, 25 to 64, and 65 and older. The share of each age group out of the total population was calculated for each country. *BCG coverage years* was defined as the number of years in which a national mandatory BCG vaccination policy was in place. The number of years with BCG coverage was defined within each age group, out of the total number of possible years in that group. From the age partition and the BCG coverage, a value that measures the *percentage of the population in the share of the age group with BCG* is calculated. The final values in each country were processed through a linear regression algorithm opposing the variable of DPM. Countries without approved start year were excluded from the age group coverage analysis.

Supplemental Tables:

Table S1. Country cohort used in the study

Country	Region	Population size (M)	Country	Region	Population size (M)
Algeria	Africa	44	Italy	Europe	60
Argentina	Latin America	45.2	Lebanon	Middle East	7
Australia	Oceania	25.5	Malaysia	South-East Asia	32.3
Austria	Europe	9	Mexico	Latin America	129
Belarus	Europe	9.4	Moldova	Europe	4.0
Belgium	Europe	11.5	Morocco	Africa	36.9
Bolivia	Latin America	11.6	Netherlands	Europe	17.1
Bosnia and Herzegovina	Europe	3.3	Norway	Europe	5.4
Brazil	Latin America	213	Panama	Latin America	4.3
Bulgaria	Europe	7	Peru	Latin America	33
Canada	North America	37.7	Philippines	South-East Asia	110
Chile	Latin America	19	Poland	Europe	37.9
China	East Asia	1439.3	Portugal	Europe	10.2
Colombia	Latin America	50.8	Romania	Europe	19.2
Croatia	Europe	4	Serbia	Europe	8.7
Czechia	Europe	10.7	Slovakia	Europe	5.5
Denmark	Europe	5.8	South Korea	East Asia	51.2
Dominican Republic	Latin America	10.8	Spain	Europe	46.7
Ecuador	Latin America	17.5	Sweden	Europe	10.0
Finland	Europe	5.5	Switzerland	Europe	8.6
France	Europe	65.2	Tunisia	Africa	11.8
Germany	Europe	83.8	Turkey	Middle East	84.3
Greece	Europe	10.4	Ukraine	Europe	43.73

Honduras	Latin America	9.9		United Arab Emirates	Middle East	10
Hungary	Europe	9.6		United Kingdom	Europe	67.8
Iran	Middle East	84		United States	North America	331
Ireland	Europe	4.9		Uruguay	Latin America	3.4
Israel	Middle East	8.6				

Table S2. Additional resources on BCG administration years by country

Country	Additional resources on BCG administration years
Algeria	Moline M, B. P. (1950), <i>First results of a year of BCG vaccinations in Algeria</i> , Alger Medecine.
China	Chen ZR, W. X. (1982), <i>BCG in China</i> , Chinese Medical Journal (English).
Greece	Gabriele, F., Katragkou, A., & Roilides, E. (2014), <i>BCG vaccination policy in Greece: time for another review?</i> International Union Against Tuberculosis and Lung Disease.
Malaysia	Arnold Loh, L. J. (2019), <i>BCG unable to prevent TB in adults</i> . Report published online at thestar.com. Retrieved from 'https://www.thestar.com.my/news/nation/2019/09/19/bcg-unable-to-prevent-tb-in-adults' [Online Resource].
Morocco	Bouazzaoui, Naima Lamdouar (2006), <i>Évolution du calendrier vaccinal au Maroc</i> , Bulletin de L'Académie Nationale de Médecine.
Norway	Report from Norway's Medicines Agency. Published online at fhi.no. Retrieved from: 'https://www.fhi.no/nettpub/vaksinasjonsveilederen-for-helsepersonell/vaksiner-mot-de-enkelte-sykdommene/tuberkulosevaksinasjon---veileder-f/' [Online Resource].
Panama	Pinzon, T. P. (1953), <i>BCG Vaccination in the Republic of Panama</i> , American Review of Tuberculosis.
Philippines	Published report, (1988), Expanded Programme on Immunization – Philippines, Virus Inf Exch Newsl South East Asia West Pac.
Portugal	Report published in the Vaccine European New Integrated Collaboration Effort. Published online at http://venice.cineca.org. Retrieved from: 'https://www.venice.cineca.org/documents/portugal_ip.pdf' [Online Resource].
Serbia	D, Pesut. (2004), <i>Contemporary status of BCG vaccine in the world and in Serbia</i> , Medicinski pregled.
Tunisia	Cyrine Bennasrallah, M. K. (2019), <i>BCG vaccination and tuberculosis prevention: A forty years cohort study, Monastir, Tunisia</i> , PLOS One.

Table S3. Variable resources used across countries and populations

Information extracted	Resource
Physicians per 1000 people	World Bank, (2016), <i>Physicians include generalist and specialist medical practitioners</i> , Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/physicians-per-1000-people?tab=chart ' [Online Resource].
Hospital beds per 1000 people	OECD; Eurostat; World Bank; National Government Records and other sources. (1960-2018). <i>Hospital beds per 1,000 people, 1960 to 2018</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/hospital-beds-per-1000-people ' [Online Resource].
Share of men who smoke	World Bank. (2016). <i>Share of men who smoke, 2016</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/share-of-men-who-are-smoking ' [Online Resource].
Share of women who smoke	World Bank. (2016). <i>Share of women who smoke, 2016</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/share-of-women-who-are-smoking ' [Online Resource].
Diabetes prevalence	World Bank. (2017). <i>Diabetes prevalence, 2017</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/diabetes-prevalence ' [Online Resource].
Proportion of population with basic hand washing facilities	United Nations Statistics Division. (2017). <i>Proportion of population with basic handwashing facilities on premises, 2017</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/proportion-of-population-with-basic-handwashing-facilities-on-premises ' [Online Resource].
Share of population living in extreme poverty	World Bank. (2017). <i>Share of the population living in extreme poverty, 1981 to 2016</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/share-of-the-population-living-in-extreme-poverty ' [Online Resource].

Share of women that are obese	World Health Organization. (2016). <i>Share of women that are obese, 2016</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/share-of-females-defined-as-obese ' [Online Resource].
Share of men that are obese	World Health Organization. (2016). <i>Share of men that are obese, 2016</i> . Published online at OurWorldInData.org. Retrieve from: ' https://ourworldindata.org/grapher/share-of-men-defined-as-obese ' [Online Resource].
Share of people living with active Tuberculosis	Institute for Health Metrics and Evaluation. (2018). <i>Share of people living with active tuberculosis, 2017</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/share-of-people-living-with-active ' [Online Resource].
Share of population infected with HIV within the 15-49 age group	Institute for Health Metrics and Evaluation . (2018). <i>Share of the population infected with HIV, 2017</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/share-of-population-infected-with-hiv-ihme ' [Online Resource].
Death rate from cardiovascular disease	Institute for Health Metrics and Evaluation. (2018). <i>Death rate from cardiovascular disease, 2017</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/cardiovascular-disease-death-rates ' [Online Resource].
Share of population with cancer	Institute for Health Metrics and Evaluation. (2018). <i>Share of population with cancer, 2017</i> . Published online at OurWorldInData.org. Retrieved from: ' https://ourworldindata.org/grapher/share-of-population-with-cancer ' [Online Resource].