COVID-19 apparent reproductive number dropped during Spain's nationwide dropdown, then spiked at lower-incidence regions, Santamaría & Hortal

Supplementary Materials

Figure S1: Goodness of fit of segmented regression models. RSS: residual sum of squares. BIC: bayesian information criterion.



Table S1: Parameters of segmented regression models. Superscript symbols indicate significance levels: $^{\$}$ 0.10, * 0.05, ** 0.01, *** 0.001. No superscript indicates non-significant effects (slopes not significantly different from zero). Est.±SE: estimate ± standard error. Adj.R^2: adjusted R^2.

Region		**Madrid**	**Catalonia**	**Castilla-León**	**Basque Country**	**Andalusia**	**Castilla-LaMancha**	**Valencia**	**Galicia**
# of breakpoints		3	5	2	2	6	3	5	3
Breakpoints	u1	21 (20,22)	9 (8,12)	20 (19,21)	12 (11,13)	5 (4,6)	5 (4,6)	5 (4,6)	5 (4,7)
#days (95%CI)	u2	34 (28,35)	16 (15,17)	36 (35,37)	20 (19,21)	10 (9,14)	33 (32,34)	11 (10,12)	27 (26,28)
	u3	55 (54,56)	33 (32,34)			27 (26,28)	40 (39,41)	22 (21.23)	46 (45,47)
	u4		40 (39,43)			41 (40,42)		44 (43,45)	
	u5		53 (52,56)			57 (56,58)		63 (62,64)	
	u6					63 (62,64)			
	u7								
	u8								
Intercepts	a1	2.08±0.02	4.17±0.06	3.10±0.05	1.74±0.06	4.21±0.07	4.83±0.12	4.38±0.09	5.13±0.14
Est.±SE	a2	0.86±0.09	3.97±0.19	0.64±0.19	3.36±0.26	2.67±0.16	2.39±0.06	2.65±0.17	2.79±0.08
	a3	1.10±0.07	1.48±0.10	0.43±0.12	0.85±0.05	2.52±0.06	1.57±0.79	3.03±0.14	0.05±0.20
	a4	1.67±0.21	-0.44±0.54			0.25±0.15	-0.47±0.15	0.73±0.09	0.42±0.25
	a5		2.01±0.27			2.49±0.17		1.48±0.19	
	a6		1.40±0.28			-7.92±0.93		-1.13±1.73	
	a7					4.07±1.34			
	a8								
	a9								
Slopes	b1	-0.0636±0.0016***	-0.2542±0.0099***	-0.1056±0.0046***	0.0086±0.0084	-0.4290±0.0203***	-0.6770±0.0357***	-0.4320±0.0263***	-0.6650±0.0412***
Est.±SE	b2	-0.0028±0.0033	-0.1732±0.0145***	0.0124±0.0064$^{\$}$	-0.1245±0.0155***	-0.1130±0.0203***	-0.0540±0.0026***	-0.0997±0.0199***	-0.0791±0.0412***
	b3	-0.0070±0.0016***	-0.0216±0.0038***	0.0065±0.0023**	-0.0020±0.0001$^{\$}$	-0.0694±0.0032***	-0.0189±0.0213	-0.1053±0.0079***	0.0214±0.0055***
	b4	-0.0140±0.0033***	0.0393±0.0145**			0.0139±0.0042**	0.0223±0.0026***	-0.0010±0.0028	0.0029±0.0044***
	b5		-0.0268±0.0057***			-0.0365±0.0035***		-0.0126±0.0035***	
	b6		-0.0114±0.0046*			0.1451±0.0153***		0.0320±0.0263	
	b7					-0.0440±0.0203*			
	b8								
Goodness of fit	RSS	0.1213	0.3307	0.8768	0.6270	0.2225	0.7653	0.3869	1.0203
	BIC	-187	-93	-65	-88	-107	-61	-83	-42
Fit parameters	adjR^2	0.9981	0.9971	0.9922	0.9915	0.9975	0.9929	0.9959	0.9911
	F	4471	1948	1434	1327	1976	1184	1384	951
	df	8,60	12,56	6,62	6,62	14,54	8,60	12,56	8,60
	P	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16

Region		**Aragón**	**Navarra**	**La Rioja**	**Balearic Islands**	**Murcia**	**Cantabria**	**Asturias**	**Extremadura**
# of breakpoints		3	5	7	4	4	3	8	6
Breakpoints	u1	5 (4,6)	5 (4,6)	7 (6,8)	5 (4,29)	5 (4,12)	5 (4,7)	5 (4,6)	5 (4,6)
#days (95%CI)	u2	11 (12,13)	12 (11,13)	12 (10,13)	20 (19,21)	11 (10,12)	20 (19,21)	10 (9,11)	15 14,16
	u3	21 (22,23)	20 (19,21)	19 (18,20)	41 (40,42)	21 (20,22)	41 (40,42)	26 (25,27)	46 45,47
	u4	54 (53,55)	40 (39,41)	40 (39,41)	60 (59,61)	57 (56,58)		32 (31,33)	
	u5		49 (48,51)	46 (45,47)				40 (39,41)	
	u6			52 (51,53)				46 (45,47)	
	u7			63 (61,64)				53 (52,54)	
	u8							59 (58,60)	
Intercepts	a1	2.91±0.06	3.53±0.07	1.14±0.07	2.90±0.15	3.60±0.14	5.11±0.20	4.28±0.07	6.45±0.24
Est.±SE	a2	1.57±0.11	1.87±0.12	1.93±0.27	3.42±0.12	2.54±0.28	4.53±0.16	3.65±0.18	2.09±0.47
	a3	3.70±0.12	2.92±0.18	3.58±0.26	0.31±0.16	3.69±0.25	0.20±0.22	1.70±0.07	4.77±0.47
	a4	0.79±0.05	1.07±0.08	1.54±0.09	-0.22±0.31	0.42±0.09	0.39±0.27	-1.08±0.50	-0.44±0.42
	a5	-1.11±0.25	-1.38±0.40	-0.03±0.89	-7.67±1.44	4.09±0.81		4.17±0.40	4.11±1.35
	a6		0.36±0.17	3.91±1.02				-1.97±0.73	-7.96±1.63
	a7			1.35±0.48				3.40±0.66	2.27±0.61
	a8			-9.24±1.79				-7.88±0.95	
	a9							2.01±0.58	
Slopes	b1	-0.2870±0.0196***	-0.3270±0.0220***	-0.0039±0.0162	0.0610±0.0457	-0.3440±0.0428***	-0.7260±0.0614***	-0.2360±0.0222***	-0.8990±0.0717***
Est.±SE	b2	0.0400±0.0117**	-0.0279±0.0131*	-0.0340±0.0272	-0.1340±0.0086***	-0.0777±0.0324*	-0.1930±0.0116***	-0.0386±0.0038***	-0.0274±0.0542
	b3	-0.1277±0.0068***	-0.0977±0.0107***	-0.1268±0.0162***	0.0160±0.0052**	-0.1447±0.0149***	0.0214±0.0070**	-0.0386±0.0038***	-0.2065±0.0293***
	b4	-0.0004±0.0012	-0.0075±0.0027**	-0.0252±0.0031***	0.0190±0.0061**	0.0069±0.0022**	0.0057±0.0048	0.0671±0.0168***	0.0490±0.0150**
	b5	0.0339±0.0041***	0.0470±0.0090***	0.0206±0.0205	0.1375±0.0223***	-0.0432±0.0129**		-0.0946±0.0108***	-0.0939±0.0345**
	b6		0.0076±0.0029*	-0.0674±0.0205**				0.0563±0.0168**	0.1901±0.0350***
	b7			-0.0124±0.0082				-0.0504±0.0133***	-0.0248±0.0103*
	b8			0.1520±0.0272***				0.1540±0.0168***	
								-0.0183±0.0091*	
Goodness of fit	RSS	0.2223	0.2705	0.3843	0.6270	1.0626	0.7653	0.2475	2.777
	BIC	-133	-107	-58	-88	-27	-61	-75	64
Fit parameters	adjR^2	0.9975	0.9967	0.9925	0.9893	0.989	0.9831	0.9967	0.9779
	F	2693	1691	564	631	613	496	11456	216
	df	10,58	12,56	16,52	10,58	10,58	8,60	18,50	14,54
	P	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16	<2.2E-16