

Altitude as a protective factor from COVID-19

Timothy M. Thomson^{1,2*}, Fresia Casas³, Harold Andre Guerrero³, Rómulo Figueroa-Mujica⁴, Francisco C. Villafuerte^{4*}, and Claudia Machicado^{3*}

1 Institute for Molecular Biology, National Science Council (IBMB-CSIC),
Barcelona, Spain

2 Networked Center for Biomedical Research in Hepatic and Digestive
Diseases (CIBER-EHD), Instituto Nacional de la Salud Carlos III, Madrid, Spain

3 Laboratory of Translational Research and Computational Biology, Facultad de
Ciencias y Filosofía-LID, Universidad Peruana Cayetano Heredia, Lima, Perú

4 Laboratorio de Fisiología del Transporte de Oxígeno, Facultad de Ciencias y
Filosofía-LID, Universidad Peruana Cayetano Heredia, Lima, Perú

Table S3. Testing coverage by department

Departament	Tested	Confirmed (+)	Population	Percent pop. tested
CAJAMARCA	15751	700	1453711	1.08%
AYACUCHO	7964	679	668213	1.19%
PUNO	15038	321	1237997	1.21%
HUANUCO	10388	811	760267	1.37%
PIURA	29337	7180	2047954	1.43%
CUSCO	19529	916	1357075	1.44%
LORETO	15994	4109	1027559	1.56%
JUNIN	21390	1755	1361467	1.57%
AMAZONAS	6725	563	426806	1.58%
APURIMAC	7434	162	430736	1.73%
LA LIBERTAD	35987	3816	2016771	1.78%
SAN MARTIN	16391	1151	899648	1.82%
UCAYALI	12052	3645	589110	2.05%
HUANCAVELICA	7794	407	365317	2.13%
LAMBAYEQUE	29738	7060	1310785	2.27%
ANCASH	27147	3384	1180638	2.30%
ICA	23369	2691	975182	2.40%
PASCO	8510	448	271904	3.13%
TUMBES	8388	1219	251521	3.33%
AREQUIPA	55479	3146	1497438	3.70%
TACNA	14018	372	370974	3.78%
CALLAO	43660	10781	1129854	3.86%
LIMA	505710	92057	10628470	4.76%
MADRE DE DIOS	9118	450	173811	5.25%
MOQUEGUA	16706	462	192740	8.67%

Epidemiological data reported on May 30, 2020 by:

- https://covid19.minsa.gob.pe/sala_situacional.asp
- https://www.datosabiertos.gob.pe/group/datos-abiertos-de-covid-19?sort_by=changed&f%5B0%5D=field_tags%3A913




Figure S1. Pairwise comparisons of death rates (per population density) between districts at low altitude (< 2,500 m) and high altitude (≥ 2,500 m) within the same district.




Figure S2. Scatter plots of newly registered death rates vs. altitude. Death rates were calculated from the death counts newly registered during the indicated periods and plotted as a function of altitude for all districts in Peru.




Figure S3. Testing coverage plotted vs. case and death rates per department.