SUPPLEMENTAL TABLES

Quantitative mobility measures complement the MDS-UPDRS for characterization of Parkinson's disease heterogeneity

Emily J. Hill, C. Grant Mangleburg, Isabel Alfradique-Dunham, Brittany Ripperger, Amanda Stillwell, Hiba Saade, Sindhu Rao, Oluwafunmiso Fagbongbe, Rainer von Coelln, Arjun Tarakad, Christine Hunter, Robert J. Dawe, Joseph Jankovic, Lisa M. Shulman, Aron S. Buchman, Joshua M. Shulman

Table S1

The motor MDS-UPDRS and the 12 quantitative mobility measures

Measure	Mean	Median	Range	SD	N
MDS-UPDRS III	23.4	23	3-61	11.24	176
32-ft walk					
Speed	-0.12	-0.13	-2.45-2.95	0.995	174
Cadence	-0.09	-0.10	-3.13-2.37	-0.98	174
Regularity	0.02	0.17	-2.77-1.51	0.81	153
Stride variability	0.06	-0.11	-2.79-2.67	1.05	174
TUG Sit to Stand (S1)					
Anterior-Posterior	0.02	0.03	-2.34-1.94	0.95	170
Range	-0.02	0.05	-2.83-1.93	0.94	166
Posterior	0.04	0.09	-2.07-1.93	0.72	168
TUG Stand to Sit (S2)					
Jerk	-0.01	-0.02	-2.22-2.41	0.79	167
Range	0.03	0.03	-2.27-2.61	0.94	170
TUG turning					
Yaw	-0.06	-0.06	-2.23-2.08	0.83	166
Frequency	0.11	0.20	-1.76-2.49	0.96	170
Standing posture					
Sway	0.07	0.07	-1.93-2.39	0.88	165

TUG= Timed Up and Go; MDS-UPDRS III = Movement Disorders Society-Unified Parkinson Disease Rating Scale, part III

Table S2

Associations between mobility measures and PD outcomes

Measure	**Subtype** n=160	**Cognition** n=176	**Disability** n=176
MDS-UPDRS III	-	-0.08 (0.001)	-0.25 ($4.2x10^{-5}$)
32-ft walk			
Speed	-0.59 (0.01)	0.38 (0.17)	2.77 ($1.0x10^{-5}$)
Cadence	-0.38 (0.06)	1.04 ($1.2x10^{-4}$)	1.52 (0.02)
Regularity	0.03 (0.90)	0.83 (0.01)	-0.44 (0.59)
Stride variability	0.49 (0.01)	-0.44 (0.08)	-2.64 ($8.0x10^{-6}$)
TUG Sit to Stand (S1)			
Anterior-Posterior	-0.08 (0.68)	0.15 (0.61)	0.91 (0.18)
Range	-0.64 (0.003)	0.35 (0.23)	1.23 (0.07)
Posterior	-0.62 (0.02)	0.23 (0.54)	3.04 ($4.5x10^{-4}$)
TUG Stand to Sit (S2)			
Jerk	-0.36 (0.14)	0.57 (0.09)	1.65 (0.04)
Range	-0.23 (0.26)	0.06 (0.83)	0.31 (0.65)
TUG turning			
Yaw	-0.62 (0.01)	-0.54 (0.12)	-2.77 ($5.5x10^{-4}$)
Frequency	0.36 (0.08)	-0.34 (0.25)	-1.06 (0.12)
Standing posture			
Sway	0.49 (0.03)	-0.49 (0.10)	-2.57($4.3x10^{-4}$)

Regression model Beta (p-value) shown for associations between the quantitative mobility measures and PD traits (subtype, cognition, and disability) with adjustments for age, sex, and disease duration. Significant associations are underlined. TUG= Timed Up and Go, PIGD= Postural Instability/ Gait Difficulty

Table S3

Associations between mobility measures and PD outcomes adjusted for clinical status

Measure	MDS-UPDRS	Subtype
32-ft. walk		
Speed	-2.53 (0.001)	-0.56 (0.01)
Cadence	-1.65 (0.04)	-0.33 (0.10)
Regularity	-0.50 (0.63)	0.05 (0.86)
Stride variability	2.11 (0.005)	0.46 (0.02)
TUG Sit to Stand (S1)		
Anterior-Posterior	-0.99 (0.24)	-0.06 (0.76)
Range	-1.57 (0.07)	-0.62 (0.004)
Posterior	-2.92 (0.007)	-0.59 (0.03)
TUG Stand to Sit (S2)		
Jerk	-3.30 ($5.6x10^{-4}$)	-0.33 (0.20)
Range	0.20 (0.81)	-0.23 (0.26)
TUG turning		
Yaw	5.43 ($2.2x10^{-8}$)	0.57 (0.046)
Frequency	-0.40 (0.64)	0.38 (0.07)
Standing posture		
Sway	3.11($3.1x10^{-4}$)	0.45 (0.05)

Regression model Beta (p-value) shown for associations between the quantitative mobility measures and either MDS-UPDRS or subtype with adjustments for age, sex, disease duration, and clinical ON/OFF status. Significant associations are underlined. TUG= Timed Up and Go.

Table S4

Joint Regression Models for Cognition and Physical Functioning Disability Adjusted for Clinical Status

	Cognition			Disability		
Variable	**Model A**	**Model B**	**Model C**	**Model A**	**Model B**	**Model C**
Age	-0.12 (5.95×10^{-5})	-0.09 (0.004)	-0.07 (0.04)	-0.14 (0.046)	-0.04 (0.55)	0.03 (0.71)
Sex	-0.27 (0.63)	-0.09 (0.76)	0.34 (0.55)	1.64 (0.21)	2.98 (0.02)	0.59 (0.70)
Disease Duration	0.02 (0.72)	0.17 (0.29)	0.84 (0.40)	-0.41 (7.54×10^{-5})	-0.32 (0.002)	-0.35 (5.82×10^{-4})
ON/OFF Status	-0.91 (0.20)	-0.53 (0.45)	-0.38 (0.61)	-1.21(0.48)	-0.05 (0.98)	0.40 (0.80)
MDS-UPDRS III		-0.08 (0.002)	-0.07 (0.008)		-0.25 (5.74×10^{-5})	-0.07 (0.28)
Speed						1.77 (0.007)
Cadence			0.77 (0.009)			
Regularity			0.78 (0.02)			
Stride Variability						-1.15 (0.07)
S1 Posterior						1.85 (0.04)
Sway						-1.91 (0.007)
Adjusted R^2	0.078	0.124	0.190	0.097	0.175	0.306
Fold increase		1.6	1.5		1.8	1.8

Beta (p-value) shown from regression models examining cognition or physical functioning disability as an outcome. The base model (Model A) includes age, sex, disease duration, and clinical status (ON or OFF from the MDS-UPDRS item 3b) as covariates. In Model B, motor MDS-UPDRS III is added as a covariate. Model C includes all prior covariates as well as all quantitative mobility measures that were found to have individual independent associations with the outcome. Each model adjusted R-squared is displayed at the bottom of the column and the amount of increase in the R-squared in Models B and C are displayed below. MDS-UPDRSIII = Movement Disorders Society-Unified Parkinson Disease Rating Scale, part III; S1= Sit to stand transition in the Timed up and Go.