

SUPPLEMENTARY MATERIAL




Figure S1: Trend in the number of open educational settings of different types for the month of June 2020. Data in the series “early years settings” are drawn from a Local Authority survey which spans both school- and non-school based early years settings (nurseries, predominantly). Data in the series “nursery” refer to attendance only at school-based nurseries and are drawn from a DfE survey of school-based settings nationally¹¹. Vertical red arrows correspond to major points of re-opening by year group – i.e. nursery, reception, year 1 and year 6 on 1st June; years 10 and 12.




Figure S2: Trends in attendance by children at educational settings in England for the month of June 2020. Data in the series “early years settings” are drawn from a Local Authority survey which spans both school- and non-school based early years settings (nurseries, predominantly). Data in the series “nursery” refer to attendance only at school-based nurseries and are drawn from a DfE survey of school-based settings nationally.¹¹ Vertical red arrows correspond to major points of re-opening by year group – i.e. nursery, reception, year 1 and year 6 on 1st June; years 10 and 12.

Supplement Table S3: Summary of activity in educational during and after the COVID-19 lockdown in England

Educational Settings	COVID-19 RESPONSE IN ENGLAND	Numbers and proportions attending
School attendance for priority groups during the lockdown	<ul style="list-style-type: none"> On 20 March 2020, the government asked educational settings to close to all children except priority groups: children of critical workers and vulnerable children in England Around 80% of schools and colleges were open to priority groups which remained broadly stable 	23 March: 330,000 (4% of children) attending 22,900 settings 13 April: 36,000 (0.4% of children) attending 9,400 settings 29 May: 103,000 (1.1% of children) attending 12,300 settings
Early Years	<ul style="list-style-type: none"> Early years settings began welcoming back all children from 01 June 2020. The number of educational settings increased from 28,000 (41% of settings) on 01 June 2020 to 42,000 (58% of settings) 02 July 2020 By 16 July, 417,000 children were attending early years setting – about 25% of the number of children who usually attend in term time. 	04 June: 183,000 students 02 July: 271,000 students
Primary schools	<ul style="list-style-type: none"> From 01 June, primary schools welcomed back children in nursery, reception, year 1 and year 6, alongside children from priority groups in all years. Around half of primary schools opened to at least one of these year groups on 01 June, increasing to 89% by 25 June and then remained broadly stable. The daily attendance rate of pupils in reception, year 1 and year 6 increased each week from around 15% on 2 June to around 40% on 2 July, and then remained broadly stable. 	Reception: 01 June: 180,000 (28% of students) 30 June: 266,000 (41% of students) Year 1: 01 June: 166,000 (25% of students) 30 June: 254,000 (38% of students) Year 6: 01 June: 221,000 (33% of students) 30 June: 310,000 (46% of students)
Secondary schools and colleges	<ul style="list-style-type: none"> Secondary schools, sixth form and further education colleges opened to years 10 and 12 from 15 June alongside full time provision for priority children. Around 60% of secondary schools and colleges opened on 15 June, increasing to 75% by 25 June, and then remained broadly stable. Daily attendance in year 10 and year 12 (excluding colleges) increased from 10% on 15 June to 13% by 2 July and then remained broadly stable. National guidance restricted attendance to a quarter of the year 10 and year 12 cohort at any one time 	Year 10: 15 June: 58,000 (9% of students) 30 June: 93,000 (15% of students) Year 12: 15 June: 20,000 (7.5% of students) 30 June: 33,000 (12.4% of students)

Data summarised from: <https://explore-education-statistics.service.gov.uk/find-statistics/attendance-in-education-and-early-years-settings-during-the-coronavirus-covid-19-outbreak/2020-week-27>

Supplement Table S4: STROBE statement checklist for cross-sectional studies

STROBE Statement—Checklist of items that should be included in reports of *cross-sectional studies*

	Item No	Recommendation	Reported on page #
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	1
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	2
Introduction			
Background/rationale	2	Explain the scientific background and rationale for the investigation being reported	4
Objectives	3	State specific objectives, including any prespecified hypotheses	4
Methods			
Study design	4	Present key elements of study design early in the paper	2,5
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	5-6
Participants	6	(a) Give the eligibility criteria, and the sources and methods of selection of participants	5
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	5
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	5
Bias	9	Describe any efforts to address potential sources of bias	5-6
Study size	10	Explain how the study size was arrived at	5
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	6
Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	6
		(b) Describe any methods used to examine subgroups and interactions	N/A
		(c) Explain how missing data were addressed	5-6
		(d) If applicable, describe analytical methods taking account of sampling strategy	N/A
		(e) Describe any sensitivity analyses	N/A
Results			

Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	6-7
		(b) Give reasons for non-participation at each stage	6-7
		(c) Consider use of a flow diagram	21-23
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	
		(b) Indicate number of participants with missing data for each variable of interest	N/A
Outcome data	15*	Report numbers of outcome events or summary measures	6-9
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	7, 16
		(b) Report category boundaries when continuous variables were categorized	N/A
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	N/A
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	N/A
Discussion			
Key results	18	Summarise key results with reference to study objectives	10-11
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	11-12
Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	12
Generalisability	21	Discuss the generalisability (external validity) of the study results	10
Other information			
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	13

*Give information separately for exposed and unexposed groups.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at <http://www.plosmedicine.org/>, Annals of Internal Medicine at <http://www.annals.org/>, and Epidemiology at <http://www.epidem.com/>). Information on the STROBE Initiative is available at www.strobe-statement.org.