Supplementary Data

Table S 1: List of Cytokines measured in each study (* indicates markers selected for meta-analysis)

Author (year)	n (non- severe)	n (severe)	n (Total)	IL- 1β	IL-2*	IL-2R	IL-4*	IL-5	IL-6*	IL-7	IL-8	IL- 10*	IL-12	IL-17	TNF-α*	IFN-γ*
Chen, 2020	10	11	21	√		✓			✓		✓	✓			✓	
Feng, 2020	94	20	114		✓		✓		✓			✓			✓	✓
He, 2020	12	16	28		✓		✓	✓	✓			✓			✓	✓
Lv, 2020	115	155	270		✓		✓		✓			✓			✓	✓
Nie, 2020	72	25	97		✓		✓	✓	✓			✓			✓	✓
Qin, 2020	166	286	452	✓		✓			✓		✓	✓			✓	
Shi, 2020	22	21	43		✓		✓		✓			✓			✓	✓
Song, 2020	31	42	73		✓		✓		✓			✓			✓	✓
Wan, 2020	102	21	123				✓		✓			✓		✓	✓	✓
Wang, 2020	55	14	69		✓		✓		✓			✓			✓	
Wei, Su, 2020	131	98	229		✓		✓		✓			✓			✓	√
Xu, 2020	80	45	125	✓					✓			✓				
Zhang, Zhou, 2020	44	21	65		✓		✓		✓			✓			✓	✓
Zhang, Wang, 2020	29	14	43		✓		✓		✓			✓			✓	✓
Zhang, Yu, 2020	93	18	111		✓		✓		✓			✓			✓	✓
Zhao, 2020	53	18	71	✓	✓		✓		✓	✓		✓	✓	✓	✓	✓
Zheng, 2020	22	74	96		✓		✓		✓			✓			✓	✓
Zhu, 2020	111	16	127		✓		✓		✓			✓			✓	✓
			Studies	4	14	2	15	2	18	1	2	18	1	2	17	14
			Patients	669	1436	473	1559	125	2157	71	473	2157	71	194	2032	1490




Figure S 1: Meta-regression bubble plots of (a) IL-6 and (b) IL-10 SMD with percent difference of male patients across severe and non-severe groups




Figure S 2: Funnel plots depicting publication bias in (a) IL-6 and (b) IL-10 metaanalysis




Figure S 3: Sensitivity analysis for (a) IL-6 and (b) IL-10 meta-analysis