

Co-colonization per urine specimen	MRSA (n=81)	MSSA (n=87)	Coagulase-neg	<i>Enterococc</i>	Group B <i>Sti</i>	Misc Pyr- C	<i>Escherichia</i>	<i>Providencic</i>	<i>Providencic</i>	<i>Proteus mi</i>	<i>Proteus vul</i>	<i>Morganellc</i>	<i>Klebsiella o</i>	<i>Klebsiella p</i>	<i>Pseudomor</i>	<i>Pseudomor</i>	<i>Enterobact</i>	<i>Serratia m</i>
MRSA (n=81)	x	12 (15)~	15 (18)	66 (81)	0 (0)	45 (56)*	48 (59)*	37 (46)	14 (17)	48 (59)	4 (5)	22 (27)	14 (17)	10 (12)	27 (33)	13 (16)*	4 (5)	2 (2)~
MSSA (n=87)	12 (14)~	x	13 (15)	68 (78)	1 (1)	33 (41)	37 (46)	51 (63)*	18 (22)	38 (47)	1 (1)	22 (27)	0 (0)	5 (6)	16 (20)	0 (0)	0 (0)	1 (1)
Coagulase-negative <i>Staphylococcus</i> (n=46)	15 (32)	13 (28)	x	36 (78)	0 (0)	13 (28)~	3 (6)~	36 (78)	2 (4)	33 (72)	5 (11)*	24 (52)	0 (0)	6 (13)	22 (48)	8 (17)*	4 (9)	2 (4)
<i>Enterococcus faecalis</i> (n=163)	66 (40)	68 (42)	36 (22)	x	2 (1)	61 (37)~	82 (50)	86 (53)	31 (19)	93 (57)	12 (7)	61 (37)	16 (10)	22 (13)	54 (33)	20 (12)	2 (1)	3 (2)~
Group B <i>Streptococcus</i> (n=2)	0 (0)	1 (50)	0 (0)	2 (100)	x	0 (0)	1 (50)	1 (50)	0 (0)	1 (50)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Misc Pyr- Cat- (n=96)	45 (47)*	33 (34)	13 (13)~	61 (63)	0 (0)	x	47 (49)	60 (62)	12 (12)	74 (77)*	17 (18)	35 (36)*	14 (15)	13 (13)	19 (20)	11 (11)	3 (3)	12 (12)
<i>Escherichia coli</i> (n=89)	48 (53)	37 (41)	3 (3)~	82 (92)	1 (1)	47 (52)	x	53 (59)	32 (36)*	45 (51)	0 (0)	35 (39)*	16 (18)	6 (7)	13 (15)~	13 (15)	4 (4)	0 (0)
<i>Providencia stuartii</i> (n=111)	37 (33)	51 (46)*	36 (32)*	86 (77)	1 (1)	60 (54)*	53 (48)	x	13 (12)	80 (72)*	4 (4)	63 (57)*	13 (12)	4 (4)~	29 (26)~	13 (12)	4 (4)	1 (1)
<i>Providencia retgerri</i> (n=43)	14 (33)	18 (41)	2 (5)	31 (72)	0 (0)	12 (30)	32 (74)*	13 (30)	x	8 (19)~	3 (7)	6 (14)	0 (0)	4 (9)	2 (5)	10 (22)	0 (0)	3 (7)
<i>Proteus mirabilis</i> (n=118)	48 (41)	38 (32)	33 (28)	93 (79)	1 (1)	74 (63)*	45 (38)	80 (68)*	8 (7)~	x	19 (16)	52 (44)	14 (12)	17 (14)*	33 (28)	13 (11)	0 (0)	12 (10)*
<i>Proteus vulgaris</i> (n=37)	4 (11)	1 (3)~	5 (13)	12 (32)	0 (0)	17 (46)*	0 (0)	4 (11)	3 (8)	19 (51)	x	2 (5)	0 (0)	9 (24)*	2 (5)	4 (11)	0 (0)	11 (30)*
<i>Morganella morganii</i> (n=64)	22 (34)	22 (34)~	24 (37)	61 (95)	0 (0)	35 (54)	35 (54)*	63 (98)*	6 (9)	52 (81)	2 (3)	x	13 (20)*	4 (6)	25 (39)*	11 (17)*	0 (0)	0 (0)
<i>Klebsiella oxytoca</i> (n=16)	14 (87)	0 (0)	0 (0)	16 (100)	0 (0)	14 (87)	16 (100)	13 (81)	0 (0)	14 (87)	0 (0)	13 (81)*	x	0 (0)	7 (44)*	1 (6)~	2 (12)	0 (0)
<i>Klebsiella pneumoniae</i> (n=28)	10 (36)	5 (18)	6 (21)	22 (79)	0 (0)	13 (46)	6 (21)	4 (14)~	4 (14)	17 (61)	9 (32)*	4 (14)	0 (0)	x	10 (36)	2 (7)	2 (7)	2 (7)~
<i>Pseudomonas aeruginosa</i> (n=66)	27 (41)	16 (24)	22 (33)	54 (82)	0 (0)	19 (29)	13 (20)~	29 (44)	2 (3)	33 (50)	2 (3)	25 (38)	7 (11)	10 (15)	x	6 (9)	0 (0)	1 (1)
<i>Pseudomonas</i> other (n=24)	13 (54)	0 (0)	8 (33)	20 (83)	0 (0)	11 (46)	13 (54)	13 (54)	10 (42)*	13 (54)	4 (17)	11 (46)*	1 (4)~	2 (8)	6 (25)	x	0 (0)	5 (21)*
<i>Enterobacter aerogenes</i> (n=8)	4 (50)	0 (0)	4 (50)	2 (25)	0 (0)	3 (37)	4 (50)	4 (50)*	0 (0)	0 (0)	0 (0)	0 (0)	2 (25)	2 (25)*	0 (0)	0 (0)	x	0 (0)
<i>Serratia marsescens</i> (n=14)	2 (14)	1 (7)	2 (14)~	2 (21)~	0 (0)	12 (86)	0 (0)	1 (7)	3 (21)*	12 (86)*	11 (79)*	0 (0)	0 (0)	2 (14)~	1 (7)	5 (36)*	0 (0)	x

Data represent the nummber (percent) of urine cultures containing the organism in each row that also contained the organisms in each column

Statistical signficance of associations were analyzed by logistic regression with clustering to account for multiple urine samples from each study participant

\*Organism in column is associated with increased odds of co-colonizing with organism in row ( $P < 0.05$ )

~Organism in column is associated with decreased odds of co-colonizing with organism in row ( $P < 0.05$ )

Co-colonization per participant	MRSA (n=9)	MSSA (n=9)	Coagulase-negative <i>Staphylococcus</i> (n=11)	<i>Enterococcus faecalis</i> (n=18)	Group B <i>Streptococcus</i> (n=2)	Misc Pyr- Cat- (n=11)	<i>Escherichia coli</i> (n=8)	<i>Providencia stuartii</i> (n=9)	<i>Providencia rettgeri</i> (n=4)	<i>Proteus mirabilis</i> (n=11)	<i>Proteus vulgaris</i> (n=3)	<i>Morganella morganii</i> (n=5)	<i>Klebsiella oxytoca</i> (n=3)	<i>Klebsiella pneumoniae</i> (n=5)	<i>Pseudomonas aeruginosa</i> (n=8)	<i>Pseudomonas other</i> (n=5)	<i>Enterobacter aerogenes</i> (n=2)	<i>Serratia marsescens</i> (n=2)
MRSA (n=9)	x	3 (33)	4 (44)	8 (89)	0 (0)	6 (67)	3 (33)	4 (44)	3 (33)	6 (67)	1 (11)	2 (22)	1 (11)	5 (56)	6 (67)	2 (22)	1 (11)	1 (11)
MSSA (n=9)	3 (33)	x	5 (56)	8 (89)	0 (0)	4 (44)	5 (56)	6 (67)	2 (22)	5 (56)	1 (11)	4 (44)	0 (0)	1 (11)	4 (44)	0 (0)	0 (0)	1 (11)
Coagulase-negative <i>Staphylococcus</i> (n=11)	4 (36)	5 (45)	x	9 (82)	0 (0)	3 (27)	1 (9)	6 (54)	2 (18)	8 (73)	2 (18)	3 (27)	0 (0)	3 (27)	7 (64)	4 (36)	1 (9)	1 (9)
<i>Enterococcus faecalis</i> (n=18)	8 (44)	8 (44)	9 (50)	x	2 (11)	8 (44)	8 (44)	8 (44)	4 (22)	9 (50)	3 (17)	5 (28)	2 (11)	5 (28)	8 (44)	4 (22)	1 (6)	2 (11)
Group B <i>Streptococcus</i> (n=2)	0 (0)	0 (0)	0 (0)	2 (100)	x	0 (0)	1 (50)	1 (50)	0 (0)	1 (50)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Misc Pyr- Cat- (n=11)	6 (54)	4 (36)	3 (27)	8 (73)	0 (0)	x	5 (45)	4 (36)	4 (36)	6 (54)	1 (9)	3 (27)	1 (9)	3 (27)	5 (45)	3 (27)	1 (9)	1 (9)
<i>Escherichia coli</i> (n=8)	3 (37)	5 (65)	1 (12)	8 (100)	1 (12)	5 (65)	x	4 (50)	3 (37)	5 (65)	0 (0)	3 (37)	2 (25)	2 (25)	3 (37)	2 (25)	1 (12)	0 (0)
<i>Providencia stuartii</i> (n=9)	4 (44)	6 (67)	6 (67)	8 (89)	1 (11)	4 (44)	4 (44)	x	2 (22)	8 (89)	3 (33)	5 (56)	1 (11)	2 (22)	4 (44)	3 (33)	1 (11)	1 (11)
<i>Providencia rettgeri</i> (n=4)	3 (75)	2 (50)	2 (50)	4 (100)	0 (0)	4 (100)	3 (75)	2 (50)	x	3 (75)	1 (25)	2 (50)	0 (0)	2 (50)	2 (50)	3 (75)	0 (0)	1 (25)
<i>Proteus mirabilis</i> (n=11)	6 (54)	5 (45)	8 (73)	9 (82)	1 (9)	6 (54)	5 (45)	8 (73)	3 (27)	x	3 (27)	4 (36)	1 (9)	1 (9)	6 (54)	6 (54)	0 (0)	2 (18)
<i>Proteus vulgaris</i> (n=3)	1 (33)	1 (33)	2 (67)	3 (100)	0 (0)	1 (33)	0 (0)	3 (100)	1 (33)	3 (100)	x	1 (33)	0 (0)	1 (33)	1 (33)	1 (33)	0 (0)	1 (33)
<i>Morganella morganii</i> (n=5)	2 (40)	4 (80)	3 (60)	5 (100)	0 (0)	3 (60)	3 (60)	5 (100)	2 (40)	4 (80)	1 (20)	x	1 (20)	1 (20)	3 (60)	2 (40)	0 (0)	0 (0)
<i>Klebsiella oxytoca</i> (n=3)	1 (33)	0 (0)	0 (0)	2 (67)	0 (0)	1 (33)	2 (67)	1 (33)	0 (0)	1 (33)	0 (0)	1 (33)	x	0 (0)	1 (33)	1 (33)	1 (33)	0 (0)
<i>Klebsiella pneumoniae</i> (n=5)	5 (100)	1 (20)	3 (60)	5 (100)	0 (0)	3 (60)	2 (40)	2 (40)	2 (40)	1 (20)	1 (20)	1 (20)	0 (0)	x	3 (60)	1 (20)	1 (20)	1 (20)
<i>Pseudomonas aeruginosa</i> (n=8)	6 (75)	4 (50)	7 (87)	8 (100)	0 (0)	5 (65)	3 (37)	4 (50)	2 (25)	6 (75)	1 (12)	3 (37)	1 (12)	3 (37)	x	3 (37)	0 (0)	1 (12)
<i>Pseudomonas other</i> (n=5)	2 (40)	0 (0)	4 (80)	4 (80)	0 (0)	3 (60)	2 (40)	3 (60)	3 (60)	5 (100)	1 (20)	2 (40)	1 (20)	1 (20)	3 (60)	x	0 (0)	1 (20)
<i>Enterobacter aerogenes</i> (n=2)	1 (50)	0 (0)	1 (50)	1 (50)	0 (0)	1 (50)	1 (50)	1 (50)	0 (0)	0 (0)	0 (0)	0 (0)	1 (50)	1 (50)	0 (0)	0 (0)	x	0 (0)
<i>Serratia marsescens</i> (n=2)	1 (50)	1 (50)	1 (50)	2 (100)	0 (0)	1 (50)	0 (0)	1 (50)	1 (50)	2 (100)	1 (50)	0 (0)	0 (0)	1 (50)	1 (50)	1 (50)	0 (0)	x

Data represent the nummber (percent) of participants with urine cultures containing the organism in each row that also contained the organisms in each column