

Comparison of the coronavirus pandemic dynamics in Europe, USA and South Korea

Igor Nesteruk

Institute of Hydromechanics, National Academy of Sciences of Ukraine, Zheliabova 8/4, UA-03680
Kyiv, Ukraine

National Technical University of Ukraine “Igor Sikorsky Kyiv Polytechnic Institute”,
Prosp.Peremohy 37, UA-03056, Kyiv, Ukraine.
inesteruk@yahoo.com

ABSTRACT

The pandemic caused by coronavirus COVID-19 is of great concern. A detailed scientific analysis of this phenomenon is still to come, but now it is urgently needed to evaluate the disease dynamics in order to organize the appropriate quarantine activities, to estimate the required number of places in hospitals, the level of individual protection, the rate of isolation of infected persons, etc. South Korea has achieved the stabilization of the number of cases at rather low level. The epidemic dynamics there can be compared with its development in other countries to make some preliminary, but very important conclusions. Here we provide a simple method of data comparison that can be useful for both governmental organizations and anyone.

Key-words. coronavirus COVID-19 pandemic, coronavirus COVID-19, coronavirus 2019-nCoV, mathematical modeling, statistical methods.

Introduction

Some previous efforts to compare the epidemic dynamics in Italy and mainland China has been done in [1, 2]. Here we will try to compare the epidemics in Italy, Spain, Germany, France, Switzerland, and USA with the situation in South Korea, where the number of cases is stabilizing at rather low level and the mortality rate is not high. We improved the very simple method proposed in [1] which now can be applied for every country. To illustrate its application, the epidemic dynamics in Austria was estimated.

Data

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

We will use official data about the accumulated number of confirmed cases in Italy, Spain, France, Germany, Switzerland, USA, South Korea V_j from WHO daily situation reports [3], see

Tables 1 and 2. Since the reports show the numbers accumulated by 10AM CET, we assumed that every number V_j corresponds to the previous day. The values V_j and corresponding moments of time t_j and t_{ej} are shown in Tables 1 and 2.

Day in February, 2020	Time moment t_j	Accumulated number of cases in the Republic of Korea V_j , [3]	Day in March, 2020	Time moment t_j	Accumulated number of cases in the Republic of Korea V_j , [3]
17	-1	31	1	12	4212
18	0	51	2	13	4812
19	1	104	3	14	5328
20	2	204	4	15	5766
21	3	346	5	16	6284
22	4	602	6	17	6767
23	5	763	7	18	7134
24	6	977	8	19	7382
25	7	1261	9	20	7513
26	8	1766	10	21	7755
27	9	2337	11	22	7869
28	10	3150	12	23	7979
29	11	3736	13	24	8086
-	-	-	14	25	8165

Table 1. Official cumulative numbers of confirmed cases in the Republic of Korea

The information from [3]. The corresponding time moments t_j and the accumulated confirmed numbers of cases V_j in South Korea.

Day in February and March, 2020	Italy	Germany	France	Spain	Switzerland	USA	t_{ej}
22	76	16	12	2	0	35	0
23	124	16	12	2	0	35	1
24	229	16	12	2	0	53	2
25	322	18	12	2	1	53	3
26	400	21	18	12	1	59	4
27	650	26	38	25	6	59	5
28	888	57	57	32	10	62	6
29	1128	100	57	45	18	62	7
1	1689	129	100	45	24	62	8
2	2036	157	191	114	30	64	9
3	2502	196	212	151	37	108	10
4	3089	262	282	198	56	129	11
5	3858	534	420	257	86	148	12
6	4636	639	613	374	209	213	13
7	5883	795	706	430	264	213	14
8	7375	1112	1116	589	332	213	15
9	9172	1139	1402	1024	332	472	16
10	10149	1296	1774	1639	491	696	17
11	12462	1567	2269	2140	645	987	18
12	15113	2369	2860	2965	858	1264	19
13	17660	3062	3640	4231	1125	1678	20
14	21151	3795	4469	5753	1359	1678	21
Mortality rate (%), March 14, 2020	6.81	0.21	2.04	2.36	0.81	2.44	-
d_t	0.549	0.154	0.154	-0.179	0.129	0.312	-

Table 2. The number of cases in Italy, Spain, France, Germany, Switzerland and USA used for comparisons and the results of calculations.

The information about the confirmed accumulated number of cases from [3]. The mortality rate was calculated with the use of numbers for March 14, 2020 (the situation report dated March 16, 2020, [3]). The corresponding time moments t_{ej} are shown in the last column. The values corresponding the beginning of the epidemic outbreak are shown in red. The values d_t were calculated with the use of formula (2).

Time synchronization procedure

We have to calculate the number of days from start of the epidemic outbreak (which is different for every country, see red values in the last column of Table 2) to compare with the data set listed in Table 1. To increase the accuracy, we let this number to be non-integer. To calculate the corresponding time difference d_t , we use the parabolic interpolation for the initial number of cases V in South Korea. The first three points in Table 1 yield the corresponding equation:

$$V = at^2 + bt + 51; \quad a=16.5, \quad b=36.5 \quad (1)$$

Then by putting into (1) the values $V=V_b$ for the number of cases at the starting day of the epidemic outbreak (shown in red in Table 2), the corresponding values d_t were calculated for every country with the use of formula

$$d_t = \frac{-b + \sqrt{b^2 - 4ac}}{2a}; \quad c=51-V_b \quad (2)$$

which yields a solution to the quadratic equation (1). The calculated values of d_t are shown in the last row of Table 2. Then the time moments for Italy have to be shifted by 0.549 days, for Germany by 6+0.154 days and so on.

Results and discussion




Fig. 1. The synchronized data sets for the accumulated confirmed number of cases versus time in days from the beginning of the epidemic outbreaks.

The synchronized data sets are shown in the Fig. 1 by “stars” for countries in Europe and by “squares” for USA. The data for South Korea are shown by red line with “circles”. Blue “stars” represent the sum of cases for 5 countries in Europe. It can be seen that Italy, Spain and France have no chance for rapid stabilization of the number of cases. But it is still possible in Germany, Switzerland and USA. Very high mortality rate in Italy and Spain makes the situation really dramatic. Blue “stars” in the Fig. 1 still follow the straight line. It means that the number of cases in Europe still increases exponentially and is far from stabilization.

It seems that main reason for the rapid increase in the number of cases in Italy and Spain is the slow isolation of infected and contact persons. For example, in South Korea an infected person spreads the infection approximately 4.3 hours (in average), [4]; the mortality rate is 0.92%. By comparison, in mainland China this time is estimated as 2.5 days [5].

How to estimate the epidemic dynamics for other countries?

For example, let us illustrate the application of this simple procedure for Austria. The number of cases in this country was $V_b = 66$ on March 6, 2020. Let us suppose that epidemic in this country started on this day. Corresponding value of $t_{ej} = 13$ (see Table 2) and $d_t = 0.3542$ (according to eq. (2)). If we want to know how looks the situation on March 15, 2020 (ninth day of the epidemic), we open the corresponding WHO report (number 56) and find their the number 959 for Austria. This figure has to be compared with the number of cases from Table 1, corresponding to the time moment $9 + 0.3542$. To avoid any additional calculations, let us take the value 2337 for comparison. Thus the situation in Austria does not look bad. This country is able to stabilize the number of cases soon.

Conclusions

The situation with the coronavirus pandemic in Europe is very threatening. Italy and Spain are in urgent need of assistance in speeding up the isolation of infected and contact persons.

Acknowledgements

I would like to express my sincere thanks to Ihor Kudybyn for his help in collecting and processing data.

References

1. Nesteruk, I. “How can we estimate the dangers of the coronavirus epidemic in Europe?” [Preprint.] *ResearchGate*. 2020 Feb. doi:10.13140/RG.2.2.32072.06402.
2. Nesteruk, I. “Comparison of the coronavirus epidemic dynamics in Italy and mainland China” [Preprint.] *ResearchGate*. 2020 March. doi:10.13140/RG.2.2.19152.87049.

3. World Health Organization. “Coronavirus disease (COVID-2019) situation reports”. <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports/>. Retrieved Mar. 17, 2020.
4. Nesteruk, I. “Estimations of the coronavirus epidemic dynamics in South Korea with the use of SIR model” [Preprint.] *ResearchGate*. 2020 Mar. doi: 10.13140/RG.2.2.15489.40807.
5. Nesteruk, I. “Characteristics of coronavirus epidemic in mainland China estimated with the use of official data available after February 12, 2020.” [Preprint.] *ResearchGate*. 2020 Mar. doi:10.13140/RG.2.2.19667.32804.