

Beyond Deaths per Capita:

Technical Appendix

Updated Version, 7/7/2020

Patrick Heuveline, Ph.D. and Michael Tzen, M.Sc.

California Center for Population Research (CCPR)

University of California, Los Angeles (UCLA)

Part A. Mortality Indicators

Section 1. Period Crude Covid-19 Death Rate (CCDR)

- 1.1 Get current estimate date & cumulative number of covid-19 deaths by UN country/territory, and first subnational administrative units in Brazil, China, Italy, Mexico, Spain and U.S. state with at least one reported case by June 1, 2020 (all locations thereafter) from: <https://coronavirus.jhu.edu/>
- 1.2 Get projection end date & projected number of covid-19 deaths by country & U.S. state from: <https://covid19.healthdata.org/>
- 1.3 Get date of first CoViD-19 case and first CoViD-19 death and total mid-2020 population size for all locations in (1.1) (see Part B for example)
- 1.4 Calculate exposure in person-years for all locations in (1.1) as:
$$N.T$$
where N is total population size in (1.3) & T is year-to-date duration in year converted from dates in (1.1), (1.2) & (1.3)
- 1.5 Calculate the estimated period Crude Covid-19 Death Rate (CCDR) for all locations in (1.1) & projected CCDR for all locations in (1.2) as ratios of deaths in (1.1) & (1.2) to exposure in (1.4)

Section 2. Comparative Covid-19 Mortality Ratio (CCMR)

- 2.1 Get report date and number of registered covid-19 deaths by sex and age group from: <https://data.cdc.gov/NCHS/Provisional-COVID-19-Death-Counts-by-Sex-Age-and-S/9bhg-hcku>
- 2.2 Get the mid-2020 population size by age groups, nN_x , for each sex and the same age groups as in (2.1) for all locations in (1.1) (see part B for example)
- 2.3 Calculate age-and-sex-specific covid-19 death rates for the U.S.A. using the estimate date of first CoViD-19 death and estimated number of covid-19 deaths in the country in (1.1), the distribution of deaths by sex and age group in (2.1) and the mid-2020 population by sex and age group in the country in (2.2) as:

$${}_nD_x^C / {}_nN_x \cdot T$$

where (separately for males and females) ${}_nN_x$ is the mid-2020 population in age group x to $x+n$ in (2.2), T is the duration of exposure in (1.4) & ${}_nD_x^C$ is the number of covid-19 deaths in (1.1) multiplied by the ratio of deaths in the age group to total deaths in (2.1)

- 2.4 Calculate estimated and projected counterfactual numbers of covid-19 deaths for all locations in (1.1) & (1.2) using the sex and age-specific covid-19 death rates for the U.S.A. in (2.3) and the mid-2020 population by sex and age group in (2.2)
- 2.5 Calculate the Comparative Covid-19 Mortality Ratio (CCMR) for estimated and projected numbers of covid-19 deaths for all locations in (1.1) & (1.2) as the ratio of the actual estimate in (1.1) or projected number in (1.2) to the corresponding counterfactual number in (2.4)

Section 3. Projected Reduction in 2020-Life Expectancies

- 3.1 Get period life-table age-specific death rates (${}_nm_x$) and survival probabilities (${}_np_x$) for year-2020 for each country in (1.1) (see Part B for example)
- 3.2 Calculate the age-specific ratio of updated to previously projected deaths from all causes in 2020 for each country in (1.1) as:

$${}_nR_x = \frac{{}_nm_x \cdot ({}_nN_x - ((1 - \bar{t}_m) \cdot {}_nD_x^C)) + {}_nD_x^C}{{}_nm_x \cdot {}_nN_x}$$

where ${}_nm_x$ is the age-specific death rate in the previously projected year-2020 life table from (3.1), ${}_nN_x$ is the mid-2020 population by age group from (2.2), ${}_nD_x^C$ is the projected number of covid-19 deaths in the age group obtained by multiplying the total for the Country in (1.2) by the ratio of deaths in the age group to total deaths in the U.S.A. in (2.1) & \bar{t}_m is the fraction of a year corresponding to the average time of covid-19 deaths estimated here as the mid-point between the first CoViD-19 death in the country and the end date of the projection (October 1, 2020 as of this writing)

- 3.3 Calculate age-specific survival probabilities in the new projected year-2020 life table for each country in (1.1) from (3.1) & (3.2) using Chiang (1968) formula:

$${}^*np_x = {}_np_x \cdot {}_nR_x$$

- 3.4 Calculate the age-specific number of years lived after age x for individuals dying in the age interval in the new projected year-2020 life table for each country in (1.1) from its corresponding value in the previously projected year-2020 life table derived from (3.1) and the life table relationship:

$${}_na_x = \frac{1}{{}_nm_x} - n \cdot \frac{{}_np_x}{1 - {}_np_x}$$

& from (3.2) and (3.3) using the Preston et al. (2001: 84) formula:

$${}^*na_x = n + \left({}_nR_x \cdot \frac{{}_nq_x}{{}^*nq_x} \cdot ({}_na_x - n) \right)$$

and

$${}^*a_{85+} = \frac{a_{85+}}{R_{85+}}$$

3.5 Calculate new values of life expectancies (e_x^o values) in the year-2020 life table for all locations in (1.2) starting with $e_x^o = a_{85+}$ in (3.4) and then using values in (3.3) & (3.4) with the life table relationship:

$$e_x^o = {}_n p_x \cdot (e_{x+n}^o + n) + {}_n a_x \cdot (1 - {}_n p_x)$$

3.6 Calculate the difference between the new values of life expectancies in year-2020 life table in (3.5) and the original values derived from values in (3.1) for all locations in (1.2) and the life table relationship:

$$e_x^o = ({}_n p_x \cdot e_{x+n}^o) + \frac{1}{{}_n m_x} \cdot (1 - {}_n p_x)$$

Part B. Demographic Parameters

Section 1. Mid-2020 Population Size

1.1 (Step 1.3 in part A) Total mid-2020 population size for each UN country and territory was obtained from the “Total Population” file at:

<https://population.un.org/wpp/Download/Standard/Population/>

1.1.a For provinces in China, population size was multiplied by the ratio of the 2019-year-end total population estimates for the province divided by the corresponding estimates for the country obtained at:

<http://data.stats.gov.cn>

1.1.b For U.S. states, the size of each age group was multiplied by the ratio of the 2018-age-group sizes estimated for the state divided by the corresponding estimate for the country obtained at:

<https://data.census.gov/cedsci/table?q=United%20States&g=0100000US&tid=ACSDP1Y2018.DP05&hidePreview=true&table=DP05>

1.1.c For Brazilian states, population size was multiplied by the ratio of the 2019-year-end total population estimates for the state divided by the corresponding estimates for the country obtained from the Brazil Statistical Office (IBGE) at:

<https://www.ibge.gov.br/en/cities-and-states.html?view=municipio>

1.1.d For Italian regions, the size of each age group was multiplied by the ratio of the 2019-age-group sizes estimated for the region divided by the corresponding estimate for the country obtained from IStat at:

<http://demo.istat.it/tvm2016/index.php>

1.1.e For Spanish autonomous communities, the size of each age group was multiplied by the ratio of the 2019-age-group sizes estimated for the community divided by the corresponding estimate for the country obtained from Instituto Nacional Estadística (INE) at:

https://www.ine.es/dyngs/INEbase/en/categoria.htm?c=Estadistica_P&cid=1254734710984

4

1.1.f For Mexican states, the size of each age group was multiplied by the ratio of the 2010-age-group sizes estimated for the state divided by the corresponding estimate for the country obtained from Instituto Nacional de Estadística y Geografía (INEGI) at:

<https://en.www.inegi.org.mx/temas/estructura/default.html#Tabulados>

- 1.2 (Step 1.3 in part A) Dates of first CoViD-19 case and death for UN countries and territories and for provinces in China were retrieved from the World Health Organization’s daily situation reports at <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports/>
 - 1.2.a. For other sub-national populations, dates were obtained from the Institute for Health Metrics and Evaluation at <https://covid19.healthdata.org>.
- 1.3 (step 2.2. in part A) For UN countries and territories with a population size over 90,000, mid-2020 population size by age group was obtained from the “Population by Age and Sex” file at: <https://population.un.org/wpp/Download/Standard/Population/> with the following adjustments:
 - 1.3.a Number of infants (under age 1) for each of these UN countries and territories was obtained from the “Annual Population by Age – Both Sexes” file at: <https://population.un.org/wpp/Download/Standard/Interpolated/>
 - 1.3.b Number in age group 1-4 for each of these UN countries and territories was obtained as the difference between the number in the first age group (age 0-4) in the population by 5-year age groups in (1.3) above & the number of infants in (1.3.a) above
 - 1.3.c Numbers in age groups 5-14 to 75-84 for each of these UN countries and territories were obtained by adding the numbers in two consecutive age groups (e.g., ages 5-14 & ages 15-24) in the population by 5-year age groups in (1.3) above
 - 1.3.d Number in age group 85 and over for each of these UN countries and territories was obtained by adding the numbers in the last four age groups (i.e., ages 85-89, 90-94, 95-99 & 100+) in the population by 5-year age groups in (1.3) above
 - 1.3.e For sub-national populations, population size in each group was multiplied by the ratio of the UN mid-2020 estimates for the country to total population estimates for country from (1.1) above

Section 2. Calendar-Year-2020 Period Life Table Values

- 2.1 (Step 3.1 in part A) The period life-table age-specific survival probabilities (${}_n p_x$) for year-2020 for each country in (1.3) above are obtained from the corresponding values in the estimated 2015-20 & projected 2020-25 life tables in the “Life table survivors (l_x) at exact age x - Both Sexes” file at:

<https://population.un.org/wpp/Download/Standard/Mortality/>

- 2.1.a Age-specific survival probabilities (${}_n p_x$) in the estimated 2015-20 & projected 2020-25 life tables for each country in (1.3) above are obtained from the number of survivors by age (l_x) and the life table relationship:

$${}_n p_x = \frac{l_{x+n}}{l_x}$$

- 2.1.b Period life-table age-specific survival probabilities (${}_n p_x$) for year-2020 for each country in (1.3) above are obtained as:

$${}_n p_x[2020] = \sqrt{{}_n p_x[2015 - 2020] \cdot {}_n p_x[2020 - 2025]}$$

- 2.2 (step 3.1 in part A) The period life-table age-specific death rates (${}_n m_x$) for year-2020 for each country in (1.3) above are obtained from the corresponding values in the estimated 2015-20

& projected 2020-25 life tables in the “Life table survivors $l(x)$ at exact age x ” & “life expectancy at exact age x ” files at:

<https://population.un.org/wpp/Download/Standard/Mortality/>

- 2.2.a Age-specific death rates (${}_n m_x$) in the estimated 2015-20 & projected 2020-25 life tables for each country in (1.3) above are obtained the male/female number of survivors by age (l_x) & the male/female life expectancy by age (e_x^o) and the life table relationships:

$${}_n m_x = \frac{l_x - l_{x+n}}{(l_x \cdot e_x^o) - (l_{x+n} \cdot e_{x+n}^o)}$$

&

$$m_{x+} = \frac{1}{e_x^o}$$

- 2.2.b Period life-table male/female age-specific death rates (${}_n m_x$) and survival probabilities (${}_n p_x$) for year-2020 for each country in (1.3) above are obtained as:

$${}_n m_x[2020] = ({}_n m_x[2015-20] + {}_n m_x[2020-25]) / 2$$

- 2.2.c For U.S. states, age-specific death rates (${}_n m_x$) for 2016 at ages above age 25 were obtained from: <https://wonder.cdc.gov/controller/datarequest/D140>. Under age 25, age-specific death rates are unreliable in some states and the rates in all states were thus assumed to equal the rate at the same age in the country (the assumption should have negligible impact on CoViD-19 mortality assessments). The 2016 age-specific death rates for each sex, age group and state were thus prorated using the ratio of 2020/2016 age-specific death rate for the same sex and age group in the country.
- 2.2.d For Italian regions and Spanish autonomous communities, 2018 (Italy) and 2019 (Spain) life tables were obtained from IStat and INE (see 1.1 above). The 2018 (or 2019) age-specific death rates for each sex, age group and region/community were prorated using the ratio of 2020/2018 (or 2019) age-specific death rate for the same sex and age group in the country. The 2020 life tables were then completed assuming no change in the ${}_n a_x$ from 2018 (or 2019)